

Error Code	Error Description	Supported Versions
5	Invalid procedure call or argument	Access 2003+
6	Overflow	Access 2003+
7	Out of memory	Access 2003+
9	Subscript out of range	Access 2003+
10	This array is fixed or temporarily locked	Access 2003+
11	Division by zero	Access 2003+
13	Type mismatch	Access 2003+
14	Out of string space	Access 2003+
16	Expression too complex	Access 2003+
17	Can't perform requested operation	Access 2003+
18	User interrupt occurred	Access 2003+
28	Out of stack space	Access 2003+
47	Too many DLL application clients	Access 2003+
48	Error in loading DLL	Access 2003+
49	Bad DLL calling convention	Access 2003+
51	Internal error	Access 2003+
52	Bad file name or number	Access 2003+
53	File not found	Access 2003+
54	Bad file mode	Access 2003+
55	File already open	Access 2003+
57	Device I/O error	Access 2003+
Error Code	Error Description	Supported Versions
58	File already exists	Access 2003+
59	Bad record length	Access 2003+
61	Disk full	Access 2003+
62	Input past end of file	Access 2003+
63	Bad record number	Access 2003+
67	Too many files	Access 2003+
68	Device unavailable	Access 2003+
70	Permission denied	Access 2003+
71	Disk not ready	Access 2003+
74	Can't rename with different drive	Access 2003+
75	Path/File access error	Access 2003+
76	Path not found	Access 2003+
93	Invalid pattern string	Access 2003+
96	Unable to sink events of object because the object is already firing events to the maximum number of event receivers that it supports	Access 2003+
97	Can not call friend function on object which is not an instance of defining class	Access 2003+
98	A property or method call cannot include a reference to a private object, either as an argument or as a return value	Access 2003+
321	Invalid file format	Access 2003+
322	Can't create necessary temporary file	Access 2003+
325	Invalid format in resource file	Access 2003+
380	Invalid property value	Access 2003+
Error Code	Error Description	Supported Versions
381	Invalid property array index	Access 2003+

382	Set not supported at runtime	Access 2003+
383	Set not supported (read-only property)	Access 2003+
385	Need property array index	Access 2003+
387	Set not permitted	Access 2003+
393	Get not supported at runtime	Access 2003+
394	Get not supported (write-only property)	Access 2003+
422	Property not found	Access 2003+
423	Property or method not found	Access 2003+
424	Object required	Access 2003+
429	ActiveX component can't create object	Access 2003+
430	Class does not support Automation or does not support expected interface	Access 2003+
432	File name or class name not found during Automation operation	Access 2003+
438	Object doesn't support this property or method	Access 2003+
440	Automation error	Access 2003+
442	Connection to type library or object library for remote process has been lost. Press OK for dialog to remove reference.	Access 2003+
443	Automation object does not have a default value	Access 2003+
445	Object doesn't support this action	Access 2003+
446	Object doesn't support named arguments	Access 2003+
447	Object doesn't support current locale setting	Access 2003+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
448	Named argument not found	Access 2003+
449	Argument not optional	Access 2003+
450	Wrong number of arguments or invalid property assignment	Access 2003+
451	Property let procedure not defined and property get procedure did not return an object	Access 2003+
452	Invalid ordinal	Access 2003+
453	Specified DLL function not found	Access 2003+
454	Code resource not found	Access 2003+
455	Code resource lock error	Access 2003+
457	This key is already associated with an element of this collection	Access 2003+
458	Variable uses an Automation type not supported in Visual Basic	Access 2003+
459	Object or class does not support the set of events	Access 2003+
460	Invalid clipboard format	Access 2003+
461	Method or data member not found	Access 2003+
462	The remote server machine does not exist or is unavailable	Access 2003+
463	Class not registered on local machine	Access 2003+
481	Invalid picture	Access 2003+
482	Printer error	Access 2003+
735	Can't save file to TEMP	Access 2003+
744	Search text not found	Access 2003+
746	Replacements too long	Access 2003+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
2001	You canceled the previous operation.@@@1@5738@1 <b>Access 2007+ uses different description:</b> 'You canceled the previous operation.@@@1@2@5738@1'	Access 2003+
2002	You tried to perform an operation involving a function or feature that was not installed in this version of Microsoft Office Access.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'You tried to perform an operation involving	Access 2003+

a function or feature that was not installed in this version of Microsoft Office Access.@@@1@@@1' **Access 2010+ uses different description:** 'You tried to perform an operation involving a function or feature that was not installed in this version of Microsoft Access.@@@1@@@1'

2004	There isn't enough memory to perform this operation. Close unneeded programs and try the operation again.	Access 2003+
2005	There isn't enough free memory to start Microsoft Office Access.@Close unneeded programs and try again. For information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@@1@@3 <b>Access 2007+ uses different description:</b> 'There isn't enough free memory to start Microsoft Office Access.@Close unneeded programs and try again. For information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@@1@@@3' <b>Access 2010+ uses different description:</b> 'There isn't enough free memory to start Microsoft Access.@Close unneeded programs and try again. For information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@@1@@@3'	Access 2003+
2006	The object name ' ' you entered doesn't follow Microsoft Office Access object-naming rules.@For more information about naming objects, click Help.@@2@553714184@1 <b>Access 2007+ uses different description:</b> 'The object name ' ' you entered doesn't follow Microsoft Office Access object-naming rules.@For more information about naming objects, click Help.@@2@1@553714184@1' <b>Access 2010+ uses different description:</b> 'The object name ' 1' you entered doesn't follow Microsoft Access object-naming rules.@For more information about naming objects, click Help.@@2@1@553714184@1'	Access 2003+
2007	You already have an open database object named ' '.@Use a different name for each database object of the same type. If you want this object to replace the original object, close the original object, and then save this object using the same name. For more information on renaming a database object, click Help.@@2@209043@1 <b>Access 2007+ uses different description:</b> 'You already have an open database object named ' '.@Use a different name for each database object of the same type. If you want this object to replace the original object, close the original object, and then save this object using the same name. For more information on renaming a database object, click Help.@@2@1@9043@1'	Access 2003+
2008	You can't delete the database object ' ' while it's open.@Close the database object, and then delete it.@@1@@1 <b>Access 2007+ uses different description:</b> 'You can't delete the database object ' ' while it's open.@Close the database object, and then delete it.@@1@@@1'	Access 2003+
2009	You can't rename the database object ' ' while it's open.@Close the database object, and then rename it.@@1@@1 <b>Access 2007+ uses different description:</b> 'You can't rename the database object ' ' while it's open.@Close the database object, and then rename it.@@1@@@1'	Access 2003+
2010	You can't delete the database object ' ' while it's open.@Close the database object, and then delete it.@@1@@1 <b>Access 2007+ uses different description:</b> 'You can't delete the database object ' ' while it's open.@Close the database object, and then delete it.@@1@@@1'	Access 2003+
2011	The password you entered is incorrect.	Access 2003+
2014	You have given this  1 the same name as an existing  2 in your database.@You can't give a table and a query the same name.@Give this object a name that isn't already used by another table or query.@1@@1 <b>Access 2007+ uses different description:</b> 'You have given this  1 the same name as an existing  2 in your database.@You can't give a table and a query the same name.@Give this object a name that isn't already used by another table or query.@1@@@1'	Access 2003+

2015	<p>There are no registered wizards of this type.@Rerun Microsoft Office Access or Microsoft Office Setup to reinstall the wizards. If you want to preserve your security or custom settings, back up the Microsoft Office Access workgroup information file. For more information on backing up files, search the Microsoft Windows Help index for 'backing up files'.@@1@@1 <b>Access 2007+ uses different description:</b> 'There are no registered wizards of this type.@Rerun Microsoft Office Access or Microsoft Office Setup to reinstall the wizards. If you want to preserve your security or custom settings, back up the Microsoft Office Access workgroup information file. For more information on backing up files, search the Microsoft Windows Help index for 'backing up files'.@@1@@@1' <b>Access 2010+ uses different description:</b> 'There are no registered wizards of this type.@Rerun Microsoft Access or Microsoft Office Setup to reinstall the wizards. If you want to preserve your security or custom settings, back up the Microsoft Access workgroup information file. For more information on backing up files, search the Microsoft Windows Help index for 'backing up files'.@@1@@@1'</p>	Access 2003+
2016	<p>You can't modify the attributes of System Tables.</p>	Access 2003+
2017	<p>Microsoft helps protect this Visual Basic for Applications Project with a password. You must supply the password in the Visual Basic Editor before you can perform this operation.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'Microsoft helps protect this Visual Basic for Applications Project with a password. You must supply the password in the Visual Basic Editor before you can perform this operation.@@@1@@@1'</p>	Access 2003+
2018	<p>The data access page name ' ' you entered is misspelled or refers to a data access page that isn't open or doesn't exist.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'The data access page name ' ' you entered is misspelled or refers to a data access page that isn't open or doesn't exist.@@@1@@@1'</p>	Access 2003+
2019	<p>The number you used to refer to the data access page is invalid.@Use the Count property to count the open data access pages and make sure that the page number is not greater than the number of open data access pages minus one.@@1@2019460@1 <b>Access 2007+ uses different description:</b> 'The number you used to refer to the data access page is invalid.@Use the Count property to count the open data access pages and make sure that the page number is not greater than the number of open data access pages minus one.@@1@4@2019460@1'</p>	Access 2003+
2020	<p>The data access page theme name ' ' you entered is misspelled or refers to a theme name that doesn't exist.@@@1@@@1 <b>Access 2007+ uses different description:</b> "</p>	Access 2003
2021	<p>One or more operators in the filter expression is invalid.@For a valid list of operators refer to the help file@@1@@@1 <b>Access 2007+ uses different description:</b> 'One or more operators in the filter expression is invalid.@For a valid list of operators refer to the help file@@1@@@1'</p>	Access 2003+
2022	<p>You entered an expression that requires a data access page to be the active window.@@@1@5601@1 <b>Access 2007+ uses different description:</b> 'You entered an expression that requires a data access page to be the active window.@@@1@2@5601@1'</p>	Access 2003+
2023	<p>The file name you specified for the data access page already exists.@@@1@5601@1 <b>Access 2007+ uses different description:</b> "</p>	Access 2003
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
2024	<p>The report snapshot was not created because you don't have enough free disk space for temporary work files.@To fix this, free up disk space (for example, empty the Recycle Bin or delete unnecessary files).@@1@@@1 <b>Access 2007+ uses different description:</b> 'The report snapshot was not created because you don't have enough free disk space for temporary work files.@To fix this, free up disk space (for example, empty the Recycle Bin or delete unnecessary files).@@1@@@1'</p>	Access 2003+

2025	<p>The file is not in the correct format for a Microsoft Office Access project.@@@1@@1 <b>Access 2007+ uses different description:</b> 'The file is not in the correct format for a Microsoft Office Access project.@@@1@@@1'</p> <p><b>Access 2010+ uses different description:</b> 'The file is not in the correct format for a Microsoft Access project.@@@1@@@1'</p>	Access 2003+
2026	<p>Your computer is missing at least one of the Microsoft Access 97 object libraries. Your converted database will not work until you open this database using Access 97 and then fix any missing references. @Press OK to continue saving this database in the Access 97 format with missing references, or press Cancel if you no longer wish to save this database.@@4@@2 <b>Access 2007+ uses different description:</b> "</p>	Access 2003
2027	<p>This operation is not supported for Microsoft Office Access 1.X databases.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'This operation is not supported for Microsoft Office Access 1.X databases.@@@1@@@1'</p> <p><b>Access 2010+ uses different description:</b> 'This operation is not supported for Microsoft Access 1.X databases.@@@1@@@1'</p>	Access 2003+
2028	<p>Microsoft Office Access was unable to close the database object. <b>Access 2010+ uses different description:</b> 'Microsoft Access was unable to close the database object.'</p>	Access 2003+
2029	<p>Microsoft Office applications cannot suspend while you have documents open from a network location. Exit the applications or close the open documents and try again.</p>	Access 2003+
2030	<p>The Microsoft Office Access project ' ' will be opened read-only because one of the following occurred:@The file is locked for editing by another user, or the file (or the folder in which it is located,) is marked as read-only, or you specified that you wanted to open this file read-only.@@1@@1 <b>Access 2007+ uses different description:</b> 'The Microsoft Office Access project ' ' will be opened read-only because one of the following occurred:@Either the file is locked for editing by another user, the file (or the folder in which it is located) is marked as read-only, or you specified that you wanted to open the file read-only.@@3@@@1'</p> <p><b>Access 2010+ uses different description:</b> 'The Microsoft Access project ' ' will be opened read-only because one of the following occurred:@Either the file is locked for editing by another user, the file (or the folder in which it is located) is marked as read-only, or you specified that you wanted to open the file read-only.@@3@@@1'</p>	Access 2003+
2031	<p>You can't convert or enable an MDE file.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'You can't convert or enable an MDE file.@@@1@@@1'</p>	Access 2003+
2032	<p>Some errors happened during the conversion. No converted database was generated.@@@1@@@1 <b>Access 2007+ uses different description:</b> "</p>	Access 2003
2033	<p>Name conflicts with existing module, project, or object library.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'Name conflicts with existing module, project, or object library.@@@1@@@1'</p>	Access 2003+
2034	<p>Cannot Compile Project.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'Cannot Compile Project.@@@1@@@1'</p>	Access 2003+
2035	<p>Cannot Load Project of wrong version.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'Cannot Load Project of wrong version.@@@1@@@1'</p>	Access 2003+
2036	<p>Microsoft Office Access does not support using ADP Projects when running in Runtime Mode.@@@1@@@1 <b>Access 2007+ uses different description:</b> "</p>	Access 2003
2037	<p>Microsoft Office Access could not perform name AutoCorrect during this operation. The 'Log name AutoCorrect' option is set, but the Data and Misc. Objects is not checked out.@@@1@@@3 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access could not perform name AutoCorrect during this operation. The 'Log name AutoCorrect' option is set, but the Data and Misc. Objects is not checked out.@@@1@@@3'</p> <p><b>Access 2010+ uses</b></p>	Access 2003+

**different description:** 'Microsoft Access could not perform name AutoCorrect during this operation.The 'Log name AutoCorrect' option is set, but the Data and Misc. Objects is not checked out.@@@1@@@3'

2038	The file ' ' cannot be opened because it has been locked by another user.	Access 2003+
2039	You cannot convert a workgroup file from Microsoft Access2000 to Access 97. You must create new security settings in Access 97. <b>Access 2007+ uses different description:</b> "	Access 2003
2040	Microsoft Office Access can't run.@@@1@@@3 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access can't run.@@@1@@@3' <b>Access 2010+ uses different description:</b> 'Microsoft Access can't run.@@@1@@@3'	Access 2003+
2041	Microsoft Office Access couldn't find file ' '.This file is required for startup. <b>Access 2010+ uses different description:</b> 'Microsoft Access couldn't find file ' 1'.This file is required for startup.'	Access 2003+
2042	A system error occurred, or there isn't enough free memory to start Microsoft Office Access. Close unneeded programs and try again. <b>Access 2010+ uses different description:</b> 'A system error occurred, or there isn't enough free memory to start Microsoft Access. Close unneeded programs and try again.'	Access 2003+
2043	Microsoft Office Access can't find the database file ' '.@Make sure you entered the correct path and file name.@@1@@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access can't find the database file ' '.@Make sure you entered the correct path and file name.@@1@@@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access can't find the database file ' 1'.@Make sure you entered the correct path and file name.@@1@@@1'	Access 2003+

Error Code	Error Description	Supported Versions
------------	-------------------	--------------------

2044	You can't exit Microsoft Office Access now.@If you're running a Visual Basic module that is using OLE or DDE, you may need to interrupt the module.@@1@@@1 <b>Access 2007+ uses different description:</b> 'You can't exit Microsoft Office Access now.@If you're running a Visual Basic module that is using OLE or DDE, you may need to interrupt the module.@@1@@@1' <b>Access 2010+ uses different description:</b> 'You can't exit Microsoft Access now.@If you're running a Visual Basic module that is using OLE or DDE, you may need to interrupt the module.@@1@@@1'	Access 2003+
2045	The command line you used to start Microsoft Office Access contains an option that Microsoft Office Access doesn't recognize.@Exit and restart Microsoft Office Access using valid command-line options.@@1@@@1 <b>Access 2007+ uses different description:</b> 'The command line you used to start Microsoft Office Access contains an option that Microsoft Office Access doesn't recognize.@Exit and restart Microsoft Office Access using valid command-line options.@@1@@@1' <b>Access 2010+ uses different description:</b> 'The command line you used to start Microsoft Access contains an option that Microsoft Access doesn't recognize.@Exit and restart Microsoft Access using valid command-line options.@@1@@@1'	Access 2003+
2046	The command or action ' ' isn't available now.@* You may be in a read-only database or an unconverted database from an earlier version of Microsoft Office Access. * The type of object the action applies to isn't currently selected or isn't in the active view.@Use only those commands and macro actions that are currently available for this database.@1@@@1 <b>Access 2007+ uses different description:</b> 'The command or action ' ' isn't available now.@* You may be in a read-only database or an unconverted database from an earlier version of Microsoft Office Access. * The type of object the action applies to isn't currently selected or isn't in the active view.@Use only those commands and macro actions that are currently available for this database.@1@@@1' <b>Access 2010+ uses different description:</b> 'The command or action ' 1' isn't available now.@* You may be in a read-only database or an unconverted database from an earlier version of Microsoft Access. * The type of object the action applies	Access 2003+

to isn't currently selected or isn't in the active view.@Use only those commands and macro actions that are currently available for this database.@1@@@1'

There isn't enough free memory to open the file '|'.@Close unneeded programs and try again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@@1@@1 **Access 2007+ uses different description:** 'There isn't enough free memory to open the file '|'.@Close unneeded programs and try again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@@1@@@1'

The Tahoma font is not present.To restore it, please run Detect and Repair from the Help menu. **Access 2007+ uses different description:** "

Enter an OLE/DDE Timeout setting from 0 through 300 seconds.@@@1@@1 **Access 2007+ uses different description:** 'Enter an OLE/DDE Timeout setting from 0 through 300 seconds.@@@1@@@1'

The object name '|1' can't be longer than |2 characters according to Microsoft Office Access object-naming rules.@@@1@@1 **Access 2007+ uses different description:** 'The object name '|1' can't be longer than |2 characters according to Microsoft Office Access object-naming rules.@@@1@@@1' **Access 2010+ uses different description:** 'The object name '|1' can't be longer than |2 characters according to Microsoft Access object-naming rules.@@@1@@@1'

There isn't enough free memory to update the display. Close unneeded programs and try again.

The command name can't be blank.@Please choose a name.@@1@@1 **Access 2007+ uses different description:** 'The command name can't be blank.@Please choose a name.@@1@@@1'

Microsoft Office Access is unable to load the Visual Basic for Applications dynamic-link library (DLL) Vbe6.@Rerun the Microsoft Office Access Setup program.@@1@@3 **Access 2007+ uses different description:** 'Microsoft Office Access is unable to load the Visual Basic for Applications dynamic-link library (DLL) Vbe6.@Rerun the Microsoft Office Access Setup program.@@1@@@3' **Access 2010+ uses different description:** 'Microsoft Access is unable to load the Visual Basic for Applications dynamic-link library (DLL) Vbe7.@Rerun the Microsoft Access Setup program.@@1@@@3'

The expression '|' you entered is invalid.@@@1@311732@1 **Access 2007+ uses different description:** 'The expression '|' you entered is invalid.@@@1@11732@1'

Microsoft Office Access can't supply context-sensitive Help.@@@1@@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't supply context-sensitive Help.@@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access can't supply context-sensitive Help.@@@1@@@1'

There isn't enough stack memory left to perform the operation.@The operation is too complicated. Try simplifying the operation.@@1@@3 **Access 2007+ uses different description:** 'There isn't enough stack memory left to perform the operation.@The operation is too complicated. Try simplifying the operation.@@1@@@3'

The file '|' is incompatible. Microsoft Office Access needs to be reinstalled.@Run Setup to reinstall Microsoft Office Access. If you want to preserve your security or custom settings, back up the Microsoft Office Access workgroup information file. For more information on backing up files, search the Microsoft Windows Help index for 'backing up files'.@@1@@3 **Access 2007+ uses different description:** 'The file '|' is incompatible. Microsoft Office Access needs to be reinstalled.@Run Setup to reinstall Microsoft Office Access. If you want to preserve your security or custom settings, back up the Microsoft Office Access workgroup information file. For more information on backing up files, search the Microsoft Windows Help index for 'backing up

files'.@@1@@185309@3' **Access 2010+ uses different description:** 'The file '1' is incompatible. Microsoft Access needs to be reinstalled.@Run Setup to reinstall Microsoft Access. If you want to preserve your security or custom settings, back up the Microsoft Access workgroup information file. For more information on backing up files, search the Microsoft Windows Help index for 'backing up files'.@@1@@185309@3'

Microsoft Office Access cannot find the object '|'.@Make sure the object exists and that you spell its name correctly.@@1@@1 **Access 2007+ uses different description:** 'Microsoft Office Access cannot find the object '|'.@Make sure the object exists and that you spell its name correctly.@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access cannot find the object '1'.@Make sure the object exists and that you spell its name correctly.@@1@@@1'

You can't create a field list based on the action query '|'.@Action queries don't have fields. A form or report must be based on a table, or on a select or crosstab query.@Change the RecordSource property for the form or report, or open the action query and change it to a select query.@1@209232@1 **Access 2007+ uses different description:** 'You can't create a field list based on the action query '|'.@Action queries don't have fields. A form or report must be based on a table, or on a select or crosstab query.@Change the RecordSource property for the form or report, or open the action query and change it to a select query.@1@1@9232@1'

Enter a zero or greater-than-zero number for this option.@@@1@@1 **Access 2007+ uses different description:** 'Enter a zero or greater-than-zero number for this option.@@@1@@@1'

The command name must be shorter than 255 Characters.@Please choose a name.@@1@@1 **Access 2007+ uses different description:** 'The command name must be shorter than 255 Characters.@Please choose a name.@@1@@@1'

Microsoft Office Access can't create, open, or write to the index file '|'; the information (.inf) file it uses to keep track of dBASE indexes.@The index file may be damaged, or you may not have read/write permission for the network drive you're trying to link to.@You can link to the dBASE file without specifying any dBASE indexes, but the existing indexes will not be used with the linked table.@1@@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't create, open, or write to the index file '|'; the information (.inf) file it uses to keep track of dBASE indexes.@The index file may be damaged, or you may not have read/write permission for the network drive you're trying to link to.@You can link to the dBASE file without specifying any dBASE indexes, but the existing indexes will not be used with the linked table.@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access can't create, open, or write to the index file '1'; the information (.inf) file it uses to keep track of dBASE indexes.@The index file may be damaged, or you may not have read/write permission for the network drive you're trying to link to.@You can link to the dBASE file without specifying any dBASE indexes, but the existing indexes will not be used with the linked table.@1@@@1'

The menu bar value '|' is invalid.@You supplied an argument to the DoMenuItem method that refers to a menu bar that is invalid.@Use an intrinsic constant or numeric value that refers to a valid menu bar value, such as acFormbar.@1@611895@1 **Access 2007+ uses different description:** 'The menu bar value '|' is invalid.@You supplied an argument to the DoMenuItem method that refers to a menu bar that is invalid.@Use an intrinsic constant or numeric value that refers to a valid menu bar value, such as acFormbar.@1@1@11895@1'

2059

2060

2061

2062

2063

2064

Error Code

Error Description

Supported Versions



2065	<p>The name for the menu, command, or subcommand you entered is invalid.@You supplied an argument to the DoMenuItem method that refers to a menu name, command, or subcommand that is invalid.@Use an intrinsic constant or numeric value that refers to a valid menu, command, or subcommand value, such as acRecordsMenu.@1@611895@1 <b>Access 2007+ uses different description:</b> 'The name for the menu, command, or subcommand you entered is invalid.@You supplied an argument to the DoMenuItem method that refers to a menu name, command, or subcommand that is invalid.@Use an intrinsic constant or numeric value that refers to a valid menu, command, or subcommand value, such as acRecordsMenu.@1@1@11895@1'</p>	Access 2003+
2066	<p>A video adapter resolution of at least 640 x 480 pixels is required to run Microsoft Office Access. <b>Access 2007+ uses different description:</b> "</p> <p>A menu bar macro can only be run if the menu bar macro name is the setting used by particular properties or options.@You tried to run a menu bar macro containing the AddMenu action. Set one of the following properties or options to the name of the menu bar macro: * The MenuBar property of a form or report. * The ShortcutMenuBar property of a form, report, or control. * The Menu Bar or Shortcut Menu Bar option in the Startup dialog box. This error also occurs if Microsoft Office Access attempts to run a menu bar macro containing an AddMenu action that follows an action that makes some other object the active object. For example, the OpenForm action.@@2@603704@1 <b>Access 2007+ uses different description:</b> 'A menu bar macro can only be run if the menu bar macro name is the setting used by particular properties or options.@You tried to run a menu bar macro containing the AddMenu action. Set one of the following properties or options to the name of the menu bar macro: * The MenuBar property of a form or report. * The ShortcutMenuBar property of a form, report, or control. * The Menu Bar or Shortcut Menu Bar option in the Startup dialog box. This error also occurs if Microsoft Office Access attempts to run a menu bar macro containing an AddMenu action that follows an action that makes some other object the active object. For example, the OpenForm action.@@2@1@3704@1' <b>Access 2010+ uses different description:</b> 'A menu bar macro can only be run if the menu bar macro name is the setting used by particular properties or options.@You tried to run a menu bar macro containing the AddMenu action. Set one of the following properties or options to the name of the menu bar macro: * The MenuBar property of a form or report. * The ShortcutMenuBar property of a form, report, or control. * The Menu Bar or Shortcut Menu Bar option in the Startup dialog box. This error also occurs if Microsoft Access attempts to run a menu bar macro containing an AddMenu action that follows an action that makes some other object the active object. For example, the OpenForm action.@@2@1@3704@1'</p>	Access 2003
2067	<p>The selected item is customized and doesn't have context-sensitive Help.@For more information on creating custom Help for a form, report, or control, click Help.@@2@110930@1 <b>Access 2007+ uses different description:</b> 'The selected item is customized and doesn't have context-sensitive Help.@For more information on creating custom Help for a form, report, or control, click Help.@@2@1@10930@1'</p>	Access 2003+
2068	<p>The key or key combination  1 in  2 has invalid syntax or is not allowed.@Use the SendKeys syntax to specify the key or key combinations. For the allowed key or key combinations, click Help.@@2@610144@1 <b>Access 2007+ uses different description:</b> 'The key or key combination  1 in  2 has invalid syntax or is not allowed.@Use the SendKeys syntax to specify the key or key combinations. For the allowed key or key combinations, click Help.@@2@1@10144@1'</p>	Access 2003+
2069	<p>You already assigned the key or key combination  1 in  2 to another macro.@Only the first key or key combination will be used.@@2@610144@1</p>	Access 2003+
2070		

	Access 2007+ uses different description: 'You already assigned the key or key combination  1 in  2 to another macro.@Only the first key or key combination will be used.@@2@1@10144@1'	
2071	The Docking property can't be set to '1' at this time.@If you want to set the Docking property to '2', move the toolbar from its current position and try again.@@1@@1 Access 2007+ uses different description: 'The Docking property can't be set to '1' at this time.@If you want to set the Docking property to '2', move the toolbar from its current position and try again.@@1@@@1'	Access 2003+
2072	Successfully imported ' . Access 2007+ uses different description: 'All objects were imported successfully.'	Access 2003+
2073	Successfully exported ' .	Access 2003+
2074	This operation is not supported within transactions.@@@1@@1 Access 2007+ uses different description: 'This operation is not supported within transactions.@@@1@@@1'	Access 2003+
2075	This operation requires an open database.@@@1@@1 Access 2007+ uses different description: 'This operation requires an open database.@@@1@@@1'	Access 2003+
2076	Successfully linked ' .	Access 2003+
2077	This Recordset is not updatable	Access 2003+
2078	Help isn't available due to lack of memory or improper installation of Microsoft Windows or Microsoft Office Access.@For more information on troubleshooting a low memory problem, search the Microsoft Windows Help index for 'memory, troubleshooting'.@If you need to reinstall Microsoft Office Access, you may want to preserve your security or custom settings. To do so, back up the Microsoft Office Access workgroup information file. For more information on backing up files, search the Microsoft Windows Help index for 'backing up files'.@1@@3 Access 2007+ uses different description: 'Help isn't available due to lack of memory or improper installation of Microsoft Windows or Microsoft Office Access.@For more information on troubleshooting a low memory problem, search the Microsoft Windows Help index for 'memory, troubleshooting'.@If you need to reinstall Microsoft Office Access, you may want to preserve your security or custom settings. To do so, back up the Microsoft Office Access workgroup information file. For more information on backing up files, search the Microsoft Windows Help index for 'backing up files'.@1@@@3' Access 2010+ uses different description: 'Help isn't available due to lack of memory or improper installation of Microsoft Windows or Microsoft Access.@For more information on troubleshooting a low memory problem, search the Microsoft Windows Help index for 'memory, troubleshooting'.@If you need to reinstall Microsoft Access, you may want to preserve your security or custom settings. To do so, back up the Microsoft Access workgroup information file. For more information on backing up files, search the Microsoft Windows Help index for 'backing up files'.@1@@@3'	Access 2003+
2079	Form is read-only, because the Unique Table property is not set.	Access 2003+
2080	The toolbar or menu   already exists.@Do you want to replace the existing toolbar or menu?@@19@@2 Access 2007+ uses different description: 'The toolbar or menu   already exists.@Do you want to replace the existing toolbar or menu?@@19@@@2'	Access 2003+
2081	The Create From Macro command only works when a macro is selected in the Database window.@@@1@@1 Access 2007+ uses different description: 'The Create From Macro command only works when a macro is selected in the Navigation Pane.@@@1@@@1'	Access 2003+
2082	Only fields from the Unique Table can be edited. Access 2007+ uses different description: "	Access 2003
2083	The database ' ' is read-only.@You can't save changes made to data or object definitions in this database.@@1@@1 Access 2007+ uses different	Access 2003+

**description:** 'The database '|' is read-only.@You can't save changes made to data or object definitions in this database.@@1@@@1'

2084	Field ' ' is based on an expression and can't be edited	Access 2003+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
2085	The ODBC Refresh Interval setting must be from 1 through 32,766 seconds.@@@1@@1 <b>Access 2007+ uses different description:</b> 'The ODBC Refresh Interval setting must be from 1 through 32,766 seconds.@@@1@@@1'	Access 2003+
2086	Recordset requires a form to be updatable.	Access 2003+
2087	Microsoft Office Access can't display the Add-ins submenu.@The Add-ins submenu expression ' ' you entered exceeds the 256-character limit.@Shorten the macroname or functionname expression in the Menu Add-ins key of the Windows Registry setting, and then restart Microsoft Office Access. For more information on customizing Microsoft Office Access settings in the Windows Registry, click Help.@2@109015@3 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access can't display the Add-ins submenu.@The Add-ins submenu expression ' ' you entered exceeds the 256-character limit.@Shorten the macroname or functionname expression in the Menu Add-ins key of the Windows Registry setting, and then restart Microsoft Office Access. For more information on customizing Microsoft Office Access settings in the Windows Registry, click Help.@2@1@9015@3' <b>Access 2010+ uses different description:</b> 'Microsoft Access can't display the Add-ins submenu.@The Add-ins submenu expression ' 1' you entered exceeds the 256-character limit.@Shorten the macroname or functionname expression in the Menu Add-ins key of the Windows Registry setting, and then restart Microsoft Access. For more information on customizing Microsoft Access settings in the Windows Registry, click Help.@2@1@9015@3'	Access 2003+
2088	Microsoft Office Access can't display the Add-ins submenu   because a setting you entered in the Windows Registry is missing a macro name or function name expression.@@Supply the missing expression in the Menu Add-ins key of the Windows Registry, and then restart Microsoft Office Access. For more information on customizing Microsoft Office Access settings in the Windows Registry, click Help.@2@109015@3 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access can't display the Add-ins submenu   because a setting you entered in the Windows Registry is missing a macro name or function name expression.@@Supply the missing expression in the Menu Add-ins key of the Windows Registry, and then restart Microsoft Office Access. For more information on customizing Microsoft Office Access settings in the Windows Registry, click Help.@2@1@9015@3' <b>Access 2010+ uses different description:</b> 'Microsoft Access can't display the Add-ins submenu  1 because a setting you entered in the Windows Registry is missing a macro name or function name expression.@@Supply the missing expression in the Menu Add-ins key of the Windows Registry, and then restart Microsoft Access. For more information on customizing Microsoft Access settings in the Windows Registry, click Help.@2@1@9015@3'	Access 2003+
2089	Microsoft Office Access can't display the same menu more than once in a menu bar.@@@1@603704@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access can't display the same menu more than once in a menu bar.@@@1@1@3704@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access can't display the same menu more than once in a menu bar.@@@1@1@3704@1'	Access 2003+
2090	An action within the current global menu's macro group can't change the global menu bar.@Microsoft Office Access can't display the global menu bar because the macro called when you first set the global menu includes another action that tries to reset the global menu.@Check your menu bar macros, and make sure that you set the global menu bar only once.@1@@@1 <b>Access 2007+ uses</b>	Access 2003+

**different description:** 'An action within the current global menu's macro group can't change the global menu bar.@Microsoft Office Access can't display the global menu bar because the macro called when you first set the global menu includes another action that tries to reset the global menu.@Check your menu bar macros, and make sure that you set the global menu bar only once.@1@@@1' **Access 2010+ uses different description:** 'An action within the current global menu's macro group can't change the global menu bar.@Microsoft Access can't display the global menu bar because the macro called when you first set the global menu includes another action that tries to reset the global menu.@Check your menu bar macros, and make sure that you set the global menu bar only once.@1@@@1'

2091

'|' is an invalid name.@@@1@@@1 **Access 2007+ uses different description:** '| ' is an invalid name.@@@1@@@1'

Access 2003+

The value you specified for the setting argument in the SetOption method isn't the correct type of Variant for this option.@You specified a string when Microsoft Office Access expected a number.@Check the Options dialog box (Tools menu) to see what type of data is required to set this particular option. For example, the setting for the Default Database Folder option must be a string. To see what type of Variant you passed to the SetOption method, use the VarType function. For more information, search the Help index for 'Variant data type' and 'VarType function'.@1@@@1 **Access 2007+ uses different**

2092

**description:** 'The value you specified for the Setting argument in the SetOption method is not the correct type of Variant for this option.@You specified a string when Microsoft Office Access expected a number.@See the Access Options dialog box (click the Microsoft Office Button, and then click Access Options) to see what type of data is required to set this particular option. For example, the setting for the Default Database Folder option must be a string. To see what type of Variant you passed to the SetOption method, use the VarType function. For more information, search the Help index for 'Variant data type' and 'VarType function'.@1@@@1' **Access 2010+ uses different description:** 'The value you specified for the Setting argument in the SetOption method is not the correct type of Variant for this option.@You specified a string when Microsoft Access expected a number.@See the Access Options dialog box (click the File tab, and then click Access Options) to see what type of data is required to set this particular option. For example, the setting for the Default Database Folder option must be a string. To see what type of Variant you passed to the SetOption method, use the VarType function. For more information, search the Help index for 'Variant data type' and 'VarType function'.@1@@@0'

Access 2003+

The numeric value for the setting argument in the SetOption method doesn't correspond to any list box or option group settings in the Options dialog box.@Valid settings are 0 (the first item in the list) through | (the last item in the list).@@1@606210@1 **Access 2007+ uses different description:** 'The numeric value for the Setting argument in the SetOption method does not correspond to any list box or option group settings in the Access Options dialog box.@Valid settings are 0 (the first item in the list) through | (the last item in the list).@@1@1@6210@1optimize.ids'

2093

Access 2003+

2094

Microsoft Office Access can't find the toolbar '|'.@You tried to run a macro that includes a ShowToolbar action or a Visual Basic procedure that includes a ShowToolbar method. \* The toolbar name may be misspelled. \* This action may refer to a custom toolbar that was deleted from or renamed in the current database. \* This action may refer to a custom toolbar that exists in a different database.@@1@606458@1 **Access 2007+ uses different description:** 'Microsoft Office Access cannot find the toolbar '|'.@You tried to run a macro that includes a ShowToolbar action or a Visual Basic for Applications procedure that includes a ShowToolbar method. \* The toolbar name might be misspelled or might refer to a legacy toolbar that is no longer available. \* This action might refer to a custom toolbar that was deleted from or renamed in the

Access 2003+

current database. \* This action might refer to a custom toolbar that exists in a different database.@@1@1@6458@1' **Access 2010+ uses different description:** 'Microsoft Access cannot find the toolbar '|1.'@You tried to run a macro that includes a ShowToolbar action or a Visual Basic for Applications procedure that includes a ShowToolbar method. \* The toolbar name might be misspelled or might refer to a legacy toolbar that is no longer available. \* This action might refer to a custom toolbar that was deleted from or renamed in the current database. \* This action might refer to a custom toolbar that exists in a different database.@@1@1@6458@1'

Microsoft Office Access can't switch to |.@The Microsoft application you tried to open can't be found or hasn't been installed on your computer.@@1@@3 **Access 2007+ uses different description:** "

Microsoft Office Access can't open the Microsoft Office application because it can't find the dynamic-link library Mstool32.@Run Setup to reinstall Microsoft Office Access. If you want to preserve your security or custom settings, back up the Microsoft Office Access workgroup information file. For more information on backing up files, search the Microsoft Windows Help index for 'backing up files'.@@1@@3 **Access 2007+ uses different description:** "

The table you tried to create an import/export specification for was created in an earlier version of Microsoft Office Access.@Convert this database to the current version of Microsoft Office Access by using the Convert Database command (Tools menu, Database Utilities submenu).@@1@@1 **Access 2007+ uses different description:** 'The table for which you tried to create an import/export specification was created in an earlier version of Microsoft Office Access.@To convert this database to the current version of Microsoft Office Access, click the Microsoft Office Button, and then click 'Convert'.@@1@@@1' **Access 2010+ uses different description:** 'The table for which you tried to create an import/export specification was created in an earlier version of Microsoft Access.@To convert this database to the current version of Microsoft Access, click the File tab, and then click 'Convert'.@@1@@@0'

The operation could not be completed because the Smart Tag '|' is not recognized by your system **Access 2007 uses different description:** 'The operation could not be completed because the Smart Tag '|' is not recognized by your system.@@@1@@@1' **Access 2010 uses different description:** 'The operation could not be completed because the Action Tag '|' is not recognized by your system.@@@1@@@1' **Access 2013 uses different description:**

'Microsoft Access cannot create the reports database right now because your computer setup requires that you manually open the database to accept connections from any location. Click the Manage button below and select the From Any Location option, then click the Create Reports button again to get setup.@@@1@@@1' **Access 2016 uses different description:** 'Microsoft Access cannot create the reports database right now because your computer setup requires that you manually open the database to accept connections from any location. Click the Manage button below and select the From Any Location option, then click the Create Reports button again to get setup.@@@1@@@1'

The operation could not be completed because the Action Tag '|' is not recognized by your system.@@@1@@@1

The control or subform control is too large for this location.@The number you entered for the Left, Top, Height, or Width property is too large or is a negative number.@Reduce the size of the control or subform control, or enter a positive number.@1@@1 **Access 2007+ uses different description:** 'The control or subform control is too large for this location.@The number you entered for the Left, Top, Height, or Width property is too large or is a negative number.@Reduce the size of the control or subform control, or enter a positive number.@1@@@1'

2101	<p>The setting you entered isn't valid for this property.@To see the valid settings for this property, search the Help index for the name of the property.@@1@@1</p> <p><b>Access 2007+ uses different description:</b> 'The setting you entered isn't valid for this property.@To see the valid settings for this property, search the Help index for the name of the property.@@1@@@1'</p> <p>The form name ' ' is misspelled or refers to a form that doesn't exist.@If the invalid form name is in a macro, an Action Failed dialog box will display the macro name and the macro's arguments after you click OK. Open the Macro window, and enter the correct form name.@@1@@@1</p>	Access 2003+
2102	<p><b>Access 2007+ uses different description:</b> 'The form name ' ' is misspelled or refers to a form that doesn't exist.@If the invalid form name is in a macro, an Action Failed dialog box will display the macro name and the macro's arguments after you click OK. Open the Macro window, and enter the correct form name.@@1@@@1'</p> <p>The report name ' ' you entered in either the property sheet or macro is misspelled or refers to a report that doesn't exist.@If the invalid report name is in a macro, an Action Failed dialog box will display the macro name and the macro's arguments after you click OK. Open the Macro window, and enter the correct report name.@@1@@@1</p>	Access 2003+
2103	<p><b>Access 2007+ uses different description:</b> 'The report name ' ' you entered in either the property sheet or macro is misspelled or refers to a report that doesn't exist.@If the invalid report name is in a macro, an Action Failed dialog box will display the macro name and the macro's arguments after you click OK. Open the Macro window, and enter the correct report name.@@1@@@1'</p> <p>You entered the control name ' ,' which is already in use.@You already have a control on the form with this name, or an existing control has its name mapped to this name for Visual Basic. Visual Basic maps spaces in control names to underscores. For example, My Control and My_Control are treated as duplicate names.@@1@611734@1</p>	Access 2003+
2104	<p><b>Access 2007+ uses different description:</b> 'You entered the control name ' ,' which is already in use.@You already have a control on the form with this name, or an existing control has its name mapped to this name for Visual Basic. Visual Basic maps spaces in control names to underscores. For example, My Control and My_Control are treated as duplicate names.@@1@1@11734@1'</p>	Access 2003+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
2105	<p>You can't go to the specified record.@You may be at the end of a recordset.@@1@@@1</p> <p><b>Access 2007+ uses different description:</b> 'You can't go to the specified record.@You may be at the end of a recordset.@@1@@@1'</p> <p>  errors occurred when you loaded the form or report.@You loaded a form or report that has controls or properties that Microsoft Office Access doesn't recognize and will ignore.@@1@@@1</p>	Access 2003+
2106	<p><b>Access 2007+ uses different description:</b> '  errors occurred when you loaded the form or report.@You loaded a form or report that has controls or properties that Microsoft Office Access doesn't recognize and will ignore.@@1@@@1'</p> <p><b>Access 2010+ uses different description:</b> ' 1 errors occurred when you loaded the form or report.@You loaded a form or report that has controls or properties that Microsoft Access doesn't recognize and will ignore.@@1@@@1'</p>	Access 2003+
2107	<p>The value you entered doesn't meet the validation rule defined for the field or control.@To see the validation rule, click Design view, click the appropriate field, and then, if the property sheet isn't open, click the Properties button on the toolbar. Then click the Data tab.@To solve this problem, enter a value that meets the validation rule, or press ESC to undo your changes.@1@211730@1</p> <p><b>Access 2007+ uses different description:</b> 'The value you entered does not meet the validation rule defined for the field or control.@To see the validation rule, switch to Design view, click the appropriate field, and then, if the property sheet is not open, press F4. Then, click the Data tab in the property sheet.@Enter a value that meets the validation rule, or press ESC to undo your</p>	Access 2003+

changes.@1@1@11730@1' **Access 2010+ uses different description:** 'The value you entered does not meet the validation rule defined for the field or control.@To see the validation rule, switch to Design view or Layout view, click the appropriate field, and then, if the property sheet is not open, press F4. Then, click the Data tab in the property sheet.@Enter a value that meets the validation rule, or press ESC to undo your changes.@1@1@11730@1'

You must save the field before you execute the GoToControl action, the GoToControl method, or the SetFocus method.@You tried to move the focus to another control using the SetFocus method,GoToControl action, or the GoToControl method.@Set the macro or method to the AfterUpdate property instead of the BeforeUpdate property so it saves the field before changing the focus.@1@606314@1 **Access 2007+ uses different description:** 'You must save the field before you execute the GoToControl action, the GoToControl method, or the SetFocus method.@You tried to move the focus to another control using the SetFocus method,GoToControl action, or the GoToControl method.@Set the macro or method to the AfterUpdate property instead of the BeforeUpdate property so it saves the field before changing the focus.@1@1@6314@1'

There is no field named '|' in the current record.@@@1@@1 **Access 2007+ uses different description:** 'There is no field named '|' in the current record.@@@1@@@1'

Microsoft Office Access can't move the focus to the control |.@\* The control may be a type that can't receive the focus, such as a label. \* The control's Visible property may be set to No. \* The control's Enabled property may be set to No.@@1@603016@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't move the focus to the control |.@\* The control may be a type that can't receive the focus, such as a label. \* The control's Visible property may be set to No. \* The control's Enabled property may be set to No.@@1@1@3016@1' **Access 2010+ uses different description:** 'Microsoft Access can't move the focus to the control |1.@\* The control may be a type that can't receive the focus, such as a label. \* The control's Visible property may be set to No. \* The control's Enabled property may be set to No.@@1@1@3016@1'

The changes you made can't be saved.@The save operation may have failed due to the temporary locking of the records by another user. \* Click OK to try again. You may need to click OK several times (or wait until the other user closes the table). \* Click Cancel if repeated attempts to save your changes fail.@@3@@1 **Access 2007+ uses different description:** 'The changes you made can't be saved.@The save operation may have failed due to the temporary locking of the records by another user. \* Click OK to try again. You may need to click OK several times (or wait until the other user closes the table). \* Click Cancel if repeated attempts to save your changes fail.@@3@@@1'

The item on the Clipboard can't be pasted into this control.@@@1@@1 **Access 2007+ uses different description:** 'The item on the Clipboard can't be pasted into this control.@@@1@@@1'

The value you entered isn't valid for this field.@For example, you may have entered text in a numeric field or a number that is larger than the FieldSize setting permits.@@1@@1 **Access 2007+ uses different description:** 'The value you entered isn't valid for this field.@For example, you may have entered text in a numeric field or a number that is larger than the FieldSize setting permits.@@1@@@1'

Microsoft Office Access doesn't support the format of the file '|,' or file is too large. Try converting the file to BMP or GIF format.@@@1@@1 **Access 2007+ uses different description:** 'Microsoft Office Access doesn't support the format of the file '|,' or file is too large. Try converting the file to BMP format.@@@1@@@1' **Access 2010+ uses different description:** 'Microsoft

Access doesn't support the format of the file '|1,' or file is too large. Try converting the file to BMP format.@@@1@@@1'

The macro or function set to the BeforeUpdate or ValidationRule property for this field is preventing Microsoft Office Access from saving the data in the field.@\* If this is a macro, open the macro in the Macro window and remove the action that forces a save (for example, GoToControl). \* If the macro includes a SetValue action, set the macro to the AfterUpdate property of the control instead. \* If this is a function, redefine the function in the Module window.@@1@@@1

**Access 2007+ uses different description:** 'The macro or function set to the BeforeUpdate or ValidationRule property for this field is preventing Microsoft Office Access from saving the data in the field.@\* If this is a macro, open the macro in the Macro window and remove the action that forces a save (for example, GoToControl). \* If the macro includes a SetValue action, set the macro to the AfterUpdate property of the control instead. \* If this is a function, redefine the function in the Module window.@@1@@@1'

**Access 2010+ uses different description:** 'The macro or function set to the BeforeUpdate or ValidationRule property for this field is preventing Microsoft Access from saving the data in the field.@\* If this is a macro, open the macro in the Macro window and remove the action that forces a save (for example, GoToControl). \* If the macro includes a SetValue action, set the macro to the AfterUpdate property of the control instead. \* If this is a function, redefine the function in the Module window.@@1@@@1'

The value in the field or record violates the validation rule for the record or field.@For example, you may have changed a validation rule without verifying whether the existing data matches the new validation rule.@Click Undo on the Edit menu to restore the previous value, or enter a new value that meets the validation rule for the field.@2@209121@1

**Access 2007+ uses different description:** 'The value violates the validation rule for the field or record.@For example, you might have changed a validation rule without verifying whether the existing data matches the new validation rule.@Click Undo to restore the previous value, or enter a new value that meets the validation rule for the field or record.@2@1@9121@1'

Microsoft Office Access has canceled the Paste operation.@The text on the Clipboard is too long to paste into the form. For example, you may have pasted too much text into a label or entered too much text in the ColumnWidths property.@Paste smaller sections. For labels, you must paste fewer than 2,048 characters.@1@@@1

**Access 2007+ uses different description:** 'Microsoft Office Access has canceled the Paste operation.@The text on the Clipboard is too long to paste into the form. For example, you may have pasted too much text into a label or entered too much text in the ColumnWidths property.@Paste smaller sections. For labels, you must paste fewer than 2,048 characters.@1@@@1'

**Access 2010+ uses different description:** 'Microsoft Access has canceled the Paste operation.@The text on the Clipboard is too long to paste into the form. For example, you may have pasted too much text into a label or entered too much text in the ColumnWidths property.@Paste smaller sections. For labels, you must paste fewer than 2,048 characters.@1@@@1'

You must save the current field before you run the Requery action.@\* If you are running a macro from the Database window, save the field first, and then run the macro. \* If the macro name is the setting of the BeforeUpdate property in a Visual Basic function, set the AfterUpdate property to the name of the macro instead.@@1@603033@1

**Access 2007+ uses different description:** 'You must save the current field before you run the Requery action.@\* If you are running a macro from the Navigation Pane, save the field first, and then run the macro. \* If the macro name is the setting of the BeforeUpdate property in a Visual Basic function, set the AfterUpdate property to the name of the macro instead.@@1@1@3033@1'



2119	<p>The Requery action can't be used on the control ' '.@Certain controls, such as labels and rectangles, can't receive the focus; therefore, you can't apply a Requery action to them.@@1@603033@1 <b>Access 2007+ uses different description:</b> 'The Requery action can't be used on the control ' '.@Certain controls, such as labels and rectangles, can't receive the focus; therefore, you can't apply a Requery action to them.@@1@1@3033@1'</p> <p>To create a form, report or data access page using this wizard, you must first select the table or query on which the form, report or data access page will be based.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'To create a form, report or data access page using this wizard, you must first select the table or query on which the form, report or data access page will be based.@@@1@@@1'</p>	Access 2003+
2120	<p>Microsoft Office Access can't open the form ' '.@It contains data that Microsoft Office Access doesn't recognize. Re-create the form or, if you maintain backup copies of your database, retrieve a copy of the form.@@1@@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access can't open the form ' '.@It contains data that Microsoft Office Access doesn't recognize. Re-create the form or, if you maintain backup copies of your database, retrieve a copy of the form.@@1@@@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access can't open the form ' 1'.@It contains data that Microsoft Access doesn't recognize. Re-create the form or, if you maintain backup copies of your database, retrieve a copy of the form.@@1@@@1'</p>	Access 2003+
2121	<p>You can't view a form as a continuous form if it contains a subform, an ActiveX control, or a bound chart.@Set the DefaultValue property of the form to Single Form, Datasheet, PivotTable, or PivotChart.@@1@@@1 <b>Access 2007+ uses different description:</b> 'You can't view a form as a continuous form if it contains a subform, an ActiveX control, or a bound chart.@Set the DefaultValue property of the form to Single Form, Datasheet, PivotTable, or PivotChart.@@1@@@1' <b>Access 2010+ uses different description:</b> 'You can't view a form as a continuous form if it contains a subform, an ActiveX control, a bound chart or a Web browser control.@Set the DefaultValue property of the form to Single Form, Datasheet, PivotTable, or PivotChart.@@1@@@1'</p>	Access 2003+
2122	<p>The control name you entered doesn't follow Microsoft Office Access object-naming rules.@@@2@611734@1 <b>Access 2007+ uses different description:</b> 'The control name you entered doesn't follow Microsoft Office Access object-naming rules.@@@2@1@11734@1' <b>Access 2010+ uses different description:</b> 'The control name you entered doesn't follow Microsoft Access object-naming rules.@@@2@1@11734@1'</p>	Access 2003+
2123	<p>The form name you entered doesn't follow Microsoft Office Access object-naming rules.@@@2@611734@1 <b>Access 2007+ uses different description:</b> 'The form name you entered doesn't follow Microsoft Office Access object-naming rules.@@@2@1@11734@1' <b>Access 2010+ uses different description:</b> 'The form name you entered doesn't follow Microsoft Access object-naming rules.@@@2@1@11734@1'</p>	Access 2003+
2124		
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
2125	<p>The setting for the FontSize property must be from 1 through 127.@@@1@612551@1 <b>Access 2007+ uses different description:</b> 'The setting for the FontSize property must be from 1 through 127.@@@1@1@12551@1'</p>	Access 2003+
2126	<p>The setting for the ColumnCount property must be from 1 through 255.@@@1@600936@1 <b>Access 2007+ uses different description:</b> 'The setting for the ColumnCount property must be from 1 through 255.@@@1@1@936@1'</p>	Access 2003+
2127	<p>The setting for the BoundColumn property can't be greater than the setting for the ColumnCount property.@@@1@600839@1 <b>Access 2007+ uses different</b></p>	Access 2003+

**description:** 'The setting for the BoundColumn property can't be greater than the setting for the ColumnCount property.@@@1@1@839@1'

Microsoft Office Access encountered errors while importing |1.@For more detailed error information, see the file '2'.@@1@@1 **Access 2007+ uses**

**different description:** 'Microsoft Office Access encountered errors while importing |1.@For more detailed error information, see the file '2'.@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access encountered errors while importing |1.@For more detailed error information, see the file '2'.@@1@@@1'

The setting for the DefaultEditing property must be Allow Edits, Read Only, Data Entry, or Can't Add Records.@Enter 1, 2, 3, or 4 for the DefaultEditing property.@@1@@1 **Access 2007+ uses different description:** 'The setting for the DefaultEditing property must be Allow Edits, Read Only, Data Entry, or Can't Add Records.@Enter 1, 2, 3, or 4 for the DefaultEditing property.@@1@@@1'

The settings for the GridX and GridY properties must be from 1 through 64.@@@1@@1 **Access 2007+ uses different description:** 'The settings for the GridX and GridY properties must be from 1 through 64.@@@1@@@1'

An expression can't be longer than 2,048 characters.@@@1@@1 **Access 2007+ uses different description:** 'An expression can't be longer than 2,048 characters.@@@1@@@1'

The setting for the DecimalPlaces property must be from 0 through 15, or 255 for Auto (default).@@@1@@1 **Access 2007+ uses different description:** 'The setting for the DecimalPlaces property must be from 0 through 15, or 255 for Auto (default).@@@1@@@1'

You can't place a form (or report) within itself.@Select or enter a different form or report to serve as the subform or subreport.@@1@@1 **Access 2007+ uses different description:** 'You can't place a form (or report) within itself.@Select or enter a different form or report to serve as the subform or subreport.@@1@@@1'

The setting for the Width property must be from 0 through 22 inches (55.87 cm).@@@1@@1 **Access 2007+ uses different description:** 'The setting for the Width property must be from 0 through 22 inches (55.87 cm).@@@1@@@1'

This property is read-only and can't be set.@@@1@@1 **Access 2007+ uses different description:** 'This property is read-only and can't be set.@@@1@@@1'

To set this property, open the form or report in Design view.@For more information on this property, search the Help index for the name of the property.@@1@@1 **Access 2007+ uses different description:** 'To set this property, open the form or report in Design view.@For more information on this property, search the Help index for the name of the property.@@1@@@1'

You can't use Find or Replace now.@The fields are not searchable due to one of the following: \* The fields are controls (such as buttons or OLE objects). \* The fields have no data. \* There are no fields to search.@@1@@1 **Access 2007+ uses different description:** 'You can't use Find or Replace now.@The fields are not searchable due to one of the following: \* The fields are controls (such as buttons or OLE objects). \* The fields have no data. \* There are no fields to search.@@1@@@1'

You can't search the field for the specified value.@Resolve the error given in the previous error message before you attempt to search again.@@1@@1 **Access 2007+ uses different description:** 'You can't search the field for the specified value.@Resolve the error given in the previous error message before you attempt to search again.@@1@@@1'

You can't replace the current value of the field with the replacement text.@Resolve any errors before making further replacements.@@1@@1

**Access 2007+ uses different description:** 'You can't replace the current value of the field with the replacement text.@Resolve any errors before making further replacements.@@1@@@1'

Microsoft Office Access can't save the change you made to the record in the Replace operation for the reason given in the previous error message.@Click Undo Current Record on the Edit menu, or enter a new value in the field.@@1@@1 **Access 2007+ uses different description:** 'Microsoft Office Access cannot save the change you made to the record in the Replace operation for the reason shown in the previous message.@Click Undo or enter a new value in the field.@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access cannot save the change you made to the record in the Replace operation for the reason shown in the previous message.@Click Undo or enter a new value in the field.@@1@@@1'

Microsoft Office Access can't find the text you specified in the Find What box.@@@1@@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't find the text you specified in the Find What box.@@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access can't find the text you specified in the Find What box.@@@1@@@1'

The FindRecord action requires a Find What argument.@You tried to run a macro set to one of the current field's properties, but you left the Find What argument blank.@When you click OK, an Action Failed dialog box will display the macro name and the macro's arguments. In the Macro window, enter text or an expression for the Find What argument, and try the Search operation again.@1@603015@1 **Access 2007+ uses different description:** 'The FindRecord action requires a Find What argument.@You tried to run a macro set to one of the current field's properties, but you left the Find What argument blank.@When you click OK, an Action Failed dialog box will display the macro name and the macro's arguments. In the Macro window, enter text or an expression for the Find What argument, and try the Search operation again.@1@1@3015@1'

You didn't specify search criteria with a FindRecord action.@In the Macro window, insert a FindRecord action before the FindNext action.@@1@603015@1 **Access 2007+ uses different description:** 'You didn't specify search criteria with a FindRecord action.@In the Macro window, insert a FindRecord action before the FindNext action.@@1@1@3015@1'

The setting for the ListRows property must be from 1 through 255.@@@1@604055@1 **Access 2007+ uses different description:** 'The setting for the ListRows property must be from 1 through 255.@@@1@1@4055@1'

## Error Code Error Description

The ColumnWidths property setting must be a value from 0 through 22 inches (55.87 cm) for each column in a list box or a combo box.@If there is more than one column, separate the numbers with either a semicolon or the list separator character. List separator characters are defined in the Regional Settings section of Windows Control Panel.@@1@600847@1 **Access 2007+ uses different description:** 'The ColumnWidths property setting must be a value from 0 through 22 inches (55.87 cm) for each column in a list box or a combo box.@If there is more than one column, separate the numbers with either a semicolon or the list separator character. List separator characters are defined in the Regional Settings section of Windows Control Panel.@@1@1@847@1'

Microsoft Office Access can't save the last change for the reason given in the previous error message.@For example, you may have entered a duplicate value in a field with an index that prohibits duplicate values.@Click Undo on the Edit menu, or enter a new value in the field.@1@@1 **Access 2007+ uses different description:** "

2147	<p>You must be in Design view to create or delete controls.@@@1@2@5054@1' <b>Access 2007+ uses different description:</b> 'You must be in Design view to create or delete controls.@@@1@2@5054@1'</p> <p>The number you used to refer to the form or report section is invalid.@Make sure that the number is less than the number of sections in the form or report.@@1@@1' <b>Access 2007+ uses different description:</b> 'The number you used to refer to the form or report section is invalid.@Make sure that the number is less than the number of sections in the form or report.@@1@@1'</p>	Access 2003+
2148	<p>The constant you entered for the control type is invalid.@For a list of valid constants you can use to create a control, click Help.@@2@610905@1' <b>Access 2007+ uses different description:</b> 'The constant you entered for the control type is invalid.@For a list of valid constants you can use to create a control, click Help.@@2@1@10905@1'</p>	Access 2003+
2149	<p>This type of control can't contain other controls.@@@1@@1' <b>Access 2007+ uses different description:</b> 'This type of control can't contain other controls.@@@1@@@1'</p>	Access 2003+
2150	<p>The parent control can't contain the type of control you selected.@For example, you used the CreateControl function to designate an option group as the parent of a text box.@@1@@1' <b>Access 2007+ uses different description:</b> 'The parent control can't contain the type of control you selected.@For example, you used the CreateControl function to designate an option group as the parent of a text box.@@1@@@1'</p>	Access 2003+
2151	<p>You can set group levels for reports only, not for forms.@@@1@@1' <b>Access 2007+ uses different description:</b> 'You can set group levels for reports only, not for forms.@@@1@@@1'</p>	Access 2003+
2152	<p>You can't specify more than 10 group levels.@@@1@@1' <b>Access 2007+ uses different description:</b> 'You can't specify more than 10 group levels.@@@1@@@1'</p>	Access 2003+
2153	<p>You can't call this function when the Sorting and Grouping box is open.@@@1@@1' <b>Access 2007+ uses different description:</b> 'You can't call this function when the Group, Sort, and Total Pane is open.@@@1@@@1'</p>	Access 2003+
2154	<p>Microsoft Office Access has encountered an error in compiling the Visual Basic code.@You don't have permission to edit code; inform someone who does have permission about this error.@@1@@1' <b>Access 2007+ uses different description:</b> "</p>	Access 2003
2155	<p>Microsoft Office Access has encountered an error in compiling the Visual Basic code.@Do you want to view the error in its context?@@19@@2' <b>Access 2007+ uses different description:</b> "</p>	Access 2003
2156	<p>The sum of the top margin, the bottom margin, the height of the page header, and the height of the page footer is greater than the length of the page you are printing on.@@@1@@1' <b>Access 2007+ uses different description:</b> 'The sum of the top margin, the bottom margin, the height of the page header, and the height of the page footer is greater than the length of the page you are printing on.@@@1@@@1'</p>	Access 2003+
2157	<p>You can use the Print method and the report graphics methods (Circle, Line, PSet, and Scale) only in an event procedure or a macro set to the OnPrint, the OnFormat, or the OnPage event property.@@@1@210129@1' <b>Access 2007+ uses different description:</b> 'You can use the Print method and the report graphics methods (Circle, Line, PSet, and Scale) only in an event procedure or a macro set to the OnPrint, the OnFormat, or the OnPage event property.@@@1@1@10129@1'</p>	Access 2003+
2158	<p>There isn't enough memory to initialize the Print method or one of the report graphics methods (Circle, Line, PSet, Scale).@Close unneeded programs and try again to print or preview the report. For more information on freeing memory, search the Microsoft Windows Help index for 'memory,</p>	Access 2003+
2159		

troubleshooting'.@@1@@1 **Access 2007+ uses different description:** 'There isn't enough memory to initialize the Print method or one of the report graphics methods (Circle, Line, PSet, Scale).@Close unneeded programs and try again to print or preview the report. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@1@@@1'

Microsoft Office Access couldn't create the graphic or text.@An error occurred while initializing the Print method or one of the report graphics methods (Circle, Line, PSet, Scale).@Close unneeded programs and try again to print or preview the report. For information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@1@@1 **Access 2007+ uses different description:** 'Microsoft Office Access couldn't create the graphic or text.@An error occurred while initializing the Print method or one of the report graphics methods (Circle, Line, PSet, Scale).@Close unneeded programs and try again to print or preview the report. For information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access couldn't create the graphic or text.@An error occurred while initializing the Print method or one of the report graphics methods (Circle, Line, PSet, Scale).@Close unneeded programs and try again to print or preview the report. For information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@1@@@1'

The text or expression you entered doesn't match the type of data you are searching for.@Redefine the text or expression, or search in a different field.@@1@@1 **Access 2007+ uses different description:** 'The text or expression you entered doesn't match the type of data you are searching for.@Redefine the text or expression, or search in a different field.@@1@@@1'

A macro set to one of the current field's properties failed because of an error in a FindRecord action argument.@In the Macro window, change the Search As Formatted argument to Yes. If you want the argument setting to remain No, do all of the following: \* Select No for the Match Case argument. \* Select Yes for the Only Current Field argument. \* Make sure you are searching in a bound control.@@2@603015@1 **Access 2007+ uses different description:** 'A macro set to one of the current field's properties failed because of an error in a FindRecord action argument.@In the Macro window, change the Search As Formatted argument to Yes. If you want the argument setting to remain No, do all of the following: \* Select No for the Match Case argument. \* Select Yes for the Only Current Field argument. \* Make sure you are searching in a bound control.@@2@1@3015@1'

The page number you used as an argument for the GoToPage action or method doesn't exist in this form.@@@1@603017@1 **Access 2007+ uses different description:** 'The page number you used as an argument for the GoToPage action or method doesn't exist in this form.@@@1@1@3017@1'

You can't disable a control while it has the focus.@@@1@5250@1 **Access 2007+ uses different description:** 'You can't disable a control while it has the focus.@@@1@2@5250@1'

Error Code	Error Description	Supported Versions
------------	-------------------	--------------------

2165	You can't hide a control that has the focus.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'You can't hide a control that has the focus.@@@1@@@1'	Access 2003+
------	---	--------------

2166	You can't lock a control while it has unsaved changes.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'You can't lock a control while it has unsaved changes.@@@1@@@1'	Access 2003+
------	---	--------------

2167	This property is read-only and can't be modified.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'This property is read-only and can't be	Access 2003+
------	--	--------------

modified.@@@1@@@1'

You can't save this record at this time.@Microsoft Office Access may have encountered an error while trying to save a record. If you close this object now, the data changes you made will be lost. Do you want to close the database object anyway?@@20@@2 **Access 2007+ uses different description:** 'You can't save this record at this time.@Microsoft Office Access may have encountered an error while trying to save a record. If you close this object now, the data changes you made will be lost. Do you want to close the database object anyway?@@20@@2' **Access 2010+ uses different description:** 'You can't save this record at this time.@Microsoft Access may have encountered an error while trying to save a record. If you close this object now, the data changes you made will be lost. Do you want to close the database object anyway?@@20@@2'

There isn't enough memory to retrieve data for the list box.@Close unneeded programs. Then close and reopen the active form, and click the list box again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@@1@@1 **Access 2007+ uses different description:** 'There isn't enough memory to retrieve data for the list box.@Close unneeded programs. Then close and reopen the active form, and click the list box again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@@1@@1'

You can't have more than seven nested subforms in a main form.@Remove the eighth nested subform.@@1@@1 **Access 2007+ uses different description:** 'You can't have more than seven nested subforms in a main form.@Remove the eighth nested subform.@@1@@1'

You can't use a pass-through query or a non-fixed-column crosstab query as a record source for a subform or subreport.@Before you bind the subform or subreport to a crosstab query, set the query's ColumnHeadings property.@@2@209979@1 **Access 2007+ uses different description:** 'You can't use a pass-through query or a non-fixed-column crosstab query as a record source for a subform or subreport.@Before you bind the subform or subreport to a crosstab query, set the query's ColumnHeadings property.@@2@1@9979@1'

The control '|' the macro is attempting to search can't be searched.@Try one of the following: \* Add a GoToControl action before the FindRecord action. \* For the FindRecord action, change the Only Current Field action argument from Yes to No. \* Change the focus to a searchable control.@@2@603015@1 **Access 2007+ uses different description:** 'The control '|' the macro is attempting to search can't be searched.@Try one of the following: \* Add a GoToControl action before the FindRecord action. \* For the FindRecord action, change the Only Current Field action argument from Yes to No. \* Change the focus to a searchable control.@@2@1@3015@1'

You can't switch to a different view at this time.@Code was executing when you tried to switch views.@If you are debugging code, you must end the debugging operation before switching views.@1@@1 **Access 2007+ uses different description:** 'You can't switch to a different view at this time.@Code was executing when you tried to switch views.@If you are debugging code, you must end the debugging operation before switching views.@1@@@1'

There isn't enough free memory to continue the Search operation.@Close unneeded programs. Then try the Search operation again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@@1@@3 **Access 2007+ uses different description:** 'There isn't enough free memory to continue the Search operation.@Close unneeded programs. Then try the Search operation again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@@1@@@3'

2176	<p>The setting for this property is too long.@You can enter up to either 255 or 2,048 characters for this property, depending on the data type.@@1@@1</p> <p><b>Access 2007+ uses different description:</b> 'The setting for this property is too long.@You can enter up to either 255 or 2,048 characters for this property, depending on the data type.@@1@@@1'</p>	Access 2003+
2177	<p>You can't insert a report into a form.@A report can be inserted only into a report.@@1@@@1</p> <p><b>Access 2007+ uses different description:</b> 'You can't insert a report into a form.@A report can be inserted only into a report.@@1@@@1'</p>	Access 2003+
2178	<p>You can't add another section now.@The maximum total height for all sections in a report, including the section headers, is 200 inches (508 cm).@Remove or reduce the height of at least one section, and then add the new section.@1@@@1</p> <p><b>Access 2007+ uses different description:</b> 'You can't add another section now.@The maximum total height for all sections in a report, including the section headers, is 200 inches (508 cm).@Remove or reduce the height of at least one section, and then add the new section.@1@@@1'</p>	Access 2003+
2181	<p>You can't sort on a calculated field in a form.@You can sort on a calculated field only in a query.@Create a calculated field in a query, sort the field, and then base the form on the query. Because the query must execute before the form opens, the form will open more slowly.@1@@@1</p> <p><b>Access 2007+ uses different description:</b> 'You can't sort on a calculated field in a form.@You can sort on a calculated field only in a query.@Create a calculated field in a query, sort the field, and then base the form on the query. Because the query must execute before the form opens, the form will open more slowly.@1@@@1'</p>	Access 2003+
2182	<p>You can't sort on this field.@@1@@@1</p> <p><b>Access 2007+ uses different description:</b> 'You can't sort on this field.@@1@@@1'</p>	Access 2003+
2183	<p>Microsoft Office Access can't create an object of the type requested.@You are trying either to create a form from a report that has been saved as text, or to create a report from a saved form.@@1@@@1</p> <p><b>Access 2007+ uses different description:</b> 'Microsoft Office Access can't create an object of the type requested.@You are trying either to create a form from a report that has been saved as text, or to create a report from a saved form.@@1@@@1'</p> <p><b>Access 2010+ uses different description:</b> 'Microsoft Access can't create an object of the type requested.@You are trying either to create a form from a report that has been saved as text, or to create a report from a saved form.@@1@@@1'</p>	Access 2003+
2184	<p>The value you used for the TabIndex property isn't valid. The correct values are from 0 through  .@@@2@606348@1</p> <p><b>Access 2007+ uses different description:</b> 'The value you used for the TabIndex property isn't valid. The correct values are from 0 through  .@@@2@1@6348@1'</p>	Access 2003+
2185	<p>You can't reference a property or method for a control unless the control has the focus.@Try one of the following: * Move the focus to the control before you reference the property. In Visual Basic code, use the SetFocus method. In a macro, use the GoToControl action. * Reference or set the property from a macro or event procedure that runs when the GotFocus event for the control occurs.@@2@606215@1</p> <p><b>Access 2007+ uses different description:</b> 'You can't reference a property or method for a control unless the control has the focus.@Try one of the following: * Move the focus to the control before you reference the property. In Visual Basic code, use the SetFocus method. In a macro, use the GoToControl action. * Reference or set the property from a macro or event procedure that runs when the GotFocus event for the control occurs.@@2@1@6215@1'</p>	Access 2003+
2186	<p>This property isn't available in Design view.@Switch to Form view to access this property, or remove the reference to the property.@@1@@@1</p> <p><b>Access 2007+ uses different description:</b> 'This property isn't available in Design view.@Switch to Form view to access this property, or remove the reference to the property.@@1@@@1'</p>	Access 2003+

This property is available only in Design view.@@@1@@@1 **Access 2007+**

**uses different description:** 'This property is available only in Design view.@@@1@@@1'

Access 2003+

**Error Code**

**Error Description**  
The object you attempted to load from text has an invalid value for the property '1' on a |2.@@@1@@@1 **Access 2007+**

**Supported Versions**

**uses different description:** 'The object you attempted to load from text has an invalid value for the property '1' on a |2.@@@1@@@1'  
Your code contains a syntax error, or a Microsoft Office Access function you need isn't available.@If the syntax is correct, check the Control Wizards subkey or the Libraries key in the Microsoft Office Access section of the Windows Registry to verify that the entries you need are listed and available.@If the entries are correct, you need to correct the Microsoft Office Access Utility Add-in or the file acWzlib or this wizard has been disabled. To reenable this wizard, click About Microsoft Office Access on the Help menu, and then click the Disabled Items button to view a list of addins which you can enable. Rerun Microsoft Office Access or Microsoft Office Setup to reinstall Microsoft Office Access. Before you reinstall, delete the Windows Registry keys for the Microsoft Office Access Utility Add-in and acWzlib.@1@@@1 **Access 2007+**

**uses different description:** 'The code contains a syntax error, or a Microsoft Office Access function you need is not available.@If the syntax is correct, check the Control Wizards subkey or the Libraries key in the Microsoft Office Access section of the Windows Registry to verify that the entries you need are listed and available.@If the entries are correct, either you must correct the Microsoft Office Access Utility Add-in, or the file acWzlib or this wizard has been disabled. To reenable this wizard, run Microsoft Office Access or Microsoft Office Setup again to reinstall Microsoft Office Access. Before you reinstall Microsoft Office Access, delete the Windows Registry keys for the Microsoft Office Access Utility Add-in and acWzlib.@1@@@1' **Access 2010+**  
**uses different description:** 'The code contains a syntax error, or a Microsoft Access function you need is not available.@If the syntax is correct, check the Control Wizards subkey or the Libraries key in the Microsoft Access section of the Windows Registry to verify that the entries you need are listed and available.@If the entries are correct, either you must correct the Microsoft Access Utility Add-in, or the file acWzlib or this wizard has been disabled. To reenable this wizard, run Microsoft Access or Microsoft Office Setup again to reinstall Microsoft Access. Before you reinstall Microsoft Access, delete the Windows Registry keys for the Microsoft Access Utility Add-in and acWzlib.@1@@@1'

This property has been replaced by a new property; use the new property instead.@@@1@@@1 **Access 2007+**

**uses different description:** 'This property has been replaced by a new property; use the new property instead.@@@1@@@1'  
You can't set the | property in print preview or after printing has started.@Try setting this property in the OnOpen event.@@@1@@@1 **Access 2007+**

**uses different description:** 'You can't set the | property in print preview or after printing has started.@Try setting this property in the OnOpen event.@@@1@@@1'  
The bitmap you specified is not in a device-independent bitmap (.dib) format.@You tried to set the PictureData property of a form, report, button, or image control.@@@1@@@1 **Access 2007+**

**uses different description:** 'The bitmap you specified is not in a device-independent bitmap (.dib) format.@You tried to set the PictureData property of a form, report, button, or image control.@@@1@@@1'  
The left margin, right margin, or both margins are wider than the paper size specified in the Print Setup dialog box.@@@1@@@1 **Access 2007+**

**uses different description:** 'The left margin, right margin, or both margins are wider than the paper size specified in the Print Setup dialog box.@@@1@@@1'

Access 2003+

Access 2003+

Access 2003+

Access 2003+



**different description:** 'The left margin, right margin, or both margins are wider than the paper size specified in the Print Setup dialog box.'@@@1@@@1'

You can't set the PictureData property in Datasheet view.@To see the valid settings for this property, search the Help index for 'PictureData

property'.@@1@@1 **Access 2007+ uses different description:** 'You can't set the PictureData property in Datasheet view.@To see the valid settings for this property, search the Help index for 'PictureData property'.@@1@@@1'

Access 2003+

The section name you entered doesn't follow Microsoft Office Access object-naming rules.@@@2@611734@1 **Access 2007+ uses different description:**

'The section name you entered doesn't follow Microsoft Office Access object-naming rules.@@@2@1@11734@1' **Access 2010+ uses different description:** 'The section name you entered doesn't follow Microsoft Access object-naming rules.@@@2@1@11734@1'

Access 2003+

Microsoft Office Access can't retrieve the value of this property.@The property isn't available from the view in which you're running the macro or Visual Basic code, or Microsoft Office Access encountered an error while retrieving the value of the property. To see the valid settings for this property, search the Help index for the name of the property.@@1@@1 **Access 2007+ uses different**

**description:** 'Microsoft Office Access can't retrieve the value of this property.@The property isn't available from the view in which you're running the macro or Visual Basic code, or Microsoft Office Access encountered an error while retrieving the value of the property. To see the valid settings for this property, search the Help index for the name of the property.@@1@@@1'

**Access 2010+ uses different description:** 'Microsoft Access can't retrieve the value of this property.@The property isn't available from the view in which you're running the macro or Visual Basic code, or Microsoft Access encountered an error while retrieving the value of the property. To see the valid settings for this property, search the Help index for the name of the property.@@1@@@1'

Access 2003+

You can't set a subform control's SourceObject property to a zero-length string if you're displaying the main form in Form view.@You can set this property to a zero-length string from Design view, Datasheet view, or Print

Preview.@@1@@1 **Access 2007+ uses different description:** 'You can't set a subform control's SourceObject property to a zero-length string if you're displaying the main form in Form view.@You can set this property to a zero-length string from Design view, Datasheet view, or Print Preview.@@1@@@1'

Access 2003+

The number you entered is invalid.@@@1@@@1 **Access 2007+ uses different description:** 'The number you entered is invalid.@@@1@@@1'

Access 2003+

There was a problem retrieving printer information for the |1 on |2. The object may have been sent to a printer that is unavailable.@@@@@ **Access 2007+ uses different description:** 'There was a problem retrieving printer information for the |1 on |2. The object may have been sent to a printer that is unavailable.@@@@@'

You must install a printer before you print.@To install a printer, point to Settings on the Windows Start menu, click Printers, and then double-click Add Printer. Follow the instructions in the wizard.@@1@@1 **Access 2007+ uses different description:** 'There are currently no printers installed on your computer.To use this feature, you must first install a printer in Windows.@For more information about how to install a printer, search for ""install printer"" in Windows Help.@@1@@@1'

Access 2003+

The dynamic-link library Commdlg failed: error code '0x|'.@The printer driver for the selected printer may be incorrectly installed. For information on selecting another printer or reinstalling this printer from Microsoft Windows, search the Windows Help index for 'printer setup'.@@1@@1 **Access 2007+ uses different description:** 'The dynamic-link library Commdlg failed: error code '0x|'.@The printer driver for the selected printer may be incorrectly

Access 2003+

installed. For information on selecting another printer or reinstalling this printer from Microsoft Windows, search the Windows Help index for 'printer setup'.@@1@@@1'

The default printer driver isn't set up correctly.@For information on setting a default printer, search the Microsoft Windows Help index for 'default printer, setting'.@@1@@@1 **Access 2007+ uses different description:** 'The default printer driver isn't set up correctly.@For information on setting a default printer, search the Microsoft Windows Help index for 'default printer, setting'.@@1@@@1'

The default printer driver isn't set up correctly.@For information on setting a default printer, search the Microsoft Windows Help index for 'default printer, setting'.@@1@@@1 **Access 2007+ uses different description:** 'The default printer driver isn't set up correctly.@For information on setting a default printer, search the Microsoft Windows Help index for 'default printer, setting'.@@1@@@1'

The page number you entered is invalid.@For example, it may be a negative number or an invalid range, such as 6 to 3.@@1@@@1 **Access 2007+ uses different description:** 'The page number you entered is invalid.@For example, it may be a negative number or an invalid range, such as 6 to 3.@@1@@@1'

Microsoft Office Access can't print macros.@You tried to use the PrintOut action or method, but the active object is a macro.@If you want to print an object other than a macro, use the SelectObject action or method to select the desired object before you run the PrintOut action.@1@603041@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't print macros.@You tried to use the PrintOut action or method, but the active object is a macro.@If you want to print an object other than a macro, use the SelectObject action or method to select the desired object before you run the PrintOut action.@1@1@3041@1' **Access 2010+ uses different description:** 'Microsoft Access can't print macros.@You tried to use the PrintOut action or method, but the active object is a macro.@If you want to print an object other than a macro, use the SelectObject action or method to select the desired object before you run the PrintOut action.@1@1@3041@1'

Microsoft Office Access can't print or preview the page because the page size you selected is larger than 22.75 inches.@@@1@@@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't print or preview the page because the page size you selected is larger than 22.75 inches.@@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access can't print or preview the page because the page size you selected is larger than 22.75 inches.@@@1@@@1'

Microsoft Office Access can't print or preview the Debug window.@@@1@@@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't print or preview the Debug window.@@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access can't print or preview the Debug window.@@@1@@@1'

Microsoft Office Access couldn't print your object.@Make sure that the specified printer is available. For information on setting a default printer, search the Windows Help index for 'default printer, setting'.@@1@@@1 **Access 2007+ uses different description:** 'Microsoft Office Access couldn't print your object.@Make sure that the specified printer is available. For information on setting a default printer, search the Windows Help index for 'default printer, setting'.@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access couldn't print your object.@Make sure that the specified printer is available. For information on setting a default printer, search the Windows Help index for 'default printer, setting'.@@1@@@1'

2213	<p>There was a problem retrieving printer information for this object. The object may have been sent to a printer that is unavailable.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'There was a problem retrieving printer information for this object. The object may have been sent to a printer that is unavailable.@@@1@@@1'</p>	
2214	<p>There was a problem retrieving information from the printer. New printer has not been set.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'There was a problem retrieving information from the printer. New printer has not been set.@@@1@@@1'</p>	Access 2003+
2215	<p>Microsoft Office Access cannot print this PivotTable because its  1 exceed(s) 22.75 inches.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access cannot print this PivotTable because its  1 exceed(s) 22.75 inches.@@@1@@@1'</p> <p>Microsoft Office Access cannot print this PivotTable because its  1 exceed(s) 22.75 inches.@@@1@@@1 <b>Access 2010+ uses different description:</b> 'Microsoft Access cannot print this PivotTable because its  1 exceed(s) 22.75 inches.@@@1@@@1'</p>	Access 2003+
2220	<p>Microsoft Office Access can't open the file ' '.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access can't open the file ' '.@@@1@@@1'</p> <p>Microsoft Office Access can't open the file ' 1'.@@@1@@@1 <b>Access 2010+ uses different description:</b> 'Microsoft Access can't open the file ' 1'.@@@1@@@1'</p>	Access 2003+
2221	<p>The text is too long to be edited.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'The text is too long to be edited.@@@1@@@1'</p>	Access 2003+
2222	<p>This control is read-only and can't be modified.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'This control is read-only and can't be modified.@@@1@@@1'</p>	Access 2003+
2223	<p>The file name ' ' is too long.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'The file name ' ' is too long.@@@1@@@1'</p>	Access 2003+
2225	<p>Microsoft Office Access couldn't open the Clipboard.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access couldn't open the Clipboard.@@@1@@@1'</p> <p>Microsoft Office Access couldn't open the Clipboard.@@@1@@@1 <b>Access 2010+ uses different description:</b> 'Microsoft Access couldn't open the Clipboard.@@@1@@@1'</p>	Access 2003+
2226	<p>The Clipboard isn't responding, so Microsoft Office Access can't paste the Clipboard's contents.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'The Clipboard isn't responding, so Microsoft Office Access can't paste the Clipboard's contents.@@@1@@@1'</p> <p>The Clipboard isn't responding, so Microsoft Access can't paste the Clipboard's contents.@@@1@@@1 <b>Access 2010+ uses different description:</b> 'The Clipboard isn't responding, so Microsoft Access can't paste the Clipboard's contents.@@@1@@@1'</p>	Access 2003+
2227	<p>The data on the Clipboard is damaged, so Microsoft Office Access can't paste it.@@@1@@@1</p>	Access 2003+

memory. Try the operation again.@@1@@1 **Access 2007+ uses different**

**description:** 'The data on the Clipboard is damaged, so Microsoft Office Access can't paste it.@There may be an error in the Clipboard, or there may not be enough free memory. Try the operation again.@@1@@@1' **Access 2010+**

**uses different description:** 'The data on the Clipboard is damaged, so Microsoft Access can't paste it.@There may be an error in the Clipboard, or there may not be enough free memory. Try the operation again.@@1@@@1'

Microsoft Office Access can't start the OLE server.@You tried to use a form, report, or datasheet that contains an OLE object, but the OLE server (the application used to create the object) may not be registered properly. Reinstall the OLE server to register it correctly.@@1@@1 **Access 2007+ uses different**

**description:** 'Microsoft Office Access can't start the OLE server.@You tried to use a form, report, or datasheet that contains an OLE object, but the OLE server (the application used to create the object) may not be registered properly. Reinstall the OLE server to register it correctly.@@1@@@1' **Access 2010+**

**uses different description:** 'Microsoft Access can't start the OLE server.@You tried to use a form, report, or datasheet that contains an OLE object, but the OLE server (the application used to create the object) may not be registered properly. Reinstall the OLE server to register it correctly.@@1@@@1'

Microsoft Office Access can't paste the OLE object.@@@1@@1 **Access**

**2007+ uses different description:** 'Microsoft Office Access can't paste the OLE object.@@@1@@@1' **Access 2010+ uses different description:**

'Microsoft Access can't paste the OLE object.@@@1@@@1'

The text you entered isn't an item in the list.@Select an item from the list, or enter text that matches one of the listed items.@@1@@1 **Access 2007+ uses**

**different description:** 'The text you entered isn't an item in the list.@Select an item from the list, or enter text that matches one of the listed items.@@1@@@1'

The database 'l' needs to be repaired or isn't a Microsoft Office Access database file.@You may have quit Microsoft Office Access unexpectedly with the database open.@To repair the database, click the Repair Database command on the Tools menu (Database Utilities submenu). If the database can't be repaired, the .mdb file is unusable. Restore the database from a backup copy or create a new database.@1@@1 **Access 2007+ uses different description:** 'Microsoft

Office Access has detected that this database is in an inconsistent state, and cannot attempt to recover the database because the file is read-only. To allow Access to recover the database, close the database and set the file to read/write, and then open the database.@@@1@@@1' **Access 2010+ uses different**

**description:** 'Microsoft Access has detected that this database is in an inconsistent state, and cannot attempt to recover the database because the file is read-only. To allow Access to recover the database, close the database and set the file to read/write, and then open the database.@@@1@@@1'

The data in the Clipboard isn't recognizable; Microsoft Office Access can't paste the OLE object.@@@1@@1 **Access 2007+ uses different description:**

'The data in the Clipboard isn't recognizable; Microsoft Office Access can't paste the OLE object.@@@1@@@1' **Access 2010+ uses different**

**description:** 'The data in the Clipboard isn't recognizable; Microsoft Access can't paste the OLE object.@@@1@@@1'

The file name you specified in the Picture property for a command button or toggle button can't be read.@\* The file you specified may be corrupted. Restore the file from a backup copy or re-create the file. \* The disk where the file is

located may be unreadable.@@1@@1 **Access 2007+ uses different**

**description:** 'The file name you specified in the Picture property for a command button or toggle button can't be read.@\* The file you specified may be corrupted. Restore the file from a backup copy or re-create the file. \* The disk where the file is located may be unreadable.@@1@@@1'

2245	<p>The file you specified doesn't contain valid icon data.@Specify a valid icon file.@@1@600829@1 <b>Access 2007+ uses different description:</b> 'The file you specified doesn't contain valid icon data.@Specify a valid icon file.@@1@1@829@1'</p>	Access 2003+
2246	<p>Microsoft Office Access can't run the query; the parameter values are too large.@The total length of all the values entered for the parameters cannot exceed 1,024 characters.@@1@@1 <b>Access 2007+ uses different description:</b> "</p> <p>An error occurred while sending data to the OLE server (the application used to create the object).@* You may have tried to send too much data. If you're creating a chart and the chart is based on a query, modify the query so that it selects less data. If the chart is based on a table, consider basing it on a query instead so that you can limit the data. * You may be using an OLE server that doesn't accept the Clipboard format. * You may not be able to start the OLE server because it's not properly registered. Reinstall it to register it. * Your computer may be low on memory. Close other application windows to free up memory.@@1@208951@1 <b>Access 2007+ uses different description:</b> 'An error occurred while sending data to the OLE server (the application used to create the object).@* You may have tried to send too much data. If you're creating a chart and the chart is based on a query, modify the query so that it selects less data. If the chart is based on a table, consider basing it on a query instead so that you can limit the data. * You may be using an OLE server that doesn't accept the Clipboard format. * You may not be able to start the OLE server because it's not properly registered. Reinstall it to register it. * Your computer may be low on memory. Close other application windows to free up memory.@@1@1@8951@1'</p>	Access 2003
2260	<p>An error occurred while sending data to the OLE server (the application used to create the object).@* You may have tried to send too much data. If you're creating a chart and the chart is based on a query, modify the query so that it selects less data. If the chart is based on a table, consider basing it on a query instead so that you can limit the data. * You may be using an OLE server that doesn't accept the Clipboard format. * You may not be able to start the OLE server because it's not properly registered. Reinstall it to register it. * Your computer may be low on memory. Close other application windows to free up memory.@@1@1@8951@1'</p>	Access 2003+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
2262	<p>This value must be a number.@@@1@@1 <b>Access 2007+ uses different description:</b> 'This value must be a number.@@@1@@@1'</p>	Access 2003+
2263	<p>The number is too large.@@@1@@1 <b>Access 2007+ uses different description:</b> 'The number is too large.@@@1@@@1'</p>	Access 2003+
2264	<p>Microsoft Office Access didn't recognize the unit of measurement.@Type a valid unit, such as inches (in) or centimeters (cm).@@1@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access didn't recognize the unit of measurement.@Type a valid unit, such as inches (in) or centimeters (cm).@@1@@@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access didn't recognize the unit of measurement.@Type a valid unit, such as inches (in) or centimeters (cm).@@1@@@1'</p>	Access 2003+
2265	<p>You must specify a unit of measurement, such as inches (in) or centimeters (cm).@@@1@@1 <b>Access 2007+ uses different description:</b> 'You must specify a unit of measurement, such as inches (in) or centimeters (cm).@@@1@@@1'</p>	Access 2003+
2266	<p>' ' may not be a valid setting for the RowSourceType property, or there was a compile error in the function.@For information on valid settings for the RowSourceType property, click Help.@@2@603853@1 <b>Access 2007+ uses different description:</b> ' ' may not be a valid setting for the RowSourceType property, or there was a compile error in the function.@For information on valid settings for the RowSourceType property, click Help.@@2@1@3853@1'</p>	Access 2003+
2267	<p>There is not enough disk space to create a temporary buffer file for printing.@Free up some disk space to make room for the temporary buffer file.@@1@@1 <b>Access 2007+ uses different description:</b> 'There is not enough disk space to create a temporary buffer file for printing.@Free up some disk space to make room for the temporary buffer file.@@1@@@1'</p>	Access 2003+
2269	<p>Some library databases couldn't be loaded because too many were specified.@To change library database references, click References on the Tools menu.@@1@209017@1 <b>Access 2007+ uses different description:</b></p>	Access 2003+

'Some library databases couldn't be loaded because too many were specified.@To change library database references, click References on the Tools menu.@@1@1@9017@1'

The setting for the Update Retry Interval must be from 0 through 1,000 milliseconds.@@@1@@@1 **Access 2007+ uses different description:** 'The setting for the Update Retry Interval must be from 0 through 1,000 milliseconds.@@@1@@@1'

The setting for Update Retries must be from 0 through 10.@@@1@@@1 **Access 2007+ uses different description:** 'The setting for Update Retries must be from 0 through 10.@@@1@@@1'

The database '|' is already open as a library database.@@@1@@@1 **Access 2007+ uses different description:** 'The database '|' is already open as a library database.@@@1@@@1'

The string returned by the builder was too long.@The result will be truncated.@@1@@@1 **Access 2007+ uses different description:** 'The string returned by the builder was too long.@The result will be truncated.@@1@@@1'

The custom builder you're using caused an error by changing the focus to a different window while you were using it.@Enter a value without using the custom builder.@@1@@@1 **Access 2007+ uses different description:** 'The custom builder you're using caused an error by changing the focus to a different window while you were using it.@Enter a value without using the custom builder.@@1@@@1'

There was a font initialization error.@@@1@@@1 **Access 2007+ uses different description:** 'There was a font initialization error.@@@1@@@1'

Microsoft Office Access can't save your changes to this bound OLE object.@Either you don't have permission to write to the record in which the object is stored, or the record is locked by another user. Copy the object to the Clipboard (select the object and click Copy on the Edit menu), and click Undo Current Record on the Edit menu. Then open the application you used to create the object, paste the object from the Clipboard, and save it.@@1@410222@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't save your changes to this bound OLE object.@Either you don't have permission to write to the record in which the object is stored, or the record is locked by another user. Copy the object to the Clipboard (select the object and click Copy on the Edit menu), and click Undo Current Record on the Edit menu. Then open the application you used to create the object, paste the object from the Clipboard, and save it.@@1@1@10222@1' **Access 2010+ uses different description:** 'Microsoft Access can't save your changes to this bound OLE object.@Either you don't have permission to write to the record in which the object is stored, or the record is locked by another user. Copy the object to the Clipboard (select the object and click Copy on the Edit menu), and click Undo Current Record on the Edit menu. Then open the application you used to create the object, paste the object from the Clipboard, and save it.@@1@1@10222@1'

The value you entered isn't appropriate for the input mask '|' specified for this field.@@@2@509118@1 **Access 2007+ uses different description:** 'The value you entered isn't appropriate for the input mask '|' specified for this field.@@@2@1@9118@1'

You have added more output formats to the Windows Registry than Microsoft Office Access can initialize.@Some output formats will not be available. Remove those formats that you never or least often use.@@1@@@1 **Access 2007+ uses different description:** 'You have added more output formats to the Windows Registry than Microsoft Office Access can initialize.@Some output formats will not be available. Remove those formats that you never or least often use.@@1@@@1' **Access 2010+ uses different description:** 'You have

added more output formats to the Windows Registry than Microsoft Access can initialize. @Some output formats will not be available. Remove those formats that you never or least often use. @@1@@@1'

The formats that enable you to output data as a Microsoft Excel, rich-text format, MS-DOS text, or HTML file are missing or incorrectly registered in the Windows Registry. @Run Setup to reinstall Microsoft Office Access or, if you're familiar with the settings in the Registry, try to correct them yourself. For more information about the Registry, click Help. @@2@109015@1 **Access 2007+ uses different description:** 'Output format information is missing.

There appears to be a problem with your Microsoft Office Access installation. Access 2003+ Please reinstall Microsoft Office Access or contact your system administrator or help desk representative. @@@2@1@9015@1' **Access 2010+ uses different description:** 'Output format information is missing. There appears to be a problem with your Microsoft Access installation. Please reinstall Microsoft Access or contact your system administrator or help desk representative. @@@2@1@9015@1'

The format in which you are attempting to output the current object is not available. @Either you are attempting to output the current object to a format that is not valid for its object type, or the formats that enable you to output data as a Microsoft Excel, rich-text format, MS-DOS text, or HTML file are missing from the Windows Registry. Run Setup to reinstall Microsoft Office Access or, if you're familiar with the settings in the Registry, try to correct them yourself. For more information on the Registry, click Help. @@2@109015@1 **Access 2007+ uses different description:** 'The format in which you are attempting to output the current object is not available. @Either you are attempting to output the current object to a format that is not valid for its object type, or the formats

that enable you to output data as a Microsoft Excel, rich-text format, MS-DOS text, or HTML file are missing from the Windows Registry. Run Setup to reinstall Microsoft Office Access or, if you're familiar with the settings in the Registry, try to correct them yourself. For more information on the Registry, click Help. @@2@1@9015@1' **Access 2010+ uses different description:** 'The format in which you are attempting to output the current object is not available. @Either you are attempting to output the current object to a format that is not valid for its object type, or the formats that enable you to output data as a Microsoft Excel, rich-text format, MS-DOS text, or HTML file are missing from the Windows Registry. Run Setup to reinstall Microsoft Access or, if you're familiar with the settings in the Registry, try to correct them yourself. For more information on the Registry, click Help. @@2@1@9015@1'

The format specification for '|' is invalid. @You can't save output data to a file in this format until you correct the setting for the format in the Windows Registry. Run Setup to reinstall Microsoft Office Access or, if you're familiar with the settings in the Registry, try to correct them yourself. For more information on the Registry, click Help. @@2@109015@1 **Access 2007+ uses different**

**description:** 'The format specification for '|' is invalid. @You can't save output data to a file in this format until you correct the setting for the format in the Windows Registry. Run Setup to reinstall Microsoft Office Access or, if you're familiar with the settings in the Registry, try to correct them yourself. For more information on the Registry, click Help. @@2@1@9015@1' **Access 2010+ uses different description:** 'The format specification for '|' is invalid. @You can't save output data to a file in this format until you correct the setting for the format in the Windows Registry. Run Setup to reinstall Microsoft Access or, if you're familiar with the settings in the Registry, try to correct them yourself. For more information on the Registry, click Help. @@2@1@9015@1'

Microsoft Office Access can't write to the file. @\* The network may not be working. Wait until the network is working, and then try again. \* You may be out of memory. Close one or more Microsoft Office Access windows, close other applications, and then try again. @@1@@@1 **Access 2007+ uses different**

**description:** 'Microsoft Office Access can't write to the file.@\* The network may not be working. Wait until the network is working, and then try again. \* You may be out of memory. Close one or more Microsoft Office Access windows, close other applications, and then try again.@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access can't write to the file.@\* The network may not be working. Wait until the network is working, and then try again. \* You may be out of memory. Close one or more Microsoft Access windows, close other applications, and then try again.@@1@@@1'

Error Code	Error Description	Supported Versions
2285	<p>Microsoft Office Access can't create the output file.@* You may be out of disk space on the destination drive. * The network may not be working. Wait until the network is working, and then try again. * You may be out of memory. Close one or more Microsoft Office Access windows, close other applications, and then try again.@@1@@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access can't create the output file.@* You may be out of disk space on the destination drive. * The network may not be working. Wait until the network is working, and then try again. * You may be out of memory. Close one or more Microsoft Office Access windows, close other applications, and then try again.@@1@@@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access can't create the output file.@* You may be out of disk space on the destination drive. * The network may not be working. Wait until the network is working, and then try again. * You may be out of memory. Close one or more Microsoft Access windows, close other applications, and then try again.@@1@@@1'</p>	Access 2003+
2286	<p>Microsoft Office Access can't close the file.@* The network may not be working. Wait until the network is working, and then try again. * You may be out of memory. Close one or more Microsoft Office Access windows, close other applications, and then try again.@@1@@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access can't close the file.@* The network may not be working. Wait until the network is working, and then try again. * You may be out of memory. Close one or more Microsoft Office Access windows, close other applications, and then try again.@@1@@@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access can't close the file.@* The network may not be working. Wait until the network is working, and then try again. * You may be out of memory. Close one or more Microsoft Access windows, close other applications, and then try again.@@1@@@1'</p>	Access 2003+
2287	<p>Microsoft Office Access can't open the mail session.@Check your mail application to make sure that it's working properly.@@1@@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access can't open the mail session.@Check your mail application to make sure that it's working properly.@@1@@@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access can't open the mail session.@Check your mail application to make sure that it's working properly.@@1@@@1'</p>	Access 2003+
2288	<p>Microsoft Office Access can't load the ' ' format.@The setting for this format in the Windows Registry is incorrect. You can't save the output data to a file in this format until you correct the setting in the Registry.@Run Setup to reinstall Microsoft Office Access or, if you're familiar with the settings in the Registry, try to correct them yourself. For more information on the Registry, click Help.@2@109015@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access can't load the ' ' format.@The setting for this format in the Windows Registry is incorrect. You can't save the output data to a file in this format until you correct the setting in the Registry.@Run Setup to reinstall Microsoft Office Access or, if you're familiar with the settings in the Registry, try to correct them yourself. For more information on the Registry, click Help.@2@1@9015@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access can't load the ' ' format.@The setting for this format in the Windows Registry is incorrect. You can't save the output data to a file in this format until</p>	Access 2003+



you correct the setting in the Registry. @Run Setup to reinstall Microsoft Access or, if you're familiar with the settings in the Registry, try to correct them yourself. For more information on the Registry, click Help. @2@1@9015@1'

Microsoft Office Access can't output the module in the requested format. @@@1@@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't output the module in the requested format. @@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access can't output the module in the requested format. @@@1@@@1'

There were too many message recipients; the message was not sent. @@@1@@1 **Access 2007+ uses different description:** 'There were too many message recipients; the message was not sent. @@@1@@@1'

There are too many message attachments; the message was not sent. @@@1@@1 **Access 2007+ uses different description:** 'There are too many message attachments; the message was not sent. @@@1@@@1'

The message text is too long, so it was not sent. @@@1@@1 **Access 2007+ uses different description:** 'The message text is too long, so it was not sent. @@@1@@@1'

Microsoft Office Access can't send this e-mail message. @Before attempting to send an e-mail message from Microsoft Office Access, resolve the problem identified in the previous message, or configure your computer to send and receive e-mail messages. @@1@@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't send this e-mail message. @Before attempting to send an e-mail message from Microsoft Office Access, resolve the problem identified in the previous message, or configure your computer to send and receive e-mail messages. @@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access can't send this e-mail message. @Before attempting to send an e-mail message from Microsoft Access, resolve the problem identified in the previous message, or configure your computer to send and receive e-mail messages. @@1@@@1'

Microsoft Office Access can't attach the object; the message was not sent. @\* The network may not be working. Wait until the network is working, and then try again. \* You may be out of memory. Close one or more Microsoft Office Access windows, close other applications, and then try again. @@1@@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't attach the object; the message was not sent. @\* The network may not be working. Wait until the network is working, and then try again. \* You may be out of memory. Close one or more Microsoft Office Access windows, close other applications, and then try again. @@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access can't attach the object; the message was not sent. @\* The network may not be working. Wait until the network is working, and then try again. \* You may be out of memory. Close one or more Microsoft Access windows, close other applications, and then try again. @@1@@@1'

Unknown message recipient(s); the message was not sent. @@@1@@1 **Access 2007+ uses different description:** 'Unknown message recipient(s); the message was not sent. @@@1@@@1'

The password is invalid; the message wasn't sent. @@@1@@1 **Access 2007+ uses different description:** 'The password is invalid; the message wasn't sent. @@@1@@@1'

Microsoft Office Access can't open the mail session. @You may be out of memory. Close one or more Microsoft Office Access windows, close other applications, and then try again. You may also want to check your mail application to ensure that it's working properly. @@1@@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't open the mail session. @You may be out of memory. Close one or more Microsoft Office Access windows, close other applications, and then try again. You may also want to check your mail application to ensure that it's working

properly.@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access can't open the mail session.@You may be out of memory. Close one or more Microsoft Access windows, close other applications, and then try again. You may also want to check your mail application to ensure that it's working properly.@@1@@@1'

Microsoft Office Access can't start the wizard, builder, or add-in.@\* The library database containing the wizard, builder, or add-in may not be installed. Point to Add-ins on the Tools menu, and then click Add-in Manager to see if the library database is installed. \* The wizard, builder, or add-in code may not be compiled and Microsoft Office Access can't compile it. There may be a syntax error in the code. \* The key for the add-in in the Windows Registry file may be incorrect.@@2@109015@1 **Access 2007+ uses different description:**

'Microsoft Office Access can't start the wizard, builder, or add-in.@\* The library database containing the wizard, builder, or add-in may not be installed. Point to Add-ins on the Tools menu, and then click Add-in Manager to see if the library database is installed. \* The wizard, builder, or add-in code may not be compiled and Microsoft Office Access can't compile it. There may be a syntax error in the code. \* The key for the add-in in the Windows Registry file may be incorrect.@@2@1@9015@1' **Access 2010+ uses different description:**

'Microsoft Access can't start the wizard, builder, or add-in.@\* The library database containing the wizard, builder, or add-in may not be installed. Point to Add-ins on the Tools menu, and then click Add-in Manager to see if the library database is installed. \* The wizard, builder, or add-in code may not be compiled and Microsoft Access can't compile it. There may be a syntax error in the code. \* The key for the add-in in the Windows Registry file may be incorrect.@@2@1@9015@1'

Microsoft Office Access can't open the Zoom box.@The Microsoft Office Access Utility add-in is missing or was modified. Rerun Microsoft Office Access or Microsoft Office Setup to reinstall Microsoft Office Access and the Microsoft Office Access Utility add-in.@@1@212620@1 **Access 2007+ uses different description:**

'Microsoft Office Access can't open the Zoom box.@The Microsoft Office Access Utility add-in is missing or was modified. Rerun Microsoft Office Access or Microsoft Office Setup to reinstall Microsoft Office Access and the Microsoft Office Access Utility add-in.@@1@1@12620@1' **Access 2010+ uses different description:** 'Microsoft Access can't open the Zoom box.@The Microsoft Access Utility add-in is missing or was modified. Rerun Microsoft Access or Microsoft Office Setup to reinstall Microsoft Access and the Microsoft Access Utility add-in.@@1@1@12620@1'

Microsoft Office Access can't output because there are too many controls selected that have different styles, such as color and font.@Select fewer controls, and then try again.@@1@@@1 **Access 2007+ uses different description:**

'Microsoft Office Access can't output because there are too many controls selected that have different styles, such as color and font.@Select fewer controls, and then try again.@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access can't output because there are too many controls selected that have different styles, such as color and font.@Select fewer controls, and then try again.@@1@@@1'

There are not enough system resources to output the data.@Close one or more Microsoft Office Access windows and close other applications. Then try to output the data again.@@1@@@1 **Access 2007+ uses different description:**

'There are not enough system resources to output the data.@Close one or more Microsoft Office Access windows and close other applications. Then try to output the data again.@@1@@@1' **Access 2010+ uses different description:** 'There are not enough system resources to output the data.@Close one or more Microsoft Access windows and close other applications. Then try to output the data again.@@1@@@1'

2298

Access 2003+

2299

Access 2003+

2300

Access 2003+

2301

Access 2003+

2302	<p>Microsoft Office Access can't save the output data to the file you've selected.@* The file may be open. If so, close it, and then save the output data to the file again. * If you are using a template, check to make sure the template exists. * If the file isn't open, check to make sure that you have enough free disk space. * Make sure that the file exists on the path specified. * Check to make sure you have permission to write to the specified folder.@@1@@1</p> <p><b>Access 2007+ uses different description:</b> 'Microsoft Office Access can't save the output data to the file you've selected.@* The file may be open. If so, close it, and then save the output data to the file again. * If you are using a template, check to make sure the template exists. * If the file isn't open, check to make sure that you have enough free disk space. * Make sure that the file exists on the path specified. * Check to make sure you have permission to write to the specified folder.@@1@@@1'</p> <p><b>Access 2010+ uses different description:</b> 'Microsoft Access can't save the output data to the file you've selected.@* The file may be open. If so, close it, and then save the output data to the file again. * If you are using a template, check to make sure the template exists. * If the file isn't open, check to make sure that you have enough free disk space. * Make sure that the file exists on the path specified. * Check to make sure you have permission to write to the specified folder.@@1@@@1'</p>	Access 2003+
2303	<p>Microsoft Office Access can't output data now.@* The network may not be working. Wait until the network is working, and then try again. * You may be out of disk space. Free up disk space and try again.@@1@@1</p> <p><b>Access 2007+ uses different description:</b> 'Microsoft Office Access can't output data now.@* The network may not be working. Wait until the network is working, and then try again. * You may be out of disk space. Free up disk space and try again.@@1@@@1'</p> <p><b>Access 2010+ uses different description:</b> 'Microsoft Access can't output data now.@* The network may not be working. Wait until the network is working, and then try again. * You may be out of disk space. Free up disk space and try again.@@1@@@1'</p>	Access 2003+
2304	<p>Microsoft Office Access can't save output data to the specified file.@Make sure that you have enough free disk space on your destination drive.@@1@@1</p> <p><b>Access 2007+ uses different description:</b> 'Microsoft Office Access can't save output data to the specified file.@Make sure that you have enough free disk space on your destination drive.@@1@@@1'</p> <p><b>Access 2010+ uses different description:</b> 'Microsoft Access can't save output data to the specified file.@Make sure that you have enough free disk space on your destination drive.@@1@@@1'</p>	Access 2003+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
2305	<p>There are too many columns to output, based on the limitation specified in the output format or by Microsoft Office Access.@@@1@@1</p> <p><b>Access 2007+ uses different description:</b> 'There are too many columns to output, based on the limitation specified in the output format or by Microsoft Office Access.@@@1@@@1'</p> <p><b>Access 2010+ uses different description:</b> 'There are too many columns to output, based on the limitation specified in the output format or by Microsoft Access.@@@1@@@1'</p>	Access 2003+
2306	<p>There are too many rows to output, based on the limitation specified by the output format or by Microsoft Office Access.@@@1@@1</p> <p><b>Access 2007+ uses different description:</b> 'There are too many rows to output, based on the limitation specified by the output format or by Microsoft Office Access.@@@1@@@1'</p> <p><b>Access 2010+ uses different description:</b> 'There are too many rows to output, based on the limitation specified by the output format or by Microsoft Access.@@@1@@@1'</p>	Access 2003+
2307	You haven't selected any data, or the object you've selected is blank.@@@1@@1	Access 2003
2308	<p>The file ' ' already exists.@Do you want to replace the existing file?@@20@@2</p> <p><b>Access 2007+ uses different description:</b> 'The file ' ' already</p>	Access 2003+

exists.@Do you want to replace the existing file?@@20@@@2'

There is an invalid add-in entry for '|'.@There is an error in the Windows Registry for this add-in. Correct the setting and restart Microsoft Office Access. For information on the Registry, click Help.@@2@109015@1 **Access 2007+ uses different description:** 'There is an invalid add-in entry for '|'.@There is an error in the Windows Registry for this add-in. Correct the setting and restart Microsoft Office Access. For information on the Registry, click Help.@@2@1@9015@1' **Access 2010+ uses different description:** 'There is an invalid add-in entry for '|1'.@There is an error in the Windows Registry for this add-in. Correct the setting and restart Microsoft Access. For information on the Registry, click Help.@@2@1@9015@1'

There isn't enough memory to run the NotInList event procedure.@@@1@@1 **Access 2007+ uses different description:** 'There isn't enough memory to run the NotInList event procedure.@@@1@@@1'

The shortcut '|' must be re-created.@The file may be missing, damaged, or in an older format that can't be read.@@1@@1 **Access 2007+ uses different description:** 'The shortcut '|' must be re-created.@The file may be missing, damaged, or in an older format that can't be read.@@1@@@1'

Microsoft Office Access can't find the shortcut databases '|1' or '|2'.@Re-create the shortcut with the correct locations of the databases.@@2@209032@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't find the shortcut databases '|1' or '|2'.@Re-create the shortcut with the correct locations of the databases.@@2@1@9032@1' **Access 2010+ uses different description:** 'Microsoft Access can't find the shortcut databases '|1' or '|2'.@Re-create the shortcut with the correct locations of the databases.@@2@1@9032@1'

Microsoft Office Access can't find the shortcut database '|'.@Re-create the shortcut with the correct location of the database.@@2@209032@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't find the shortcut database '|'.@Re-create the shortcut with the correct location of the database.@@2@1@9032@1' **Access 2010+ uses different description:** 'Microsoft Access can't find the shortcut database '|1'.@Re-create the shortcut with the correct location of the database.@@2@1@9032@1'

The input string is too long.@@@1@@@1 **Access 2007+ uses different description:** 'The input string is too long.@@@1@@@1'

This table or query can't be opened because it has no visible fields.@This can result if the table or query has only system fields, and the Show System Objects option is off.@To turn on the Show System Objects option, click Options on the Tools menu, click the View tab, and select the System Objects check box.@1@@@1 **Access 2007+ uses different description:** 'This table or query can't be opened because it has no visible fields.@This can result if the table or query has only system fields, and the Show System Objects option is off.@To turn on the Show System Objects option, click Options on the Tools menu, click the View tab, and select the System Objects check box.@1@@@1'

The database '|' can't be repaired or isn't a Microsoft Office Access database file.@@@1@@@1 **Access 2007+ uses different description:** 'The database '|' can't be repaired or isn't a Microsoft Office Access database file.@@@1@@@1' **Access 2010+ uses different description:** 'The database '|1' can't be repaired or isn't a Microsoft Access database file.@@@1@@@1'

Microsoft Office Access can't import the object '|' while it is open.@@@1@@@3 **Access 2007+ uses different description:** "

Microsoft Office Access can't display the field for which you entered Where in the Total row.@Clear the Show check box for that field. If you want this field to appear in the query's results, add it to the design grid twice.For the field that will appear in the query's results, don't specify Where in the Total row, and make sure the Show check box is checked.@@1@@@1 **Access 2007+ uses**

**different description:** 'Microsoft Office Access can't display the field for which you entered Where in the Total row.@Clear the Show check box for that field. If you want this field to appear in the query's results, add it to the design grid twice.For the field that will appear in the query's results, don't specify Where in the Total row, and make sure the Show check box is checked.@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access can't display the field for which you entered Where in the Total row.@Clear the Show check box for that field. If you want this field to appear in the query's results, add it to the design grid twice.For the field that will appear in the query's results, don't specify Where in the Total row, and make sure the Show check box is checked.@1@@@1'

You can't set criteria before you add a field or expression to the Field row.@Either add a field from the field list to the column and enter an expression, or delete the criteria.@1@@1 **Access 2007+ uses different description:** 'You can't set criteria before you add a field or expression to the Field row.@Either add a field from the field list to the column and enter an expression, or delete the criteria.@1@@@1'

You can't sort on the asterisk (\*).@Because the asterisk represents all fields in the underlying table or query, you can't sort on it.@Add the asterisk to the query design grid, along with the specific fields you want to sort on. Clear the Show check box for the sorting fields, and then specify a sort order.@1@@1 **Access 2007+ uses different description:** 'You can't sort on the asterisk (\*).@Because the asterisk represents all fields in the underlying table or query, you can't sort on it.@Add the asterisk to the query design grid, along with the specific fields you want to sort on. Clear the Show check box for the sorting fields, and then specify a sort order.@1@@@1'

You can't specify criteria for the asterisk (\*).@Because the asterisk represents all the fields in the underlying table or query, you can't specify criteria for it.@Add the asterisk to the query design grid, along with the field(s) you want to set criteria for, and then enter criteria for the specific fields. In the query design grid, clear the Show check box for the criteria field(s), before you run the query.@1@@1 **Access 2007+ uses different description:** 'You can't specify criteria for the asterisk (\*).@Because the asterisk represents all the fields in the underlying table or query, you can't specify criteria for it.@Add the asterisk to the query design grid, along with the field(s) you want to set criteria for, and then enter criteria for the specific fields. In the query design grid, clear the Show check box for the criteria field(s), before you run the query.@1@@@1'

You can't calculate totals on the asterisk (\*).@Because the asterisk represents all the fields in the table, you can't calculate totals on it.@Remove the asterisk from the query design grid. Add the fields you want to use to the design grid, and then select the total you want to calculate for specific fields.@1@11202@1 **Access 2007+ uses different description:** 'You can't calculate totals on the asterisk (\*).@Because the asterisk represents all the fields in the table, you can't calculate totals on it.@Remove the asterisk from the query design grid. Add the fields you want to use to the design grid, and then select the total you want to calculate for specific fields.@1@2@11202@1'

The field name you entered exceeds the LinkMasterFields property's 64-character limit.@When you use the Relationships command (Tools menu) to define a relationship between the tables underlying a form and subform, Microsoft Office Access links the form and subform automatically and sets the LinkChildFields and LinkMasterFields properties.@1@603990@1 **Access 2007+ uses different description:** 'The field name you entered exceeds the 64-character limit of the LinkMasterFields property.@When you use the Relationships command (on the Database Tools tab, click Relationships) to define a relationship between the tables underlying a form and subform, Microsoft Office Access links the form and subform automatically and sets the

Access 2003+

Access 2003+

Access 2003+

Access 2003+

Access 2003+

LinkChildFields and LinkMasterFields properties.@@1@1@3990@1' **Access 2010+ uses different description:** 'The field name you entered exceeds the 64-character limit of the LinkMasterFields property.@@When you use the Relationships command (on the Database Tools tab, click Relationships) to define a relationship between the tables underlying a form and subform, Microsoft Access links the form and subform automatically and sets the LinkChildFields and LinkMasterFields properties.@@1@1@3990@1'

You can't specify Group By, Expression, or Where in the Total row for this column.@@Specify an aggregate function, such as Sum or Count, for the field or expression you designate as the Value in the crosstab query. For more information on aggregate functions, click Help.@@2@209980@1 **Access**

**2007+ uses different description:** 'You can't specify Group By, Expression, or Where in the Total row for this column.@@Specify an aggregate function, such as Sum or Count, for the field or expression you designate as the Value in the crosstab query. For more information on aggregate functions, click Help.@@2@1@9980@1'

Error Code	Error Description	Supported Versions
------------	-------------------	--------------------

You must enter Group By in the Total row for a field that has Column Heading in the Crosstab row.@@The values derived from the field or expression that you designate as the Column Heading are used to group data in the crosstab query.@@1@209980@1 **Access 2007+ uses different description:** 'You must enter Group By in the Total row for a field that has Column Heading in the Crosstab row.@@The values derived from the field or expression that you designate as the Column Heading are used to group data in the crosstab query.@@1@1@9980@1'

You can't run an update query on the asterisk (\*).@@Because the asterisk represents all the fields in the table, you can't update it.@@Remove the asterisk from the query design grid. Add the fields you want to update to the design grid.@@1@210001@1 **Access 2007+ uses different description:** 'You can't run an update query on the asterisk (\*).@@Because the asterisk represents all the fields in the table, you can't update it.@@Remove the asterisk from the query design grid. Add the fields you want to update to the design grid.@@1@1@10001@1'

To create a crosstab query, you must specify one or more Row Heading(s) options, one Column Heading option, and one Value option.@@@@1@209980@1 **Access 2007+ uses different description:** 'To create a crosstab query, you must specify one or more Row Heading(s) options, one Column Heading option, and one Value option.@@@@1@1@9980@1'

Microsoft Office Access can't represent the join expression | in Design view.@@\* One or more fields may have been deleted or renamed. \* The name of one or more fields or tables specified in the join expression may be misspelled. \* The join may use an operator that isn't supported in Design view, such as > or <.@@1@@@1 **Access 2007+ uses different description:** 'Microsoft Office

Access can't represent the join expression | in Design view.@@\* One or more fields may have been deleted or renamed. \* The name of one or more fields or tables specified in the join expression may be misspelled. \* The join may use an operator that isn't supported in Design view, such as > or <.@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access can't represent the join expression |1 in Design view.@@\* One or more fields may have been deleted or renamed. \* The name of one or more fields or tables specified in the join expression may be misspelled. \* The join may use an operator that isn't supported in Design view, such as > or <.@@1@@@1'

2331

You must enter Group By in the Total row for at least one of the Row Heading options you enter in the Crosstab row.@@@1@209980@1 **Access 2007+ uses different description:** 'You must enter Group By in the Total row for at least one of the Row Heading options you enter in the Crosstab row.@@@1@1@9980@1' **Access 2003+**

2332

Microsoft Office Access can't match the fields you added using the asterisk (\*) in the append query.@Because the asterisk represents all the fields in the underlying table or query, you can't append an asterisk to one field or expression, and you can't append a single field or expression to an asterisk.@Append an asterisk to an asterisk (for example, a table to a table), or append specific fields.@1@209999@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't match the fields you added using the asterisk (\*) in the append query.@Because the asterisk represents all the fields in the underlying table or query, you can't append an asterisk to one field or expression, and you can't append a single field or expression to an asterisk.@Append an asterisk to an asterisk (for example, a table to a table), or append specific fields.@1@1@9999@1' **Access 2010+ uses different description:** 'Microsoft Access can't match the fields you added using the asterisk (\*) in the append query.@Because the asterisk represents all the fields in the underlying table or query, you can't append an asterisk to one field or expression, and you can't append a single field or expression to an asterisk.@Append an asterisk to an asterisk (for example, a table to a table), or append specific fields.@1@1@9999@1' **Access 2003+**

2333

You must enter the name of the table you are creating or appending records to.@You tried to define a make-table or append query without specifying a destination table.@@1@@@1 **Access 2007+ uses different description:** 'You must enter the name of the table you are creating or appending records to.@You tried to define a make-table or append query without specifying a destination table.@@1@@@1' **Access 2003+**

2334

Microsoft Office Access can't print '|' because it is an action query.@Because action queries don't produce a recordset, you can't print a Datasheet view of them. Note that an exclamation point (!) joined to a query icon in the Database window marks an action query.@To print a Datasheet view of the records that will be selected by the query, display the query in Design view, click the Datasheet button, and then click the Print button.@1@@@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't print '|' because it is an action query.@Because action queries don't produce a recordset, you can't print a Datasheet view of them. Note that an exclamation point (!) joined to a query icon in the Navigation Pane marks an action query.@To print a Datasheet view of the records that will be selected by the query, display the query in Design view, click the Datasheet button, and then click the Print button.@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access can't print '|1' because it is an action query.@Because action queries don't produce a recordset, you can't print a Datasheet view of them. Note that an exclamation point (!) joined to a query icon in the Navigation Pane marks an action query.@To print a Datasheet view of the records that will be selected by the query, display the query in Design view, click the Datasheet button, and then click the Print button.@1@@@1' **Access 2003+**

2335

You must use the same number of fields when you set the LinkChildFields and LinkMasterFields properties.@You entered a different number of fields for one property than you did for the other. If you use the Relationships command (Tools menu) to define a relationship between the tables underlying the form and subform, Microsoft Office Access will link the form and subform automatically and then set the LinkChildFields and LinkMasterFields properties.@@1@209086@1 **Access 2007+ uses different description:** 'You must specify the same number of fields when you set the LinkChildFields and LinkMasterFields properties.@You entered a different number of fields for one' **Access 2003+**

property than the other. If you use the Relationships command (on the Database Tools tab, click Relationships) to define a relationship between the tables underlying the form and subform, Microsoft Office Access will link the form and subform automatically and then set the LinkChildFields and LinkMasterFields properties.@@1@1@9086@1' **Access 2010+ uses different description:** 'You must specify the same number of fields when you set the LinkChildFields and LinkMasterFields properties.@You entered a different number of fields for one property than you did for the other. If you use the Relationships command (on the Database Tools tab, click Relationships) to define a relationship between the tables underlying the form and subform, Microsoft Access will link the form and subform automatically and then set the LinkChildFields and LinkMasterFields properties.@@1@1@9086@1'

You can't specify criteria on the same field for which you entered Value in the Crosstab row.@You tried to display a crosstab query after entering Value in the Crosstab row and criteria in the Criteria row.@If you want this field to supply the cross-tabulated values in the crosstab query, delete the entry in the Criteria row. If you want this to be a criteria field, leave the Crosstab row blank.@1@209980@1 **Access 2007+ uses different description:** 'You can't specify criteria on the same field for which you entered Value in the Crosstab row.@You tried to display a crosstab query after entering Value in the Crosstab row and criteria in the Criteria row.@If you want this field to supply the cross-tabulated values in the crosstab query, delete the entry in the Criteria row. If you want this to be a criteria field, leave the Crosstab row blank.@1@1@9980@1'

Microsoft Office Access truncated the expression you entered.@The expression '|' exceeds the 1,024-character limit for the query design grid.@@1@@1 **Access 2007+ uses different description:** 'Microsoft Office Access truncated the expression you entered.@The expression '|' exceeds the 1,024-character limit for the query design grid.@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access truncated the expression you entered.@The expression '|' exceeds the 1,024-character limit for the query design grid.@@1@@@1'

Microsoft Office Access can't create a temporary link.@You reached the limit for the number of links in your database. Microsoft Office Access needs to create a temporary link in order to import your ODBC table.@Remove all unneeded links or tables.@1@@@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't create a temporary link.@You reached the limit for the number of links in your database. Microsoft Office Access needs to create a temporary link in order to import your ODBC table.@Remove all unneeded links or tables.@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access can't create a temporary link.@You reached the limit for the number of links in your database. Microsoft Access needs to create a temporary link in order to import your ODBC table.@Remove all unneeded links or tables.@1@@@1'

The expression you entered exceeds the 1,024-character limit for the query design grid.@@@1@@@1 **Access 2007+ uses different description:** 'The expression you entered exceeds the 1,024-character limit for the query design grid.@@@1@@@1'

A RunSQL action requires an argument consisting of an SQL statement.@For example, an action query that appends records starts with INSERT INTO. A data-definition query that creates a table starts with CREATE TABLE.@@1@603698@1 **Access 2007+ uses different description:** 'A RunSQL action requires an argument consisting of an SQL statement.@For example, an action query that appends records starts with INSERT INTO. A data-definition query that creates a table starts with CREATE TABLE.@@1@1@3698@1'



2343	<p>The value you entered exceeds the Alias property's 64-character limit.@@@1@606146@1 <b>Access 2007+ uses different description:</b> 'The value you entered exceeds the Alias property's 64-character limit.@@@1@1@6146@1'</p> <p>For the TopValues property in the query property sheet, you must enter an integer greater than zero.@@@1@@@1 <b>Access 2007 uses different description:</b> 'For the TopValues property in the query property sheet, you must enter an integer greater than zero.@@@1@@@1' <b>Access 2010 uses different description:</b> 'For the TopValues property in the query property sheet, you must enter an integer greater than zero.@@@1@@@1' <b>Access 2013 uses different description:</b> 'The value specified for top number of rows must be an integer value greater than zero.@@@1@@@1' <b>Access 2016 uses different description:</b> 'The value specified for top number of rows must be an integer value greater than zero.@@@1@@@1'</p> <p>For the TopValues property in the query property sheet, you must enter a percentage from 1 through 100.@@@1@@@1 <b>Access 2007 uses different description:</b> 'For the TopValues property in the query property sheet, you must enter a percentage from 1 through 100.@@@1@@@1' <b>Access 2010 uses different description:</b> 'For the TopValues property in the query property sheet, you must enter a percentage from 1 through 100.@@@1@@@1' <b>Access 2013 uses different description:</b> 'The value specified for top percentage of rows must be a number between 1 and 100.@@@1@@@1' <b>Access 2016 uses different description:</b> 'The value specified for top percentage of rows must be a number between 1 and 100.@@@1@@@1'</p> <p>For the TopValues property in the query property sheet, you must enter a number greater than zero.@@@1@@@1 <b>Access 2007 uses different description:</b> 'For the TopValues property in the query property sheet, you must enter a number greater than zero.@@@1@@@1' <b>Access 2010 uses different description:</b> 'For the TopValues property in the query property sheet, you must enter a number greater than zero.@@@1@@@1' <b>Access 2013 uses different description:</b> 'The value specified for top number of rows must be a number greater than zero.@@@1@@@1' <b>Access 2016 uses different description:</b> 'The value specified for top number of rows must be a number greater than zero.@@@1@@@1'</p> <p>Microsoft Office Access can't find the file name you entered for the DestinationDB property in an action query's property sheet.@You may have misspelled the database file name, or the file may have been deleted or renamed.@@1@606183@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access can't find the file name you entered for the DestinationDB property in an action query's property sheet.@You may have misspelled the database file name, or the file may have been deleted or renamed.@@1@1@6183@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access can't find the file name you entered for the DestinationDB property in an action query's property sheet.@You may have misspelled the database file name, or the file may have been deleted or renamed.@@1@1@6183@1'</p> <p>You can't leave the Alias property blank.@@@1@606146@1 <b>Access 2007+ uses different description:</b> 'You can't leave the Alias property blank.@@@1@1@6146@1'</p>	Access 2003+
2344		Access 2003+
2345		Access 2003+
2346		Access 2003+
2347		Access 2003+
2348		Access 2003+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
2349	<p>For the TopValues property in the query property sheet, you must enter a number smaller than 2,147,483,647.@@@1@@@1 <b>Access 2007 uses different description:</b> 'For the TopValues property in the query property sheet, you must enter a number smaller than 2,147,483,647.@@@1@@@1' <b>Access 2010 uses different description:</b> 'For the TopValues property in the query property sheet, you must enter a number smaller than 2,147,483,647.@@@1@@@1' <b>Access</b></p>	Access 2003+

**2013 uses different description:** 'The value specified for top number of rows must be a number between 1 and 2,147,483,647.@@@1@@@1' **Access 2016 uses different description:** 'The value specified for top number of rows must be a number between 1 and 2,147,483,647.@@@1@@@1'

Microsoft Office Access can't save the query.@\* The query is a pass-through query and can't be represented as a simple SQL string. Save the query as a named query from the Query Builder. When you close the Query Builder, Microsoft Office Access will fill the RecordSource or RowSource property with the saved query name. \* Make sure the query doesn't have an SQL syntax error.@@1@604309@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't save the query.@\* The query is a pass-through query and can't be represented as a simple SQL string. Save the query as a named query from the Query Builder. When you close the Query Builder, Microsoft Access will fill the RecordSource or RowSource property with the saved query name. \* Make sure the query doesn't have an SQL syntax error.@@1@1@4309@1' **Access 2010+ uses different description:** 'Microsoft Access can't save the query.@\* The query is a pass-through query and can't be represented as a simple SQL string. Save the query as a named query from the Query Builder. When you close the Query Builder, Microsoft Access will fill the RecordSource or RowSource property with the saved query name. \* Make sure the query doesn't have an SQL syntax error.@@1@1@4309@1'

Microsoft Office Access can't represent an implicit VALUES clause in the query design grid.@Edit this in SQL view.@@1@@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't represent an implicit VALUES clause in the query design grid.@Edit this in SQL view.@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access can't represent an implicit VALUES clause in the query design grid.@Edit this in SQL view.@@1@@@1'

You can't modify this query because it has been deleted or renamed by another user.@@@1@@@1 **Access 2007+ uses different description:** 'You can't modify this query because it has been deleted or renamed by another user.@@@1@@@1'

Bad query parameter'|'.@@@1@@@1 **Access 2007+ uses different description:** 'Bad query parameter'|'.@@@1@@@1'

This query or table has an expression that is failing to evaluate.

You can select up to | values in a column filter for a multi-valued field. Remove some values, and then try again.

You cannot assign a multivalued or Attachment field to the Link Master Fields or Link Child Fields properties.@@@1@@@1

A field name is missing.@You have defined a data type or a description for a field without specifying the field name.@Enter a name for the field, or delete the row.@1@@@1 **Access 2007+ uses different description:** 'A field name is missing.@You have defined a data type or a description for a field without specifying the field name.@Enter a name for the field, or delete the row.@1@@@1'

Microsoft Office Access can't save this table.@There are no fields in this table.@Define at least one field by entering a field name and selecting a data type.@1@@@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't save this table.@There are no fields in this table.@Define at least one field by entering a field name and selecting a data type.@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access can't save this table.@There are no fields in this table.@Define at least one field by entering a field name and selecting a data type.@1@@@1'

You already have a field named '|'.@@@1@@@1 **Access 2007+ uses different description:** 'You already have a field named '|'.@@@1@@@1'

2363	<p>Microsoft Office Access allows only one AutoNumber field per table. @Use the Number data type for similar fields. @1@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access allows only one AutoNumber field per table. @Use the Number data type for similar fields. @1@@@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access allows only one AutoNumber field per table. @Use the Number data type for similar fields. @1@@@1'</p>	Access 2003+
2364	<p>Microsoft Office Access can't open the table in Datasheet view. @@@1@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access can't open the table in Datasheet view. @@@1@@@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access can't open the table in Datasheet view. @@@1@@@1'</p>	Access 2003+
2366	<p>Microsoft Office Access was unable to save the field ordering. All other changes were saved successfully. @Close this database and choose the Repair Database command on the Tools menu (Database Utilities submenu). @1@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access was unable to save the field ordering. All other changes were saved successfully. @Click the Microsoft Office Button, point to Manage, and then click Compact and Repair Database. @1@@@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access was unable to save the field ordering. All other changes were saved successfully. @Click the File tab, point to Manage, and then click Compact and Repair Database. @1@@@0'</p>	Access 2003+
2370	<p>Removing or changing the index for this field would require removal of the primary key. @If you want to delete the primary key, select that field and click the Primary Key button. @1@@1 <b>Access 2007+ uses different description:</b> 'Removing or changing the index for this field would require removal of the primary key. @If you want to delete the primary key, select that field and click the Primary Key button. @1@@@1'</p>	Access 2003+
2371	<p>Microsoft Office Access can't create a primary key. Your changes weren't saved. @@@1@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access can't create a primary key. Your changes weren't saved. @@@1@@@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access can't create a primary key. Your changes weren't saved. @@@1@@@1'</p>	Access 2003+
2372	<p>The field name is not valid. @Make sure that the name doesn't contain a period (.), exclamation point (!), bracket ([]), leading space, or non-printable character such as a carriage return. If you have pasted the name from another application, try pressing ESC and typing the name again. @@2@613793@1 <b>Access 2007+ uses different description:</b> 'The field name is not valid. @Make sure that the name doesn't contain a period (.), exclamation point (!), bracket ([]), leading space, or non-printable character such as a carriage return. If you have pasted the name from another application, try pressing ESC and typing the name again. @@2@1@13793@1' <b>Access 2010+ uses different description:</b> 'The field name you entered does not follow Microsoft Access object-naming rules. If you pasted the name from another application, try pressing ESC and typing the name again. @For more information about naming objects, click Help. @@2@1@553714184@1'</p>	Access 2003+
2373	<p>The setting for the FieldSize property must be from 0 through 255. @@@1@@1 <b>Access 2007+ uses different description:</b> 'The setting for the FieldSize property must be from 0 through 255. @@@1@@@1'</p>	Access 2003+
2374	<p>You can't create an index or primary key on more than 10 fields. @@@1@@1 <b>Access 2007+ uses different description:</b> 'You can't create an index or primary key on more than 10 fields. @@@1@@@1'</p>	Access 2003+
2375	<p>You can't paste beyond the end of a table. @You have attempted to paste fields beyond the 255th row in a table in Design view. @1@@1 <b>Access 2007+ uses different description:</b> 'You can't paste beyond the end of a table. @You have</p>	Access 2003+

attempted to paste fields beyond the 255th row in a table in Design view.@@1@@@1'

Error Code	Error Description	Supported Versions
2376	<p>Microsoft Office Access can't create a primary key.@You have selected too many fields for a multiple-field primary key.@@1@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access can't create a primary key.@You have selected too many fields for a multiple-field primary key.@@1@@@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access can't create a primary key.@You have selected too many fields for a multiple-field primary key.@@1@@@1'</p> <p>Once you enter data in a table, you can't change the data type of any field to AutoNumber, even if you haven't yet added data to that field.@Add a new field to the table, and define its data type as AutoNumber. Microsoft Office Access then enters data in the AutoNumber field automatically, numbering the records consecutively starting with 1.@@1@@1 <b>Access 2007+ uses different description:</b> 'Once you enter data in a table, you can't change the data type of any field to AutoNumber, even if you haven't yet added data to that field.@Add a new field to the table, and define its data type as AutoNumber. Microsoft Office Access then enters data in the AutoNumber field automatically, numbering the records consecutively starting with 1.@@1@@@1' <b>Access 2010+ uses different description:</b> 'Once you enter data in a table, you can't change the data type of any field to AutoNumber, even if you haven't yet added data to that field.@Add a new field to the table, and define its data type as AutoNumber. Microsoft Access then enters data in the AutoNumber field automatically, numbering the records consecutively starting with 1.@@1@@@1'</p>	Access 2003+
2377	<p>Once you enter data in a table, you can't change the data type of any field to AutoNumber, even if you haven't yet added data to that field.@Add a new field to the table, and define its data type as AutoNumber. Microsoft Office Access then enters data in the AutoNumber field automatically, numbering the records consecutively starting with 1.@@1@@@1' <b>Access 2010+ uses different description:</b> 'Once you enter data in a table, you can't change the data type of any field to AutoNumber, even if you haven't yet added data to that field.@Add a new field to the table, and define its data type as AutoNumber. Microsoft Access then enters data in the AutoNumber field automatically, numbering the records consecutively starting with 1.@@1@@@1'</p>	Access 2003+
2378	<p>This table is read-only.@Use a different name in the Save As dialog box to save your changes.@@1@@1 <b>Access 2007+ uses different description:</b> 'This table is read-only.@Use a different name in the Save As dialog box to save your changes.@@1@@@1'</p>	Access 2003+
2379	<p>You can't create a primary key on a field of this data type.@You can't define a primary key on fields with an OLE Object data type.@@1@@1 <b>Access 2007+ uses different description:</b> 'You can't create a primary key on a field of this data type.@You can't define a primary key on fields with an OLE Object, Memo, Attachment, or Multi-valued lookup field.@@1@@@1'</p>	Access 2003+
2380	<p>Microsoft Office Access can't create a primary key because no fields have been selected.@You have selected a row with no fields defined.@Place the insertion point somewhere in the row of the field you want to define as the primary key.@1@@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access can't create a primary key because no fields have been selected.@You have selected a row with no fields defined.@Place the insertion point somewhere in the row of the field you want to define as the primary key.@1@@@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access can't create a primary key because no fields have been selected.@You have selected a row with no fields defined.@Place the insertion point somewhere in the row of the field you want to define as the primary key.@1@@@1'</p>	Access 2003+
2381	<p>Microsoft Office Access can't create a primary key because the field doesn't have a name.@Name the field, and then define it as a primary key field.@@1@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access can't create a primary key because the field doesn't have a name.@Name the field, and then define it as a primary key field.@@1@@@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access can't create a primary key because the field doesn't have a name.@Name the field, and then define it as a primary key field.@@1@@@1'</p>	Access 2003+
2382	<p>You can't switch to Datasheet view and you can't return to Design view.@Another user has opened this table or a query, form, or report that is</p>	Access 2003+

bound to this table.@@1@@@1 **Access 2007+ uses different description:** 'You can't switch to Datasheet view and you can't return to Design view.@Another user has opened this table or a query, form, or report that is bound to this table.@@1@@@1'

Microsoft Office Access can't change the data type.@There isn't enough disk space or memory.@@1@@@1 **Access 2007+ uses different description:**

'Microsoft Office Access can't change the data type.@There isn't enough disk space or memory.@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access can't change the data type.@There isn't enough disk space or memory.@@1@@@1'

You can't change one field from an AutoNumber data type and add another AutoNumber field at the same time.@Do the following: 1.Delete the AutoNumber field you added, and click Save on the File menu. 2.Add the new AutoNumber field, and save the table again.@@1@@@1 **Access 2007+ uses different description:** 'You cannot change one field from an AutoNumber data type and add another AutoNumber field at the same time.@Do the following: 1. Delete the AutoNumber field you just added, click the Microsoft Office Button, and then click Save. 2.Add the new AutoNumber field, and then save the table again.@@1@@@1' **Access 2010+ uses different description:** 'You cannot change one field from an AutoNumber data type and add another AutoNumber field at the same time.@Do the following: 1. Delete the AutoNumber field you just added, click the File tab, and then click Save. 2. ?Add the new AutoNumber field, and then save the table again.@@1@@@0'

Errors were encountered during the save operation.|@@@1@@@1 **Access 2007+ uses different description:** 'Errors were encountered during the save operation.|@@@1@@@1'

Microsoft Office Access was unable to create the table.@@@1@@@1 **Access 2007+ uses different description:** 'Microsoft Office Access was unable to create the table.@@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access was unable to create the table.@@@1@@@1'

You can't delete the table '|'; it is participating in one or more relationships.@If you want to delete this table, first delete its relationships in the Relationships window.@@1@@@1 **Access 2007+ uses different description:** 'You can't delete the table '|'; it is participating in one or more relationships.@If you want to delete this table, first delete its relationships in the Relationships window.@@1@@@1'

You can't change the primary key.@This table is the primary table in one or more relationships.@If you want to change or remove the primary key, first delete the relationship in the Relationships window.@1@@@1 **Access 2007+ uses different description:** 'You can't change the primary key.@This table is the primary table in one or more relationships.@If you want to change or remove the primary key, first delete the relationship in the Relationships window.@1@@@1'

You can't delete the field '|'.@It is part of one or more relationships.@If you want to delete this field, first delete its relationships in the Relationships window.@1@@@1 **Access 2007+ uses different description:** 'You can't delete the field '|'.@It is part of one or more relationships.@If you want to delete this field, first delete its relationships in the Relationships window.@1@@@1'

You can't change the data type or field size of this field; it is part of one or more relationships.@If you want to change the data type of this field, first delete its relationships in the Relationships window.@@1@@@1 **Access 2007+ uses different description:** 'You can't change the data type or field size of this field; it is part of one or more relationships.@If you want to change the data type of this field, first delete its relationships in the Relationships window.@@1@@@1'

	Field '1' doesn't exist in destination table '2.'@Microsoft Office Access was unable to complete the append operation. The destination table must contain the same fields as the table you are pasting from.@@1@@1 <b>Access 2007+ uses different description:</b> 'Field '1' doesn't exist in destination table	
2391	'2.'@Microsoft Office Access was unable to complete the append operation. The destination table must contain the same fields as the table you are pasting from.@@1@@@1' <b>Access 2010+ uses different description:</b> 'Field '1' doesn't exist in destination table '2.'@Microsoft Access was unable to complete the append operation. The destination table must contain the same fields as the table you are pasting from.@@1@@@1'	Access 2003+
2392	You can't set the Unique property of a primary key to No.@A primary key, by definition, contains only unique values.@If you want to allow nonunique values in this field, remove the primary key definition by setting the Primary property to No.@1@@1 <b>Access 2007+ uses different description:</b> 'You can't set the Unique property of a primary key to No.@A primary key, by definition, contains only unique values.@If you want to allow nonunique values in this field, remove the primary key definition by setting the Primary property to No.@1@@@1'	Access 2003+
2393	You can't set the IgnoreNulls property of a primary key to Yes.@A primary key, by definition, can't allow null values.@If you want null values in this field, remove the primary key definition by setting the Primary property to No.@1@@1 <b>Access 2007+ uses different description:</b> 'You can't set the IgnoreNulls property of a primary key to Yes.@A primary key, by definition, can't allow null values.@If you want null values in this field, remove the primary key definition by setting the Primary property to No.@1@@@1'	Access 2003+
2394	The index name is invalid.@The index name may be too long (over 64 characters) or contain invalid characters.@@1@@1 <b>Access 2007+ uses different description:</b> 'The index name is invalid.@The index name may be too long (over 64 characters) or contain invalid characters.@@1@@@1'	Access 2003+
2395	Indexes must have names.@@@1@@1 <b>Access 2007+ uses different description:</b> 'Indexes must have names.@@@1@@@1'	Access 2003+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
2396	Microsoft Office Access can't create an index or primary key.@One or more field names are missing.@Enter or select at least one field in the Field Name column for each index you name.@1@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access can't create an index or primary key.@One or more field names are missing.@Enter or select at least one field in the Field Name column for each index you name.@1@@@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access can't create an index or primary key.@One or more field names are missing.@Enter or select at least one field in the Field Name column for each index you name.@1@@@1'	Access 2003+
2397	You already have an index named ' '.@@@1@@1 <b>Access 2007+ uses different description:</b> 'You already have an index named ' '.@@@1@@@1'	Access 2003+
2398	The primary key has been changed.@This table is the primary table in one or more relationships. Changes to the primary key won't be saved.@@1@@1 <b>Access 2007+ uses different description:</b> 'The primary key has been changed.@This table is the primary table in one or more relationships. Changes to the primary key won't be saved.@@1@@@1'	Access 2003+
2399	The setting for the FieldSize property must be from 1 through 8000.@@@1@@1 <b>Access 2007+ uses different description:</b> 'The setting for the FieldSize property must be from 1 through 8000.@@@1@@@1'	Access 2003+
2400	The row you inserted in the grid exceeds the limit of 255 rows (fields) for a table or 1,000 rows (actions) for a macro.@@@1@@1 <b>Access 2007+ uses different description:</b> 'The row you inserted in the grid exceeds the limit of 255 rows (fields) for a table or 1,000 rows (actions) for a macro.@@@1@@@1'	Access 2003+

2401	<p>You can't delete the '1' column at this time. @The '1' column is part of the primary key for the '2' table. It is used to identify and store the rows in your table in the database.@You cannot delete a primary key while using Datasheet view. To delete the primary key, open the table in Design view and remove the primary key field.@1@@@1</p>	Access 2007+
2420	<p>The expression you entered has an invalid number.@@@2@611732@1 <b>Access 2007+ uses different description:</b> 'The expression you entered has an invalid number.@@@2@1@11732@1'</p>	Access 2003+
2421	<p>The expression you entered has an invalid date value.@@@2@611729@1 <b>Access 2007+ uses different description:</b> 'The expression you entered has an invalid date value.@@@2@1@11729@1'</p>	Access 2003+
2422	<p>The expression you entered has an invalid string.@A string can be up to 2048 characters long, including opening and closing quotation marks.@@1@@1 <b>Access 2007+ uses different description:</b> 'The expression you entered has an invalid string.@A string can be up to 2048 characters long, including opening and closing quotation marks.@@1@@@1'</p>	Access 2003+
2423	<p>The expression you entered has an invalid . (dot) or ! operator or invalid parentheses.@You may have entered an invalid identifier or typed parentheses following the Null constant.@@2@611736@1 <b>Access 2007+ uses different description:</b> 'The expression you entered has an invalid . (dot) or ! operator or invalid parentheses.@You may have entered an invalid identifier or typed parentheses following the Null constant.@@2@1@11736@1'</p>	Access 2003+
2424	<p>The expression you entered has a field, control, or property name that Microsoft Office Access can't find.@@@1@@1 <b>Access 2007+ uses different description:</b> 'The expression you entered has a field, control, or property name that Microsoft Office Access can't find.@@@1@@@1' <b>Access 2010+ uses different description:</b> 'The expression you entered has a field, control, or property name that Microsoft Access can't find.@@@1@@@1'</p>	Access 2003+
2425	<p>The expression you entered has a function name that Microsoft Office Access can't find.@@@1@@1 <b>Access 2007+ uses different description:</b> 'The expression you entered has a function name that Microsoft Office Access can't find.@@@1@@@1' <b>Access 2010+ uses different description:</b> 'The expression you entered has a function name that Microsoft Access can't find.@@@1@@@1'</p>	Access 2003+
2426	<p>The function you entered can't be used in this expression.@* You may have used a DoEvents, LBound, UBound, Spc, or Tab function in an expression. * You may have used an aggregate function, such as Count, in a design grid or in a calculated control or field.@@1@@1 <b>Access 2007+ uses different description:</b> 'The function you entered can't be used in this expression.@* You may have used a DoEvents, LBound, UBound, Spc, or Tab function in an expression. * You may have used an aggregate function, such as Count, in a design grid or in a calculated control or field.@@1@@@1'</p>	Access 2003+
2427	<p>You entered an expression that has no value.@The expression may refer to an object that has no value, such as a form, a report, or a label control.@@1@@1 <b>Access 2007+ uses different description:</b> 'You entered an expression that has no value.@The expression may refer to an object that has no value, such as a form, a report, or a label control.@@1@@@1'</p>	Access 2003+
2428	<p>You entered an invalid argument in a domain aggregate function.@* A field in the string expression may not be in the domain. * A field specified in the criteria expression may not be in the domain.@@2@610931@1 <b>Access 2007+ uses different description:</b> 'You entered an invalid argument in a domain aggregate function.@* A field in the string expression may not be in the domain. * A field specified in the criteria expression may not be in the domain.@@2@1@10931@1'</p>	Access 2003+
2429	<p>The In operator you entered requires parentheses.@@@1@@1 <b>Access 2007+ uses different description:</b> 'The In operator you entered requires</p>	Access 2003+

2430	<p>parentheses.@@1@@@1'</p> <p>You did not enter the keyword And in the Between...And operator.@The correct syntax is as follows: expression [Not] Between value1 And value2@@1@@@1 <b>Access 2007+ uses different description:</b> 'You did not enter the keyword And in the Between...And operator.@The correct syntax is as follows: expression [Not] Between value1 And value2@@1@@@1'</p>	Access 2003+
2431	<p>The expression you entered contains invalid syntax.@You may have entered a comma without a preceding value or identifier.@@1@@@1 <b>Access 2007+ uses different description:</b> 'The expression you entered contains invalid syntax.@You may have entered a comma without a preceding value or identifier.@@1@@@1'</p>	Access 2003+
2432	<p>The expression you entered contains invalid syntax, or you need to enclose your text data in quotes.@You may have entered an invalid comma or omitted quotation marks. For example, if the Default Value property of a text field is "Huey, Louie, and Dewey," it must be enclosed in quotes if you mean it as a literal text string. This avoids the confusion with the expression "Huey Louie" And "Dewey".@@1@@@1 <b>Access 2007+ uses different description:</b> 'The expression you entered contains invalid syntax, or you need to enclose your text data in quotes.@You may have entered an invalid comma or omitted quotation marks. For example, if the Default Value property of a text field is "Huey, Louie, and Dewey," it must be enclosed in quotes if you mean it as a literal text string. This avoids the confusion with the expression "Huey Louie" And "Dewey".@@1@@@1'</p>	Access 2003+
2433	<p>The expression you entered contains invalid syntax.@You may have entered an operator, such as the + operator, in an expression without a corresponding operand.@@1@@@1 <b>Access 2007+ uses different description:</b> 'The expression you entered contains invalid syntax.@You may have entered an operator, such as the + operator, in an expression without a corresponding operand.@@1@@@1'</p>	Access 2003+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
2434	<p>The expression you entered contains invalid syntax.@You may have entered an operand without an operator.@@1@@@1 <b>Access 2007+ uses different description:</b> 'The expression you entered contains invalid syntax.@You may have entered an operand without an operator.@@1@@@1'</p>	Access 2003+
2435	<p>The expression you entered has too many closing parentheses.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'The expression you entered has too many closing parentheses.@@@1@@@1'</p>	Access 2003+
2436	<p>The expression you entered is missing a closing parenthesis, bracket (]), or vertical bar ( ).@@@1@@@1 <b>Access 2007+ uses different description:</b> 'The expression you entered is missing a closing parenthesis, bracket (]), or vertical bar ( ).@@@1@@@1'</p>	Access 2003+
2437	<p>The expression you entered has invalid vertical bars ( ).@@@1@@@1 <b>Access 2007+ uses different description:</b> 'The expression you entered has invalid vertical bars ( ).@@@1@@@1'</p>	Access 2003+
2438	<p>The expression you entered contains invalid syntax.@You omitted an operand or operator, you entered an invalid character or comma, or you entered text without surrounding it in quotation marks.@@2@611732@1 <b>Access 2007+ uses different description:</b> 'The expression you entered contains invalid syntax.@You omitted an operand or operator, you entered an invalid character or comma, or you entered text without surrounding it in quotation marks.@@2@1@11732@1'</p>	Access 2003+
2439	<p>The expression you entered has a function containing the wrong number of arguments.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'The expression you entered has a function containing the wrong number of arguments.@@@1@@@1'</p>	Access 2003+



2440	<p>You must enclose If function arguments in parentheses.@@1@1012957@1</p> <p><b>Access 2007+ uses different description:</b> 'You must enclose If function arguments in parentheses.@@1@3@1012957@1'</p> <p>The expression you entered has invalid parentheses.@You may have used the parenthesis syntax for an identifier in a query. Use the standard identifier syntax: Forms![Form]![Control].@1@411729@1</p>	Access 2003+
2442	<p><b>Access 2007+ uses different description:</b> 'The expression you entered has invalid parentheses.@You may have used the parenthesis syntax for an identifier in a query. Use the standard identifier syntax: Forms![Form]![Control].@1@1@11729@1'</p> <p>You can use the Is operator only in an expression with Null or Not Null.@@1@1008950@1</p>	Access 2003+
2443	<p><b>Access 2007+ uses different description:</b> 'You can use the Is operator only in an expression with Null or Not Null.@@1@3@1008950@1'</p> <p>The expression you entered is too complex.@@2@611732@1</p>	Access 2003+
2445	<p><b>Access 2007+ uses different description:</b> 'The expression you entered is too complex.@@2@1@11732@1'</p> <p>There isn't enough memory available to perform this calculation.@Close unneeded programs, and try again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@1@@1</p>	Access 2003+
2446	<p><b>Access 2007+ uses different description:</b> 'There isn't enough memory available to perform this calculation.@Close unneeded programs, and try again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@1@@@1'</p> <p>There is an invalid use of the . (dot) or ! operator or invalid parentheses.@You may have entered an invalid identifier or typed parentheses following the Null constant.@2@611736@1</p>	Access 2003+
2447	<p><b>Access 2007+ uses different description:</b> 'There is an invalid use of the . (dot) or ! operator or invalid parentheses.@You may have entered an invalid identifier or typed parentheses following the Null constant.@2@1@11736@1'</p> <p>You can't assign a value to this object.@* The object may be a control on a read-only form. * The object may be on a form that is open in Design view. * The value may be too large for this field.@1@209424@1</p>	Access 2003+
2448	<p><b>Access 2007+ uses different description:</b> 'You can't assign a value to this object.@* The object may be a control on a read-only form. * The object may be on a form that is open in Design view. * The value may be too large for this field.@1@1@9424@1'</p> <p>There is an invalid method in an expression.@For example, you may have tried to use the Print method with an object other than Report or Debug.@2@2015551@1</p>	Access 2003+
2449	<p><b>Access 2007+ uses different description:</b> 'There is an invalid method in an expression.@For example, you may have tried to use the Print method with an object other than Report or Debug.@2@4@2015551@1'</p> <p>Microsoft Office Access can't find the form ' ' referred to in a macro expression or Visual Basic code.@* The form you referenced may be closed or may not exist in this database. * Microsoft Office Access may have encountered a compile error in a Visual Basic module for the form.@1@211735@1</p>	Access 2003+
2450	<p><b>Access 2007+ uses different description:</b> 'Microsoft Office Access can't find the form ' ' referred to in a macro expression or Visual Basic code.@* The form you referenced may be closed or may not exist in this database. * Microsoft Office Access may have encountered a compile error in a Visual Basic module for the form.@1@1@11735@1'</p> <p><b>Access 2010+ uses different description:</b> 'Microsoft Access cannot find the referenced form ' 1'.@* The form you referenced may be closed or may not exist in this database.* Microsoft Access may have encountered a compile error in a Visual Basic module for the form.@1@1@11735@1'</p>	Access 2003+

2451	<p>The report name ' ' you entered is misspelled or refers to a report that isn't open or doesn't exist.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'The report name ' ' you entered is misspelled or refers to a report that isn't open or doesn't exist.@@@1@@@1'</p> <p>The expression you entered has an invalid reference to the Parent property.@For example, you may be using the Parent property with a control on a main form or report rather than with a control on a subform or subreport.@@2@604852@1</p>	Access 2003+
2452	<p><b>Access 2007+ uses different description:</b> 'The expression you entered has an invalid reference to the Parent property.@For example, you may be using the Parent property with a control on a main form or report rather than with a control on a subform or subreport.@@2@1@4852@1'</p>	Access 2003+
2453	<p>The control name ' ' you entered in your expression is misspelled or refers to a control on a form or report that isn't open or doesn't exist.@@@1@411730@1 <b>Access 2007+ uses different description:</b> 'The control name ' ' you entered in your expression is misspelled or refers to a control on a form or report that isn't open or doesn't exist.@@@1@1@11730@1'</p>	Access 2003+
2454	<p>The object name ' ' you entered following the ! operator in the expression is invalid.@For example, you may have tried to enter an identifier with two control names separated by the ! operator.@@2@611736@1 <b>Access 2007+ uses different description:</b> 'The object name ' ' you entered following the ! operator in the expression is invalid.@For example, you may have tried to enter an identifier with two control names separated by the ! operator.@@2@1@11736@1'</p>	Access 2003+
2455	<p>You entered an expression that has an invalid reference to the property  .@The property may not exist or may not apply to the object you specified.@@2@2015567@1 <b>Access 2007+ uses different description:</b> 'You entered an expression that has an invalid reference to the property  .@The property may not exist or may not apply to the object you specified.@@2@4@2015567@1'</p>	Access 2003+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
2456	<p>The number you used to refer to the form is invalid.@Use the Count property to count the open forms and make sure that the form number is not greater than the number of open forms minus one.@@1@2019460@1 <b>Access 2007+ uses different description:</b> 'The number you used to refer to the form is invalid.@Use the Count property to count the open forms and make sure that the form number is not greater than the number of open forms minus one.@@1@4@2019460@1'</p>	Access 2003+
2457	<p>The number you used to refer to the report is invalid.@Use the Count property to count the open reports and make sure that the report number is not greater than the number of open reports.@@1@2019460@1 <b>Access 2007+ uses different description:</b> 'The number you used to refer to the report is invalid.@Use the Count property to count the open reports and make sure that the report number is not greater than the number of open reports.@@1@4@2019460@1'</p>	Access 2003+
2458	<p>The control number you specified is greater than the number of controls.@Use the Count property to count the controls on the form or report and then check that the control number you cite is within the range of existing controls.@@1@2019460@1 <b>Access 2007+ uses different description:</b> 'The control number you specified is greater than the number of controls.@Use the Count property to count the controls on the form or report and then check that the control number you cite is within the range of existing controls.@@1@4@2019460@1'</p>	Access 2003+
2459	<p>You can't refer to the Parent property of a form or report when either is open in Design view.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'You</p>	Access 2003+

can't refer to the Parent property of a form or report when either is open in Design view.@@@1@@@1'

You can't refer to the RecordsetClone property of a form open in Design view.@@@1@607393@1 **Access 2007+ uses different description:** 'You can't refer to the RecordsetClone property of a form open in Design view.@@@1@1@7393@1'

Use a section number, not a string, to refer to a form or report

section.@@@1@@@1 **Access 2007+ uses different description:** 'Use a section number, not a string, to refer to a form or report section.@@@1@@@1'

The section number you entered is invalid.@@@1@@@1 **Access 2007+ uses different description:** 'The section number you entered is invalid.@@@1@@@1'

Use a number, not a string, to refer to a group level.@@@2@606361@1

**Access 2007+ uses different description:** 'Use a number, not a string, to refer to a group level.@@@2@1@6361@1'

There is no sorting or grouping field or expression defined for the group level number you used.@A valid group level number can be from 0 (for the first field or expression you sort or group on) through 9 (for the tenth). Count the group levels in the report starting with zero.@@1@@@1 **Access 2007+ uses different description:** 'There is no sorting or grouping field or expression defined for the group level number you used.@A valid group level number can be from 0 (for the first field or expression you sort or group on) through 9 (for the tenth). Count the group levels in the report starting with zero.@@1@@@1'

Microsoft Office Access can't find the field '|' referred to in your expression.@You may have misspelled the field name, or the field may have been renamed or deleted.@@1@411730@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't find the field '|' referred to in your expression.@You may have misspelled the field name, or the field may have been renamed or deleted.@@1@1@11730@1' **Access 2010+ uses different description:** 'Microsoft Access can't find the field '|1' referred to in your expression.@You may have misspelled the field name, or the field may have been renamed or deleted.@@1@1@11730@1'

The expression you entered has an invalid reference to the Dynaset property.@For example, you may have used the Dynaset property with a form that isn't based on a table or query.@@1@@@1 **Access 2007+ uses different description:** 'The expression you entered has an invalid reference to the Dynaset property.@For example, you may have used the Dynaset property with a form that isn't based on a table or query.@@1@@@1'

The expression you entered refers to an object that is closed or doesn't exist.@For example, you may have assigned a form to a Form object variable, closed the form, and then referred to the object variable.@@1@@@1 **Access 2007+ uses different description:** 'The expression you entered refers to an object that is closed or doesn't exist.@For example, you may have assigned a form to a Form object variable, closed the form, and then referred to the object variable.@@1@@@1'

The value you entered for the interval, number, or date argument in the function is invalid.@Check the argument to make sure that you entered it correctly. For more information on valid argument values, search the Help index for 'DatePart function,' 'DateAdd function,' or 'DateDiff function'.@@1@@@1 **Access 2007+ uses different description:** 'The value you entered for the interval, number, or date argument in the function is invalid.@Check the argument to make sure that you entered it correctly. For more information on valid argument values, search the Help index for 'DatePart function,' 'DateAdd function,' or 'DateDiff function'.@@1@@@1'

The expression |2 you entered in the form control's ValidationRule property contains the error |1.@Microsoft Office Access can't parse the ValidationRule

expression you entered. For example, if you enter the expression =MyFunction() in the ValidationRule property, and the function MyFunction doesn't exist, Microsoft Office Access displays the following message: Unknown function name in validation rule: 'MyFunction'.@To help you create expressions as arguments in Visual Basic, use the Expression Builder. For more information, search the Help index for 'Expression Builder'.@1@11805@1 **Access 2007+ uses different description:** 'The expression |2 you entered in the form control's ValidationRule property contains the error |1.@Microsoft Office Access can't parse the ValidationRule expression you entered. For example, if you enter the expression =MyFunction() in the ValidationRule property, and the function MyFunction doesn't exist, Microsoft Office Access displays the following message: Unknown function name in validation rule: 'MyFunction'.@To help you create expressions as arguments in Visual Basic, use the Expression Builder. For more information, search the Help index for 'Expression Builder'.@1@1@11805@1' **Access 2010+ uses different description:** 'The expression |2 you entered in the form control's ValidationRule property contains the error |1.@Microsoft Access can't parse the ValidationRule expression you entered. For example, if you enter the expression =MyFunction() in the ValidationRule property, and the function MyFunction doesn't exist, Microsoft Access displays the following message: Unknown function name in validation rule: 'MyFunction'.@To help you create expressions as arguments in Visual Basic, use the Expression Builder. For more information, search the Help index for 'Expression Builder'.@1@1@11805@1'

There is a(n) '|' in the form control's ValidationRule property.@To help you create expressions as arguments in Visual Basic, use the Expression Builder. For more information, search the Help index for 'Expression Builder'.@@1@11805@1 **Access 2007+ uses different description:** 'There is a(n) '|' in the form control's ValidationRule property.@To help you create expressions as arguments in Visual Basic, use the Expression Builder. For more information, search the Help index for 'Expression Builder'.@@1@1@11805@1'

The expression you entered as a query parameter produced this error: '|@@@@2@611805@1 **Access 2007+ uses different description:** 'The expression you entered as a query parameter produced this error: '|@@@@2@1@11805@1'

The LinkMasterFields property setting has produced this error: '|@@@@2@603990@1 **Access 2007+ uses different description:** 'The LinkMasterFields property setting has produced this error: '|@@@@2@1@3990@1'

The expression |2 you entered as the event property setting produced the following error: |1.@\* The expression may not result in the name of a macro, the name of a user-defined function, or [Event Procedure]. \* There may have been an error evaluating the function, event, or macro.@@1@@@1 **Access 2007+ uses different description:** 'The expression |2 you entered as the event property setting produced the following error: |1.@\* The expression may not result in the name of a macro, the name of a user-defined function, or [Event Procedure]. \* There may have been an error evaluating the function, event, or macro.@@1@@@1'

The expression you entered requires the control to be in the active window.@Try one of the following: \* Open or select a form or report containing the control. \* Create a new control in the active window, and try the operation again.@@1@@@1 **Access 2007+ uses different description:** 'The expression you entered requires the control to be in the active window.@Try one of the following: \* Open or select a form or report containing the control. \* Create a new control in the active window, and try the operation again.@@1@@@1'

Access 2003+

Access 2003+

Access 2003+

Access 2003+

Access 2003+

2475	<p>You entered an expression that requires a form to be the active window.@@@1@5601@1 <b>Access 2007+ uses different description:</b> 'You entered an expression that requires a form to be the active window.@@@1@2@5601@1'</p>	Access 2003+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
2476	<p>You entered an expression that requires a report to be the active window.@@@1@5603@1 <b>Access 2007+ uses different description:</b> 'You entered an expression that requires a report to be the active window.@@@1@2@5603@1'</p>	Access 2003+
2477	<p>You entered an invalid objecttype value ' ' in an If TypeOf object Is objecttype condition of an If...Then...Else statement.@The objecttype can be any one of the following: BoundObjectFrame, CheckBox, ComboBox, CommandButton, Label, Line, ListBox, UnboundObjectFrame, OptionButton, OptionGroup, PageBreak, Rectangle, Subform, Subreport, TextBox, ToggleButton, ImageControl, or OLEControl.@@1@@1 <b>Access 2007+ uses different description:</b> 'You entered an invalid objecttype value ' ' in an If TypeOf object Is objecttype condition of an If...Then...Else statement.@The objecttype can be any one of the following: BoundObjectFrame, CheckBox, ComboBox, CommandButton, Label, Line, ListBox, UnboundObjectFrame, OptionButton, OptionGroup, PageBreak, Rectangle, Subform, Subreport, TextBox, ToggleButton, ImageControl, or OLEControl.@@1@@@1'</p>	Access 2003+
2478	<p>Microsoft Office Access doesn't allow you to use this method in the current view.@Most methods, including the SetFocus and Requery methods, can't be used in form or report Design view.@@2@2015551@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access doesn't allow you to use this method in the current view.@Most methods, including the SetFocus and Requery methods, can't be used in form or report Design view.@@2@4@2015551@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access doesn't allow you to use this method in the current view.@Most methods, including the SetFocus and Requery methods, can't be used in form or report Design view.@@2@4@2015551@1'</p>	Access 2003+
2479	<p>The event procedure ' ' can't be a Function procedure; it must be a Sub procedure.@If you want to run a Function procedure when an event occurs, try one of the following: * Set the event property to the name of a macro containing a RunCode action that runs the Function procedure. * Set the event property to =FunctionName().@@1@@1 <b>Access 2007+ uses different description:</b> 'The event procedure ' ' can't be a Function procedure; it must be a Sub procedure.@If you want to run a Function procedure when an event occurs, try one of the following: * Set the event property to the name of a macro containing a RunCode action that runs the Function procedure. * Set the event property to =FunctionName().@@1@@@1'</p>	Access 2003+
2480	<p>You referred to a property by a numeric argument that isn't one of the property numbers in the collection.@Check the property numbers in the collection.@@1@@1 <b>Access 2007+ uses different description:</b> 'You referred to a property by a numeric argument that isn't one of the property numbers in the collection.@Check the property numbers in the collection.@@1@@@1'</p>	Access 2003+
2481	<p>You can't set a value while a document is in Print Preview.@@@1@@1 <b>Access 2007+ uses different description:</b> 'You can't set a value while a document is in Print Preview.@@@1@@@1'</p>	Access 2003+
2482	<p>Microsoft Office Access can't find the name ' ' you entered in the expression.@You may have specified a control that wasn't on the current object without specifying the correct form or report context.@To refer to a control on another form or report, precede the control name with the name of a collection, usually either Forms or Reports, and the name of the form or report to which the control belongs. For example, Forms![Products]![Units In Stock].@1@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access can't find</p>	Access 2003+

the name '|' you entered in the expression.@You may have specified a control that wasn't on the current object without specifying the correct form or report context.@To refer to a control on another form or report, precede the control name with the name of a collection, usually either Forms or Reports, and the name of the form or report to which the control belongs. For example, Forms![Products]![Units In Stock].@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access cannot find the name '|' you entered in the expression.@You may have specified a control that wasn't on the current object without specifying the correct form or report context.@To refer to a control on another form or report, precede the control name with the name of a collection.This is usually either Forms or Reports, and the name of the form or report to which the control belongs. For example, Forms![Products]![Units In Stock].@1@@@1'

You can't move to a previous control when only one control has had the focus.@Use the PreviousControl property only after you've moved the focus to a second control.@@1@607144@1 **Access 2007+ uses different description:** 'You can't move to a previous control when only one control has had the focus.@Use the PreviousControl property only after you've moved the focus to a second control.@@1@1@7144@1'

There is no active datasheet.@@@@1@@@1 **Access 2007+ uses different description:** 'There is no active datasheet.@@@@1@@@1'

Microsoft Office Access can't find the macro '|'.@The macro (or its macro group) doesn't exist, or the macro is new but hasn't been saved. Note that when you enter the macrogroupname.macroname syntax in an argument, you must specify the name the macro's macro group was last saved under.@@1@210183@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't find the object '|'.@If '|' is a new macro or macro group, make sure you have saved it and that you have typed its name correctly.@@1@1@10183@1' **Access 2010+ uses different description:** 'Microsoft Access cannot find the object '|1'.@If '|1' is a new macro or macro group, make sure you have saved it and that you have typed its name correctly.@@1@1@10183@1'

You can't carry out this action at the present time.@You tried to run a macro or used the DoCmd object in Visual Basic to carry out an action. However, Microsoft Office Access is performing another activity that prevents this action from being carried out now. For example, no actions on a form can be carried out while Microsoft Office Access is repainting a control or calculating an expression.@Carry out the action later.@1@@@1 **Access 2007+ uses different description:** 'You can't carry out this action at the present time.@You tried to run a macro or used the DoCmd object in Visual Basic to carry out an action. However, Microsoft Office Access is performing another activity that prevents this action from being carried out now. For example, no actions on a form can be carried out while Microsoft Office Access is repainting a control or calculating an expression.@Carry out the action later.@1@@@1' **Access 2010+ uses different description:** 'You can't carry out this action at the present time.@You tried to run a macro or used the DoCmd object in Visual Basic to carry out an action. However, Microsoft Access is performing another activity that prevents this action from being carried out now. For example, no actions on a form can be carried out while Microsoft Access is repainting a control or calculating an expression.@Carry out the action later.@1@@@1'

The Object Type argument for the action or method is blank or invalid. \*@ For a Close, GoToRecord, or RepaintObject action, enter values for both arguments, or leave both blank to perform the action on the active object. \* For a DeleteObject, Rename, or CopyObject action, enter values for both arguments, or leave both blank to perform the action on the object currently selected in the Database window. \* For a SendObject or OutputTo action, enter values for both arguments, or leave the Object Name argument blank if you

want the action performed on the active object of the specified object type. \* If you're using a method with the DoCmd object, use an intrinsic constant that equates to a valid object type or the corresponding numeric value for the argument name.@@1@612276@1 **Access 2007+ uses different description:** 'The Object Type argument for the action or method is blank or invalid.@\* For a Close, GoToRecord, SearchForRecord or RepaintObject action, enter values for both arguments, or leave both blank to perform the action on the active object. \* For a DeleteObject, Rename, or CopyObject action, enter values for both arguments, or leave both blank to perform the action on the object currently selected in the Navigation Pane. \* For a SendObject or OutputTo action, enter values for both arguments, or leave the Object Name argument blank if you want the action performed on the active object of the specified object type. \* If you're using a method with the DoCmd object, use an intrinsic constant that equates to a valid object type or the corresponding numeric value for the argument name.@@1@1@12276@1'

You can't use the ApplyFilter action on this window.@\* You tried to use the ApplyFilter action or method, but you didn't apply the filter to a table, query, form, or report. \* You may have applied the filter to a form, but the form wasn't open in Form or Datasheet view. \* You may have applied the filter to a report but didn't use the ApplyFilter action in a macro specified by the OnOpen property setting.@Use the SelectObject action or method to select the table, query, form, or report before applying the filter.@1@603041@1 **Access 2007+ uses different description:** 'You can't use the ApplyFilter action on this window.@\* You tried to use the ApplyFilter action or method, but you didn't apply the filter to a table, query, form, or report. \* You may have applied the filter to a form, but the form wasn't open in Form or Datasheet view. \* You may have applied the filter to a report but didn't use the ApplyFilter action in a macro specified by the OnOpen property setting.@Use the SelectObject action or method to select the table, query, form, or report before applying the filter.@1@1@3041@1'

The object '|' isn't open.@\* The macro you are running (directly or indirectly) contains a GoToRecord, RepaintObject, or SelectObject action, but the Object Name argument names an object that is closed. \* The objectname argument for the GoToRecord, RepaintObject, or SelectObject method names an object that is closed.@Use one of the Open actions or methods to open the object so that you can carry out the desired action.@1@@1 **Access 2007+ uses different description:** 'The object '|' isn't open.@\* The macro you are running (directly or indirectly) contains a GoToRecord, RepaintObject, or SelectObject action, but the Object Name argument names an object that is closed. \* The objectname argument for the GoToRecord, RepaintObject, or SelectObject method names an object that is closed.@Use one of the Open actions or methods to open the object so that you can carry out the desired action.@1@@@1'

The action or method is invalid because the form or report isn't bound to a table or query.@You tried to use the ApplyFilter action or method. However, the form or report you applied the filter to is not based on a table or query, so the form or report doesn't have any records to apply a filter to.@Use the SelectObject action or method to select the desired form or report before you run the ApplyFilter action. To base a form or report on a table or query, open the form or report in Design view, and enter the table or query name in the RecordSource property.@1@603041@1 **Access 2007+ uses different description:** 'The action or method is invalid because the form or report isn't bound to a table or query.@You tried to use the ApplyFilter or SearchForRecord action or method. However, the form or report you applied the filter to is not based on a table or query, so the form or report doesn't have any records to apply a filter to.@Use the SelectObject action or method to select the desired form or report before you run the ApplyFilter action. To base a form or report on a table or query, open the form or report in Design view,

2488

Access 2003+

2489

Access 2003+

2491

Access 2003+

and enter the table or query name in the RecordSource property.@1@1@3041@1'

Microsoft Office Access can't find the macro '2' in the macro group '1.'@You used the macrogroupname.macroname syntax to specify a macro. You then tried to run the macro (directly or indirectly), or you used the RunMacro method to run the macro. However, the macro you specified isn't in this macro group.@Create the macro in the macro group, specify the correct macro group, or specify the correct macro name.@1@611313@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't find the macro '2' in the macro group '1.'@You used the macrogroupname.macroname syntax to specify a macro. You then tried to run the macro (directly or indirectly), or you used the RunMacro method to run the macro. However, the macro you specified isn't in this macro group.@Create the macro in the macro group, specify the correct macro group, or specify the correct macro name.@1@1@11313@1' **Access 2010+ uses different description:** 'Microsoft Access can't find the macro '2' in the macro group '1.'@You used the macrogroupname.macroname syntax to specify a macro. You then tried to run the macro (directly or indirectly), or you used the RunMacro method to run the macro. However, the macro you specified isn't in this macro group.@Create the macro in the macro group, specify the correct macro group, or specify the correct macro name.@1@1@11313@1'

This action requires an Object Name argument.@@@1@@@1 **Access 2007+ uses different description:** 'This action requires an Object Name argument.@@@1@@@1'

The action or method requires a Form Name argument.@You tried to use the OpenForm action or method, but you left the Form Name argument blank.@In the Form Name argument, enter the name of a form in the current database.@1@611313@1 **Access 2007+ uses different description:** 'The action or method requires a Form Name argument.@You tried to use the OpenForm action or method, but you left the Form Name argument blank.@In the Form Name argument, enter the name of a form in the current database.@1@1@11313@1'

The action or method requires a Table Name argument.@You tried to use the OpenTable, TransferSpreadsheet, or TransferText action or method, but you left the Table Name argument blank.@In the Table Name argument, enter the name of a table that is in the current database.@1@@@1 **Access 2007+ uses different description:** 'The action or method requires a Table Name argument.@You tried to use the OpenTable, TransferSpreadsheet, or TransferText action or method, but you left the Table Name argument blank.@In the Table Name argument, enter the name of a table that is in the current database.@1@@@1'

The action or method requires a Query Name argument.@You tried to use the OpenQuery action or method, but you left the Query Name argument blank.@In the Query Name argument, enter a query name.@1@@@1 **Access 2007+ uses different description:** 'The action or method requires a Query Name argument.@You tried to use the OpenQuery action or method, but you left the Query Name argument blank.@In the Query Name argument, enter a query name.@1@@@1'

## Error Code      Error Description

## Supported Versions

The action or method requires a Report Name argument.@You tried to use the OpenReport action or method, but you left the Report Name argument blank.@In the Report Name argument, enter the name of a report.@1@@@1 **Access 2007+ uses different description:** 'The action or method requires a Report Name argument.@You tried to use the OpenReport action or method, but you left the Report Name argument blank.@In the Report Name argument, enter the name of a report.@1@@@1'



An expression you entered is the wrong data type for one of the arguments.@You tried to run a macro or use a method to carry out an action, but an expression evaluated to the wrong data type. For example, for the Close method you specified a string for the Object Type argument, but this argument can be set only to certain intrinsic constants or their numeric

equivalents.@@1@@1 **Access 2007+ uses different description:** 'An expression you entered is the wrong data type for one of the arguments.@You tried to run a macro or use a method to carry out an action, but an expression evaluated to the wrong data type. For example, for the Close method you specified a string for the Object Type argument, but this argument can be set only to certain intrinsic constants or their numeric equivalents.@@1@@@1'

Access 2003+

You can't use the GoToRecord action or method on an object in Design view.@Try one of the following: \* Switch to Form or Datasheet view for a form. \* Switch to Datasheet view for a query or table. \* If you are running a macro or Visual Basic procedure containing an action that opens the object, set the View argument to the correct view before you carry out the GoToRecord action.@@2@603018@1 **Access 2007+ uses different description:** 'You can't use the GoToRecord or SearchForRecord action or method on an object in Design view.@Try one of the following: \* Switch to Form or Datasheet view for a form. \* Switch to Datasheet view for a query or table. \* If you are running a macro or Visual Basic procedure containing an action that opens the object, set the View argument to the correct view before you carry out the GoToRecord action.@@2@1@3018@1'

Access 2003+

You must enter a number greater than zero for a Repeat Count argument.@You tried to use the RunMacro action or method, but you entered a value less than zero (or an expression that evaluates to less than zero) in the Repeat Count argument.@To run the macro once, leave this argument blank.@1@@1 **Access 2007+ uses different description:** 'You must enter a number greater than zero for a Repeat Count argument.@You tried to use the RunMacro action or method, but you entered a value less than zero (or an expression that evaluates to less than zero) in the Repeat Count argument.@To run the macro once, leave this argument blank.@1@@@1'

Access 2003+

The | action was canceled.@You used a method of the DoCmd object to carry out an action in Visual Basic, but then clicked Cancel in a dialog box. For example, you used the Close method to close a changed form, then clicked Cancel in the dialog box that asks if you want to save the changes you made to the form.@@1@@1 **Access 2007+ uses different description:** 'The | action was canceled.@You used a method of the DoCmd object to carry out an action in Visual Basic, but then clicked Cancel in a dialog box. For example, you used the Close method to close a changed form, then clicked Cancel in the dialog box that asks if you want to save the changes you made to the form.@@1@@@1'

Access 2003+

The action or method requires a Macro Name argument.@\* You tried to use the RunMacro action or method, but you left the Macro Name argument blank. \* Microsoft Office Access tried to create a custom menu bar for a form or report, but the Menu Macro Name argument of the AddMenu action is blank.@In the Menu Macro Name argument, enter the name of a macro or macro group that is in the current database.@1@@1 **Access 2007+ uses different description:** 'The action or method requires a Macro Name argument.@\* You tried to use the RunMacro action or method, but you left the Macro Name argument blank. \* Microsoft Office Access tried to create a custom menu bar for a form or report, but the Menu Macro Name argument of the AddMenu action is blank.@In the Menu Macro Name argument, enter the name of a macro or macro group that is in the current database.@1@@@1' **Access 2010+ uses different description:** 'The action or method requires a Macro Name argument.@\* You tried to use the RunMacro action or method, but you left the Macro Name argument blank. \* Microsoft Access tried to create a custom menu

Access 2003+

bar for a report, but the Menu Macro Name argument of the AddMenu action is blank.@In the Menu Macro Name argument, enter the name of a macro or macro group that is in the current database.@1@@@1'

You can't use this action with the DoCmd object.@For a list of the actions that the DoCmd object doesn't support and some alternatives to using these actions, click Help. Any actions that aren't in this list can be used with the DoCmd object.@@2@611313@1 **Access 2007+ uses different description:** 'You can't use this action with the DoCmd object.@For a list of the actions that the DoCmd object doesn't support and some alternatives to using these actions, click Help. Any actions that aren't in this list can be used with the DoCmd object.@@2@1@11313@1'

Access 2003+

The action or method requires at least | argument(s).@You tried to run a macro containing an action or used a method or action with the DoCmd object, but you didn't set the required number of arguments. For example, if you use the MoveSize action, you must set at least one of the four arguments.@@1@611313@1 **Access 2007+ uses different description:** 'The action or method requires at least | argument(s).@You tried to run a macro containing an action or used a method or action with the DoCmd object, but you didn't set the required number of arguments. For example, if you use the MoveSize action, you must set at least one of the four arguments.@@1@1@11313@1'

Access 2003+

An expression in argument | has an invalid value.@You tried to run a macro or used the DoCmd object in Visual Basic. The argument number above is the position of the argument as it appears in the Macro window, the Action Failed dialog box, or the Object Browser (if you're using the DoCmd object).@Try one of the following: \* Select a setting from the drop-down list box in each argument. \* Use an intrinsic constant equating to a valid object type. \* Substitute the correct corresponding expression.@1@611895@1 **Access 2007+ uses different description:** 'An expression in argument | has an invalid value.@You tried to run a macro or used the DoCmd object in Visual Basic. The argument number above is the position of the argument as it appears in the Macro window, the Action Failed dialog box, or the Object Browser (if you're using the DoCmd object).@Try one of the following: \* Select a setting from the drop-down list box in each argument. \* Use an intrinsic constant equating to a valid object type. \* Substitute the correct corresponding expression.@1@1@11895@1'

Access 2003+

A value you entered for the Transfer Type argument is invalid.@An expression in the Transfer Type argument doesn't evaluate to a valid numeric value.@Valid values for the Transfer Type argument are as follows: \* 0, 1, and 2 for the TransferDatabase action. \* 0, 1, and 2 for the TransferSpreadsheet action. \* 0 through 6 for the TransferText action.@1@611313@1 **Access 2007+ uses different description:** 'A value you entered for the Transfer Type argument is invalid.@An expression in the Transfer Type argument doesn't evaluate to a valid numeric value.@Valid values for the Transfer Type argument are as follows: \* 0, 1, and 2 for the TransferDatabase action. \* 0, 1, and 2 for the TransferSpreadsheet action. \* 0 through 6 for the TransferText action.@1@1@11313@1'

Access 2003+

The | type isn't an installed database type or doesn't support the operation you chose.@You used the TransferDatabase method, but an expression in the databasetype argument doesn't evaluate to a valid database type for importing, exporting, or linking. For information on valid database types, click Help.@@2@604780@1 **Access 2007+ uses different description:** 'The | type isn't an installed database type or doesn't support the operation you chose.@You used the TransferDatabase method, but an expression in the databasetype argument doesn't evaluate to a valid database type for importing, exporting, or linking. For information on valid database types, click Help.@@2@1@4780@1'

Access 2003+

A value you entered for the spreadsheettype argument is invalid.@You used the TransferSpreadsheet method, and an expression in the spreadsheettype argument doesn't evaluate to a valid numeric value.@Valid values are 0, 2, 3, 4, 5, 6, 7, and 8. Note that 1 is an invalid value; you can't import or export to a Lotus .wks format file.@1@604781@1 **Access 2007+ uses different description:** 'A value you entered for the spreadsheettype argument is invalid.@You used the TransferSpreadsheet method, and an expression in the spreadsheettype argument doesn't evaluate to a valid numeric value.@Valid values are 0, 2, 3, 4, 5, 6, 7, and 8. Note that 1 is an invalid value; you can't import or export to a Lotus .wks format file.@1@1@4781@1'

Access 2003+

The setting for the Range argument can't be longer than 255 characters.@@@1@604781@1 **Access 2007+ uses different description:** 'The setting for the Range argument can't be longer than 255 characters.@@@1@1@4781@1'

Access 2003+

The expression you entered in the Specification Name argument exceeds the 64-character limit.@Select one of the existing specification names from the argument list box when you use the TransferText action in a macro, or enter a name in Visual Basic that follows Microsoft Office Access object-naming rules.@@2@611734@1 **Access 2007+ uses different description:** 'The expression you entered in the Specification Name argument exceeds the 64-character limit.@Select one of the existing specification names from the argument list box when you use the TransferText action in a macro, or enter a name in Visual Basic that follows Microsoft Office Access object-naming rules.@@2@1@11734@1' **Access 2010+ uses different description:** 'The expression you entered in the Specification Name argument exceeds the 64-character limit.@Select one of the existing specification names from the argument list box when you use the TransferText action in a macro, or enter a name in Visual Basic that follows Microsoft Access object-naming rules.@@2@1@11734@1'

Access 2003+

The action or method requires a Specification Name argument.@You tried to use the TransferText action or method and you specified a Transfer Type argument but left the Specification Name argument blank.@In the Specification Name argument, enter an existing specification name from the argument list box.@1@611313@1 **Access 2007+ uses different description:** 'The action or method requires a Specification Name argument.@You tried to use the TransferText action or method and you specified a Transfer Type argument but left the Specification Name argument blank.@In the Specification Name argument, enter an existing specification name from the argument list box.@1@1@11313@1'

Access 2003+

Microsoft Office Access can't parse the expression: '|'.@Click OK to return to the action argument or conditional expression where this expression appears, and then correct the syntax.@@1@@@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't parse the expression: '|'.@Click OK to return to the action argument or conditional expression where this expression appears, and then correct the syntax.@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access cannot parse the expression: '|'.@Click OK to return to the action argument or conditional expression where this expression appears, and then correct the syntax.@@1@@@1'

Access 2003+

The Macro Name argument can't be longer than 64 characters according to Microsoft Office Access object-naming rules.@@@1@411734@1 **Access 2007+ uses different description:** 'The Macro Name argument can't be longer than 64 characters according to Microsoft Office Access object-naming rules.@@@1@1@11734@1' **Access 2010+ uses different description:** 'The Macro Name argument can't be longer than 64 characters according to Microsoft Access object-naming rules.@@@1@1@11734@1'

Access 2003+

The action or method requires a Control Name argument.@You tried to use the GoToControl action or method, but you left the control name blank.@In the

Access 2003+

	Control Name argument, enter a control or field name from the active form or datasheet.@1@611313@1 <b>Access 2007+ uses different description:</b> 'The action or method requires a Control Name argument.@You tried to use the GoToControl action or method, but you left the control name blank.@In the Control Name argument, enter a control or field name from the active form or datasheet.@1@1@11313@1'	
2515	Microsoft Office Access can't open the macro ' ' because it was saved using a different version of Microsoft Office Access.@Re-create the macro in the current version of Microsoft Office Access.@@1@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access can't open the macro ' ' because it was saved using a different version of Microsoft Office Access.@Re-create the macro in the current version of Microsoft Office Access.@@1@@@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access cannot open the macro ' ' because it was saved using a different version of Microsoft Access.@Re-create the macro in the current version of Microsoft Access.@@1@@@1'	Access 2003+
2516	Microsoft Office Access can't find the module ' '.@You tried to use the OpenModule action or method, but Microsoft Office Access can't find the module you specified in the Module Name argument.@Enter a valid module name from the current database.@1@@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access can't find the module ' '.@You tried to use the OpenModule action or method, but Microsoft Office Access can't find the module you specified in the Module Name argument.@Enter a valid module name from the current database.@1@@@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access cannot find the module ' 1'.@You tried to use the OpenModule action or method, but Microsoft Access can't find the module you specified in the Module Name argument.@Enter a valid module name from the current database.@1@@@1'	Access 2003+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
2517	Microsoft Office Access can't find the procedure ' '.@* You may have used the Run method in Visual Basic but entered an invalid procedure name, or you used the Run method without first opening a database. * You tried to use the OpenModule action or method, but you used an invalid procedure name.@@1@@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access can't find the procedure ' '.@* You may have used the Run method in Visual Basic but entered an invalid procedure name, or you used the Run method without first opening a database. * You tried to use the OpenModule action or method, but you used an invalid procedure name.@@1@@@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access cannot find the procedure ' 1'.@* You may have used the Run method in Visual Basic but entered an invalid procedure name, or you used the Run method without first opening a database. * You tried to use the OpenModule action or method, but you used an invalid procedure name.@@1@@@1'	Access 2003+
2519	The database must be open for the SelectObject method to run.@You tried to run a function in a library database, and the function contains the SelectObject method.@@1@@@1 <b>Access 2007+ uses different description:</b> "	Access 2003
2520	The action or method requires a Module or Procedure Name argument.@You tried to use the OpenModule action or method, but you didn't enter a name in either the Module Name or the Procedure Name argument in the Macro window.@Enter a valid name in one of these arguments.@1@@@1 <b>Access 2007+ uses different description:</b> 'The action or method requires a Module or Procedure Name argument.@You tried to use the OpenModule action or method, but you didn't enter a name in either the Module Name or the Procedure Name argument in the Macro window.@Enter a valid name in one of these arguments.@1@@@1'	Access 2003+
2521	You have specified a Transfer Type that doesn't support the HTML Table Name argument.@Leave the HTML Table Name argument blank unless you are using	Access 2003+

the Import HTML or Link HTML Transfer Types.@1@@1 **Access 2007+ uses different description:** 'You have specified a Transfer Type that doesn't support the HTML Table Name argument.@Leave the HTML Table Name argument blank unless you are using the Import HTML or Link HTML Transfer Types.@1@@@1'

The action or method requires a File Name argument.@You tried to use the TransferSpreadsheet or TransferText action or method.@In the File Name argument, enter a file name.@1@611313@1 **Access 2007+ uses different description:** 'The action or method requires a File Name argument.@You tried to use the TransferSpreadsheet or TransferText action or method.@In the File Name argument, enter a file name.@1@1@11313@1'

The value you entered for the show argument is invalid.@You used the ShowToolbar method.@Valid values for this argument are acToolbarYes, acToolbarWhereApprop, and acToolbarNo, or the corresponding numeric values 0, 1, and 2.@1@612446@1 **Access 2007+ uses different description:** 'The value you entered for the show argument is invalid.@You used the ShowToolbar method.@Valid values for this argument are acToolbarYes, acToolbarWhereApprop, and acToolbarNo, or the corresponding numeric values 0, 1, and 2.@1@1@12446@1'

Microsoft Office Access can't invoke the application using the RunApp action.@The path to the application is invalid, or a component of the application is missing.@Check the path in Windows Explorer or File Manager.@1@@@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't invoke the application using the RunApp action.@The path to the application is invalid, or a component of the application is missing.@Check the path in Windows Explorer or File Manager.@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access can't invoke the application using the RunApp action.@The path to the application is invalid, or a component of the application is missing.@Check the path in Windows Explorer or File Manager.@1@@@1'

A macro can call itself a maximum of 20 times.@Your macro contains a RunMacro action that calls the same macro more than 20 times.@Use a condition to stop the macro after it has been run 20 times, or call another macro with the RunMacro action.@1@@@1 **Access 2007+ uses different description:** 'A macro can call itself a maximum of 20 times.@Your macro contains a RunMacro action that calls the same macro more than 20 times.@Use a condition to stop the macro after it has been run 20 times, or call another macro with the RunMacro action.@1@@@1' **Access 2010+ uses different description:** 'Macros can only be called 19 times.@Your macro contains one or more RunMacro actions that calls a macro more than 19 times.@Use an If block to stop the macro after it has been run 19 times.@1@@@1'

The SendKeys action requires the Microsoft Office Access Utility Add-in to be loaded.@Rerun Microsoft Office Access or Microsoft Office Setup to reinstall Microsoft Office Access and the Microsoft Office Access Utility Add-in.@1@@@1 **Access 2007+ uses different description:** 'The SendKeys action requires the Microsoft Office Access Utility Add-in to be loaded.@Rerun Microsoft Office Access or Microsoft Office Setup to reinstall Microsoft Office Access and the Microsoft Office Access Utility Add-in.@1@@185309@1' **Access 2010+ uses different description:** 'The SendKeys action requires the Microsoft Access Utility Add-in to be loaded.@Rerun Microsoft Access or Microsoft Office Setup to reinstall Microsoft Access and the Microsoft Access Utility Add-in.@1@@185309@1'

Lotus .wks file formats aren't supported in the current version of Microsoft Office Access.@Convert your .wks file to a more recent format, such as .wk1.@1@@@1 **Access 2007+ uses different description:** 'Lotus .wks file formats aren't supported in the current version of Microsoft Office Access.@Convert your .wks file to a more recent format, such as

.wk1.@@1@@@1' **Access 2010+ uses different description:** 'Lotus .wks file formats aren't supported in the current version of Microsoft Access.@Convert your .wks file to a more recent format, such as .wk1.@@1@@@1'

The RunCommand macro action argument is missing, or you entered an invalid command ID for the RunCommand method.@@@1@@@1 **Access 2007+ uses different description:** 'The RunCommand macro action argument is missing, or you entered an invalid command ID for the RunCommand method.@@@1@@@1'

The Toolbar argument can't be longer than 64 characters.@@@1@@@1 **Access 2007+ uses different description:** 'The Toolbar argument can't be longer than 64 characters.@@@1@@@1'

The SelectObject method can't be used on a report that is currently printing.@@@1@@@1 **Access 2007+ uses different description:** 'The SelectObject method can't be used on a report that is currently printing.@@@1@@@1'

Your HTML file does not contain any tabular data that Microsoft Office Access can import.@@@1@@@1 **Access 2007+ uses different description:** 'Your HTML file does not contain any tabular data that Microsoft Office Access can import.@@@1@@@1' **Access 2010+ uses different description:** 'Your HTML file does not contain any tabular data that Microsoft Access can import.@@@1@@@1'

Microsoft Office Access can't find the macro or sub procedure '|'.@The specified macro, macro group, or sub procedure doesn't exist.@ Note that when you enter the macrogroupname.macroname syntax in an argument, you must specify the name the macro's macro group was last saved under.Also, ensure that the referenced macro has been saved, or that the referenced sub procedure expects 0 arguments.@1@@@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't find the macro or sub procedure '|'.@The specified macro, macro group, or sub procedure doesn't exist.@ Note that when you enter the macrogroupname.macroname syntax in an argument, you must specify the name the macro's macro group was last saved under.Also, ensure that the referenced macro has been saved, or that the referenced sub procedure expects 0 arguments.@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access cannot find the macro or sub procedure '|1'.@The specified macro, macro group, or sub procedure doesn't exist.@ Note that when you enter the macrogroupname.macroname syntax in an argument, you must specify the name the macro's macro group was last saved under.Also, ensure that the referenced macro has been saved, or that the referenced sub procedure expects 0 arguments.@1@@@1'

The ApplyFilter action requires that either the Filter Name or Where Condition argument is set.@You tried to run a macro containing an ApplyFilter action, but you didn't set the required arguments.@@@1@611313@1 **Access 2007+ uses different description:** 'The ApplyFilter action requires that either the Filter Name or Where Condition argument is set.@You tried to run a macro containing an ApplyFilter action, but you didn't set the required arguments.@@@1@1@11313@1'

The action or method requires a data access page Name argument.@You tried to use the OpenDataAccessPage action or method, but you left the data access page Name argument blank.@In the data access page Name argument, enter the name of a data access page in the current database.@1@611313@1 **Access 2007+ uses different description:** 'The action or method requires a data access page Name argument.@You tried to use the OpenDataAccessPage action or method, but you left the data access page Name argument blank.@In the data access page Name argument, enter the name of a data access page in the current database.@1@1@11313@1'

2535	The ApplyFilter action contains a Filter Name that cannot be applied.@The filter name is not a valid argument in the ApplyFilter action in Client Server.@@1@611313@1 <b>Access 2007+ uses different description:</b> 'The ApplyFilter action contains a Filter Name that cannot be applied.@The filter name is not a valid argument in the ApplyFilter action in Client Server.@@1@1@11313@1'	Access 2003+
2536	Macros are disabled in this database.@@@1@@1 <b>Access 2007+ uses different description:</b> "	Access 2003
2537	The feature ' ' is not available while the database is opened in disabled mode.@@@1@@@1	Access 2007+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
2538	The ' ' macro action cannot be run in disabled mode.@@@1@@@1	Access 2007+
2539	The Name argument of the SetLocalVar macro action is a reserved name. Please change the name argument of the SetLocalVar action.	Access 2010+
2540	The file ' ' you tried to replace is a Microsoft Office Access system file that is in use and can't be replaced or deleted.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'The file ' ' you tried to replace is a Microsoft Office Access system file that is in use and can't be replaced or deleted.@@@1@@@1' <b>Access 2010+ uses different description:</b> 'The file ' 1' you tried to replace is a Microsoft Access system file that is being used and can't be replaced or deleted.@@@1@@@1'	Access 2003+
2541	The contents of the Clipboard have been deleted and can't be pasted.@Some applications do not put large objects on the Clipboard. Instead, they put a pointer to the object on the Clipboard. The pointer may vanish before the paste happens.@@1@@@1 <b>Access 2007+ uses different description:</b> 'The contents of the Clipboard have been deleted and can't be pasted.@Some applications do not put large objects on the Clipboard. Instead, they put a pointer to the object on the Clipboard. The pointer may vanish before the paste happens.@@1@@@1'	Access 2003+
2542	Specify the database name in the command line so that Microsoft Office Access can find the macro.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'Specify the database name in the command line so that Microsoft Office Access can find the macro.@@@1@@@1' <b>Access 2010+ uses different description:</b> 'Specify the database name in the command line so that Microsoft Access can find the macro.@@@1@@@1'	Access 2003+
2543	You can't paste a database object onto itself.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'You can't paste a database object onto itself.@@@1@@@1'	Access 2003+
2544	Microsoft Office Access can't find the   you referenced in the Object Name argument.@The macro you tried to run includes a SelectObject action with an invalid name for the Object Name argument.@In the Database window, verify the name of the object you want the macro to select. Then open the macro in the Macro window and enter the correct name for the Object Name argument.@2@603041@1 <b>Access 2007+ uses different description:</b> " <b>Access 2010+ uses different description:</b> 'Microsoft Access cannot find the  1 you referenced in the Object Name argument.@The macro you tried to run includes a SelectObject action with an invalid name for the Object Name argument.@In the Navigation Pane, verify the name of the object you want the macro to select. Then open the macro in the Macro window and enter the correct name for the Object Name argument.@2@1@3041@1'	Access 2010+
2545	The CopyObject action requires you to specify a different destination database or a new name to copy from the current database.@The macro you are running includes a CopyObject action.@Open the macro in the Macro window, and select the CopyObject action. Enter a destination database or a new name in the appropriate argument box.@1@603009@1 <b>Access 2007+ uses different description:</b> 'The CopyObject action requires you to specify a different	Access 2003+

destination database or a new name to copy from the current database.@The macro you are running includes a CopyObject action.@Open the macro in the Macro window, and select the CopyObject action. Enter a destination database or a new name in the appropriate argument box.@1@1@3009@1'

Select a database object in the Database window before you run the macro containing the | action.@@@2@603009@1 **Access 2007+ uses different description:** 'Select a database object in the Navigation Pane before you run the macro containing the | action.@@@2@1@3009@1'

Access 2003+

The database '|' you tried to delete and replace is read-only and can't be deleted or replaced.@Enter a different name for the new database.@@1@@1 **Access 2007+ uses different description:** 'The database '|' you tried to delete and replace is read-only and can't be deleted or replaced.@Enter a different name for the new database.@@1@@@1'

Access 2003+

Microsoft Office Access can't run the Security Wizard because this database is open in exclusive mode.@Do you want Microsoft Office Access to open the database in shared mode and run the Security Wizard?@@19@@2 **Access 2007+ uses different description:** 'Microsoft Office Access can't run the Security Wizard because this database is open in exclusive mode.@Do you want Microsoft Office Access to open the database in shared mode and run the Security Wizard?@@19@@@2' **Access 2010+ uses different description:** 'Microsoft Access can't run the Security Wizard because this database is open in exclusive mode.@Do you want Microsoft Access to open the database in shared mode and run the Security Wizard?@@19@@@2'

Access 2003+

Microsoft Office Access can't delete |1 after compacting it. The compacted database has been named |2.@If you compact a database using the same name, Microsoft Office Access creates a new compacted database and then deletes the original database. In this case, however, the original database wasn't deleted because it is read-only.@If you can, remove the read-only status, delete the original database, and then rename the new database using the original name. If you can't remove the read-only status, inform your workgroup

administrator.@1@310299@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't delete |1 after compacting it. The compacted database has been named |2.@If you compact a database using the same name, Microsoft Office Access creates a new compacted database and then deletes the original database. In this case, however, the original database wasn't deleted because it is read-only.@If you can, remove the read-only status, delete the original database, and then rename the new database using the original name. If you can't remove the read-only status, inform your workgroup

administrator.@1@1@10299@1' **Access 2010+ uses different description:** 'Microsoft Access can't delete |1 after compacting it. The compacted database has been named |2.@If you compact a database using the same name, Microsoft Access creates a new compacted database and then deletes the original database. In this case, however, the original database wasn't deleted because it is read-only.@If you can, remove the read-only status, delete the original database, and then rename the new database using the original name. If you can't remove the read-only status, inform your workgroup administrator.@1@1@10299@1'

Access 2003+

Microsoft Office Access can't delete |1 after encoding it. The encoded database has been named |2.@If you encode a database using the same name, Microsoft Office Access creates a new encoded database, and then deletes the original database. In this case, however, the original database can't be deleted because it is read-only.@If you can, remove the read-only status, delete the original database, and then rename the new database using the original name. If you can't remove the read-only status, inform your workgroup administrator.@1@310299@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't delete |1 after encoding it. The encoded database has been named |2.@If you encode a database using the same name, Microsoft

Access 2003+



Office Access creates a new encoded database, and then deletes the original database. In this case, however, the original database can't be deleted because it is read-only.@If you can, remove the read-only status, delete the original database, and then rename the new database using the original name. If you can't remove the read-only status, inform your workgroup administrator.@1@1@10299@1' **Access 2010+ uses different description:** 'Microsoft Access can't delete |1 after encoding it. The encoded database has been named |2.@If you encode a database using the same name, Microsoft Access creates a new encoded database, and then deletes the original database. In this case, however, the original database can't be deleted because it is read-only.@If you can, remove the read-only status, delete the original database, and then rename the new database using the original name. If you can't remove the read-only status, inform your workgroup administrator.@1@1@10299@1'

Microsoft Office Access can't delete |1 after decoding it. The decoded database has been named |2.@If you decode a database using the same name, Microsoft Office Access creates a new decoded database, and then deletes the original database. In this case, however, the original database can't be deleted because it is read-only.@If you can, remove the read-only status, delete the original database, and then rename the new database using the original name. If you can't remove the read-only status, inform your workgroup administrator.@1@310299@1' **Access 2007+ uses different description:** 'Microsoft Office Access can't delete |1 after decoding it. The decoded database has been named |2.@If you decode a database using the same name, Microsoft Office Access creates a new decoded database, and then deletes the original database. In this case, however, the original database can't be deleted because it is read-only.@If you can, remove the read-only status, delete the original database, and then rename the new database using the original name. If you can't remove the read-only status, inform your workgroup administrator.@1@1@10299@1'

**Access 2003+ is read-only.**@If you can, remove the read-only status, delete the original database, and then rename the new database using the original name. If you can't remove the read-only status, inform your workgroup administrator.@1@1@10299@1' **Access 2010+ uses different description:** 'Microsoft Access can't delete |1 after decoding it. The decoded database has been named |2.@If you decode a database using the same name, Microsoft Access creates a new decoded database, and then deletes the original database. In this case, however, the original database can't be deleted because it is read-only.@If you can, remove the read-only status, delete the original database, and then rename the new database using the original name. If you can't remove the read-only status, inform your workgroup administrator.@1@1@10299@1'

You can't encode a database that you didn't create or don't own.@See the owner of the database or your workgroup administrator.@@1@@1' **Access 2007+ uses different description:** 'You can't encode a database that you didn't create or don't own.@See the owner of the database or your workgroup administrator.@@1@@@1'

You can't decode a database that you didn't create or don't own.@See the owner of the database or your workgroup administrator.@@1@@1' **Access 2007+ uses different description:** 'You can't decode a database that you didn't create or don't own.@See the owner of the database or your workgroup administrator.@@1@@@1'

Can't find the database you specified, or you didn't specify a database at all.@Specify a valid database name in the command line, and include a path if necessary.@@1@110283@1' **Access 2007+ uses different description:** 'Can't find the database you specified, or you didn't specify a database at all.@Specify a valid database name in the command line, and include a path if necessary.@@1@1@10283@1'

Microsoft Office Access can't run the Security Wizard because the database has had a password set on it.@You will have to unset the database password by choosing Tools|Security|Unset Database Password.@@1@@1' **Access 2007+ uses different description:** 'Microsoft Office Access can't run the Security Wizard because the database uses a password.@Remove the database password

2551

2552

2553

2554

2556

Access 2003+

Access 2003+

Access 2003+

Access 2003+

Access 2003+

by clicking Unset Database Password in the Database Tools group on the Database Tools tab.@@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access can't run the Security Wizard because the database uses a password.@Remove the database password by clicking Unset Database Password in the Database Tools group on the Database Tools tab.@@@1@@@1'

The database you tried to convert was either created in or was already converted to the requested version of Microsoft Office Access.@@@1@@@1 **Access 2007+ uses different description:** 'The database you tried to convert was either created in or was already converted to the requested version of Microsoft Office Access.@@@1@@@1' **Access 2010+ uses different description:** 'The database you tried to convert was either created in or was already converted to the requested version of Microsoft Access.@@@1@@@1'

Microsoft Office Access was unable to refresh the linked table '1' in database '2' during conversion.Try and refresh the links manually by using the Linked Table Manager (Tools menu, Database Utilities submenu).. **Access 2007+ uses different description:** 'Microsoft Office Access was unable to refresh the linked table '1' in database '2' during conversion.Try to refresh the links manually by using the Linked Table Manager command in the Database Tools group on the Database Tools tab.' **Access 2010+ uses different description:** 'Microsoft Access was unable to refresh the linked table '1' in database '2' during conversion.Try to refresh the links manually by using the Linked Table Manager command in the Database Tools group on the Database Tools tab.'

#### Error Code

#### Error Description

#### Supported Versions

Microsoft Office Access is unable to load the Database Properties.@@@1@@@3 **Access 2007+ uses different description:** 'Microsoft Office Access is unable to load the Database Properties.@@@1@@@3' **Access 2010+ uses different description:** 'Microsoft Access is unable to load the Database Properties.@@@1@@@3'

Microsoft Office Access can't display the Database Properties dialog box.@@@1@@@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't display the Database Properties dialog box.@@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access can't display the Database Properties dialog box.@@@1@@@1'

Microsoft Office Access is unable to save the Database Properties.@@@1@@@1 **Access 2007+ uses different description:** 'Microsoft Office Access is unable to save the Database Properties.@@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access is unable to save the Database Properties.@@@1@@@1'

Microsoft Office Access can't load a dynamic-link library.@Run Setup to reinstall Microsoft Office Access. If you want to preserve your security or custom settings, back up the Microsoft Office Access workgroup information file. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'.@@@1@@@3 **Access 2007+ uses different description:** "

You can't hide the document '|' while it is open.@Close the database object first, and then hide it.@@@1@@@1 **Access 2007+ uses different description:** 'You can't hide the document '|' while it is open.@Close the database object first, and then hide it.@@@1@@@1'

You can't unhide the database object '|' while it is open.@Close the database object first, and then unhide it.@@@1@@@1 **Access 2007+ uses different description:** 'You can't unhide the database object '|' while it is open.@Close the database object first, and then unhide it.@@@1@@@1'

Microsoft Office Access is unable to set the application's icon to the file '|'.@Make sure the file is a valid icon (.ico) file. If you're using Microsoft Windows, you can also use .bmp files.@@@1@@@1 **Access 2007+ uses different**

2557

Access 2003+

2559

Access 2003+

2560

Access 2003+

2561

Access 2003+

2562

Access 2003+

2563

Access 2003

2564

Access 2003+

2565

Access 2003+

2566

Access 2003+

**description:** 'Microsoft Office Access is unable to set the application's icon to the file '|'.@Make sure the file is a valid icon (.ico) file. If you're using Microsoft Windows, you can also use .bmp files.@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access is unable to set the application's icon to the file '|1'.@Make sure the file is a valid icon (.ico) file. If you're using Microsoft Windows, you can also use .bmp files.@@1@@@1'

Microsoft Office Access can't open or convert this previous version database.@The database was created in an earlier version of Microsoft Office Access. You don't have appropriate security permissions to open or convert databases created in earlier versions.@@1@@@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't open or convert this previous version database.@The database was created in an earlier version of Microsoft Office Access. You don't have appropriate security permissions to open or convert databases created in earlier versions.@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access can't open or convert this previous version database.@The database was created in an earlier version of Microsoft Access. You don't have appropriate security permissions to open or convert databases created in earlier versions.@@1@@@1'

Microsoft Office Access can't undo this operation.@An object with the same name already exists. Another user might have created an object named '|' after you had performed this operation on an object with the same name.@@1@@@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't undo this operation.@An object with the same name already exists. Another user might have created an object named '|' after you had performed this operation on an object with the same name.@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access can't undo this operation.@An object with the same name already exists. Another user might have created an object named '|' after you had performed this operation on an object with the same name.@@1@@@1'

Microsoft Office Access can't delete |1 after enabling it. The enabled database has been named |2.@If you enable a database using the same name, Microsoft Office Access creates a new enabled database and then deletes the original database. In this case, however, the original database wasn't deleted because it is read-only.@If you can, remove the read-only status, delete the original database, and then rename the new database using the original name. If you can't remove the read-only status, inform your workgroup administrator.@@1@@@1 **Access 2007+ uses different description:** "

You can't modify objects created using an earlier version of Microsoft Office Access.@To convert this database to the current version of Microsoft Office Access, close the database, point to Database Utilities on the Tools menu, and then click Convert Database.@@1@@@1 **Access 2007+ uses different description:** 'You cannot modify objects created in an earlier version of Microsoft Office Access.@To convert this database to the current version of Microsoft Office Access, close the database, click the Microsoft Office Button, and then click Convert.@@1@@@1' **Access 2010+ uses different description:** 'You cannot modify objects created in an earlier version of Microsoft Access.@To convert this database to the current version of Microsoft Access, close the database, click the File tabn, and then click Convert.@@1@@@0'

This database is in an unexpected state; Microsoft Office Access can't open it.@This database has been converted from a prior version of Microsoft Office Access by using the DAO CompactDatabase method instead of the Convert Database command on the Tools menu (Database Utilities submenu). This has left the database in a partially converted state.@If you have a copy of the database in its original format, use the Convert Database command on the Tools menu (Database Utilities submenu) to convert it. If the original database is no longer available, create a new database and import your tables and queries to

Access 2003+

Access 2003+

Access 2003

Access 2003+

Access 2003+

preserve your data. Your other database objects can't be recovered.@1@@1  
**Access 2007+ uses different description:** 'This database is in an unexpected state and Microsoft Office Access cannot open it.@This database has been converted from a prior version of Microsoft Office Access by using the DAO CompactDatabase method instead of the Convert Database command (click the Microsoft Office Button and then click Convert). Converting by using the DAO CompactDatabase method has left the database in a partially converted state.@If you have a copy of the database in its original format, click the Microsoft Office Button and then click Convert to convert it. If the original database is no longer available, create a new database and import your tables and queries to preserve your data and try again. Your other database objects cannot be recovered.@1@@@1'  
**Access 2010+ uses different description:** 'This database is in an unexpected state and Microsoft Access cannot open it.@This database has been converted from a prior version of Microsoft Access by using the DAO CompactDatabase method instead of the Convert Database command (click the File tab and then click Convert). Converting by using the DAO CompactDatabase method has left the database in a partially converted state.@If you have a copy of the database in its original format, click the File tab and then click Convert to convert it. If the original database is no longer available, create a new database and import your tables and queries to preserve your data and try again. Your other database objects cannot be recovered.@1@@@1'

This database is a replica created in a different version of Access. @You can only convert this replica by synchronizing with its Design Master. @Convert the Design Master of this replica set then synchronize the replica with the Design Master.@1@@1  
**Access 2007+ uses different description:** 'This database is a replica created in a different version of Access. @You can only convert this replica by synchronizing with its Design Master. @Convert the Design Master of this replica set then synchronize the replica with the Design Master.@1@@@1'

Access 2003+

You can't create another Microsoft Office Access database with the same name and location as an existing database.@You carried out the Make MDE File command, but tried to give the new database the same extension as the old one.@Accept the default .mde extension for your new MDE database.@1@@@1  
**Access 2007+ uses different description:** 'You can't create another Microsoft Office Access database with the same name and location as an existing database.@You carried out the Make MDE File command, but tried to give the new database the same extension as the old one.@Accept the default .mde extension for your new MDE database.@1@@@1'  
**Access 2010+ uses different description:** 'You can't create another Microsoft Access database with the same name and location as an existing database.@You carried out the Make MDE File command, but tried to give the new database the same extension as the old one.@Accept the default .mde extension for your new MDE database.@1@@@1'

Access 2003+

You can't create a Microsoft Office Access MDE database from a database replica.@@@1@@@1  
**Access 2007+ uses different description:** 'You can't create a Microsoft Office Access MDE database from a database replica.@@@1@@@1'  
**Access 2010+ uses different description:** 'You can't create a Microsoft Access MDE database from a database replica.@@@1@@@1'

Access 2003+

This database is a Microsoft Office Access 7.0/8.0/9.0 Design Master/Replica.@If you click OK, the database you selected will be renamed to |1 and then converted to |2. Everyone using a replica of this database will have to upgrade to Microsoft Access 2000 after the next synchronization.@@4@@2  
**Access 2007+ uses different description:** 'This database is a Microsoft Office Access 7.0/8.0/9.0 Design Master/Replica.@If you click OK, the database you selected will be renamed to |1 and then converted to |2. Everyone using a

Access 2003+

replica of this database will have to upgrade to Microsoft Access 2000 after the next synchronization.@@@2' **Access 2010+ uses different description:** 'This database is a Microsoft Access 7.0/8.0/9.0 Design Master/Replica.@If you click OK, the database you selected will be renamed to |1 and then converted to |2. Everyone using a replica of this database will have to upgrade to Microsoft Access 2000 after the next synchronization.@@@2'

The database | is already open.@Close the database before carrying out the Make MDE File command.@@1@@1 **Access 2007+ uses different description:** 'The database | is already open.@Close the database before carrying out the Make MDE File command.@@1@@1'

Microsoft Office Access was unable to create an MDE database.@@@1@@1 **Access 2007+ uses different description:** 'Microsoft Office Access was unable to create the .accde, .mde, or .ade file.@@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access was unable to create the .accde, .mde, or .ade file.@@@1@@@1'

Local forms, reports, macros, and modules in this replica will not be converted. @To retain these objects, please be sure to import them into the Design Master from the original replica.@@1@@1 **Access 2007+ uses different description:** 'Local forms, reports, macros, and modules in this replica will not be converted. @To retain these objects, please be sure to import them into the Design Master from the original replica.@@1@@@1'

The record source '|' specified on this form or report does not exist. @You misspelled the name, or it was deleted or renamed in the current database, or it exists in a different database.@In the Form or Report's Design view, display the property sheet by clicking the Properties button, and then set the RecordSource property to an existing table or query. @1@@1 **Access 2007+ uses different description:** 'The record source '|' specified on this form or report does not exist. @The name of the recordsource may be misspelled, the recordsource was deleted or renamed, or the recordsource exists in a different database.@In the Form or Report's Design view, display the property sheet by clicking the Properties button, and then set the RecordSource property to an existing table or query. @1@@@1' **Access 2010+ uses different description:** 'The record source '|' specified on this form or report does not exist. @The name of the recordsource may be misspelled, the recordsource was deleted or renamed, or the recordsource exists in a different database.@In the Form or Report's Design view or Layout view, display the property sheet by clicking the Properties button, and then set the RecordSource property to an existing table or query. @1@@@1'

## Error Code      Error Description

## Supported Versions

You must define a sort field or expression for the group header or footer in the report you tried to preview or print.@@@1@208753@1 **Access 2007+ uses different description:** 'You must define a sort field or expression for the group header or footer in the report you tried to preview or print.@@@1@1@8753@1'

You can't set the GroupInterval property to zero when the GroupOn property is set to Interval.@Click Sorting and Grouping on the View menu and try one of the following: \* Change the GroupInterval property setting to a number higher than zero. \* Change the GroupOn property setting to Each Value.@@1@@1 **Access 2007+ uses different description:** 'You cannot set the GroupInterval property to 0 when the GroupOn property is set to Interval.@Click the Sorting and Grouping Design tab and try one of the following: \* Change the GroupInterval property setting to a number higher than 0. \* Change the GroupOn property setting to Each Value.@@1@@@1'

The ApplyFilter action or method can be carried out only from an Open macro or Open event procedure. @\* You may have tried to run a macro or procedure containing the ApplyFilter action or method from a report property other than

the OnOpen property. \* You may have tried to run a macro or event procedure on a report that is already open.@To use the ApplyFilter action in a report, set the OnOpen property to the name of the macro, close the report, and then reopen it.@1@603004@1 **Access 2007+ uses different description:** 'The ApplyFilter action or method can be carried out only from an Open macro or Open event procedure.\* You may have tried to run a macro or procedure containing the ApplyFilter action or method from a report property other than the OnOpen property. \* You may have tried to run a macro or event procedure on a report that is already open.@To use the ApplyFilter action in a report, set the OnOpen property to the name of the macro, close the report, and then reopen it.@1@1@3004@1'

You can't use aggregate functions in a page header or footer.@The page header or footer of the report you tried to preview contains a calculated control with an aggregate function in its expression.@If you want to show the result of an aggregate function in a page header or footer, create a hidden calculated control in an appropriate section of the report. Then create an unbound text box in the page header or footer. If you are running a macro, use the SetValue action to set the unbound text box value to the value in the hidden control.@1@411839@1 **Access 2007+ uses different description:** 'You can't use aggregate functions in a page header or footer.@The page header or footer of the report you tried to preview contains a calculated control with an aggregate function in its expression.@If you want to show the result of an aggregate function in a page header or footer, create a hidden calculated control in an appropriate section of the report. Then create an unbound text box in the page header or footer. If you are running a macro, use the SetValue action to set the unbound text box value to the value in the hidden control.@1@1@11839@1'

This action can't be carried out while processing a form or report event.@A macro specified as the OnOpen, OnClose, OnFormat, OnRetreat, OnPage, or OnPrint property setting contains an invalid action for the property.@When you click OK, an Action Failed dialog box will display the name of the macro that failed and its arguments.@1@611909@1 **Access 2007+ uses different description:** 'This action can't be carried out while processing a form or report event.@A macro specified as the OnOpen, OnLoad, OnClose, OnFormat, OnRetreat, OnPage, or OnPrint property setting contains an invalid action for the property.@When you click OK, an Action Failed dialog box will display the name of the macro that failed and its arguments.@1@1@11909@1'

Microsoft Office Access changed the MoveLayout and NextRecord properties to True from False.@The macro or Visual Basic function run by the OnFormat property of one of the sections of the report set both the MoveLayout and NextRecord properties to False. Having both properties set to False can make the report print continuously.@Revise the macro or function so that it sets these properties to the values you want.@1@604656@1 **Access 2007+ uses different description:** 'Microsoft Office Access changed the MoveLayout and NextRecord properties to True from False.@The macro or Visual Basic function run by the OnFormat property of one of the sections of the report set both the MoveLayout and NextRecord properties to False. Having both properties set to False can make the report print continuously.@Revise the macro or function so that it sets these properties to the values you want.@1@1@4656@1' **Access 2010+ uses different description:** 'Microsoft Access changed the MoveLayout and NextRecord properties to True from False.@The macro or Visual Basic function run by the OnFormat property of one of the sections of the report set both the MoveLayout and NextRecord properties to False. Having both properties set to False can make the report print continuously.@Revise the macro or function so that it sets these properties to the values you want.@1@1@4656@1'

Microsoft Office Access can't complete the Output operation.@The Visual Basic code you entered contains a syntax error or the Output procedures are not

available.@Make sure there isn't a syntax error in your code. If the syntax is correct, run Setup to reinstall Microsoft Office Access. If you want to preserve your security or custom settings, back up the Microsoft Office Access workgroup information file. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'.@1@@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't complete the Output operation.@The Visual Basic code you entered contains a syntax error or the Output procedures are not available.@Make sure there isn't a syntax error in your code. If the syntax is correct, run Setup to reinstall Microsoft Office Access. If you want to preserve your security or custom settings, back up the Microsoft Office Access workgroup information file. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'.@1@@185309@1' **Access 2010+ uses different description:** 'Microsoft Access can't complete the Output operation.@The Visual Basic code you entered contains a syntax error or the Output procedures are not available.@Make sure there isn't a syntax error in your code. If the syntax is correct, run Setup to reinstall Microsoft Access. If you want to preserve your security or custom settings, back up the Microsoft Access workgroup information file. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'.@1@@185309@1'

You must select a form to save as a report.@@@1@@1 **Access 2007+ uses different description:** 'You must select a form to save as a report.@@@1@@@1'

The expression '|' is invalid.@Aggregate functions are only allowed on output fields of the Record Source. @1@@1 **Access 2007+ uses different description:** 'The expression '|' is invalid.@Aggregate functions are only allowed on output fields of the Record Source. @1@@@1'

The Var and VarP aggregate functions are not supported in an Access project.@@@1@@1 **Access 2007+ uses different description:** 'The Var and VarP aggregate functions are not supported in an Access project.@@@1@@@1'

You can't change printer properties in the OnOpen event of a report.@@@1@@1 **Access 2007+ uses different description:** 'You can't change printer properties in the OnOpen event of a report.@@@1@@@1'

You cannot bind a hierarchical report to a DAO Recordset.@@@1@@1 **Access 2007+ uses different description:** "

This feature is not available in an MDB.@@@1@@1 **Access 2007+ uses different description:** 'This feature is not available in an MDB or ACCDB.@@@1@@@1'

You cannot Filter By Form when form record source is a recordset object.@@@1@@1 **Access 2007+ uses different description:** 'You cannot Filter By Form when form record source is a recordset object.@@@1@@@1'

Microsoft Office Access cannot set this property when DefaultSize property is set to True.@@@1@@1 **Access 2007+ uses different description:** 'Microsoft Office Access cannot set this property when DefaultSize property is set to True.@@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access cannot set this property when DefaultSize property is set to True.@@@1@@@1'

Printer object is not available on subforms and subreports.@@@1@@1 **Access 2007+ uses different description:** 'Printer object is not available on subforms and subreports.@@@1@@@1'

Unable to bind the report to the specified recordset because the shape does not match the sorting and grouping specified on the report.@@@1@@1 **Access 2007+ uses different description:** 'Unable to bind the report to the specified recordset because the shape does not match the sorting and grouping specified on the report.@@@1@@@1'

Access 2003+

Access 2003+

Access 2003+

Access 2003+

Access 2003

Access 2003+

Access 2003+

Access 2003+

Access 2003+

Access 2003+

2598	Recordset property not available for natively bound reports in MDB files.@@@1@@@1 <b>Access 2007+ uses different description:</b> "	Access 2003
2599	Report view is not available for this report.@@@1@@@1	Access 2007+
2600	Verify the new password by retyping it in the Verify box and clicking OK.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'Verify the new password by retyping it in the Verify box and clicking OK.@@@1@@@1'	Access 2003+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
2601	<p>You don't have permission to read ' '.@To read this object, you must have Read Design permission for it. For more information on permissions and who can set them, click Help.@@2@410222@1 <b>Access 2007+ uses different description:</b> 'You don't have permission to read ' '.@To read this object, you must have Read Design permission for it. For more information on permissions and who can set them, click Help.@@2@1@10222@1'</p>	Access 2003+
2602	<p>You don't have permission to modify ' '.@To modify this object, you must have Modify Design permission for it. If the object is a table, you must also have Delete Data and Update Data permissions for it. For more information on permissions and who can set them, click Help.@@2@410222@1 <b>Access 2007+ uses different description:</b> 'You don't have permission to modify ' '.@To modify this object, you must have Modify Design permission for it. If the object is a table, you must also have Delete Data and Update Data permissions for it. For more information on permissions and who can set them, click Help.@@2@1@10222@1'</p>	Access 2003+
2603	<p>You don't have permission to run ' '.@To run this object, you must have Open/Run permission for it. For more information on permissions and who can set them, click Help.@@2@410222@1 <b>Access 2007+ uses different description:</b> 'You don't have permission to run ' '.@To run this object, you must have Open/Run permission for it. For more information on permissions and who can set them, click Help.@@2@1@10222@1'</p>	Access 2003+
2604	<p>You can't view this object's permissions.@To view or change permissions for this object, you must have Administer permission for it. For more information on permissions and who can set them, click Help.@@2@410222@1 <b>Access 2007+ uses different description:</b> 'You can't view this object's permissions.@To view or change permissions for this object, you must have Administer permission for it. For more information on permissions and who can set them, click Help.@@2@1@10222@1'</p>	Access 2003+
2605	<p>You can't remove this user account from group ' '.@* You may have tried to remove a user account from the default Users group. Microsoft Office Access automatically adds all users to the default Users group. To remove a user account from the Users group, you must first delete the account. * You may have tried to remove all users from the Admins group. There must be at least one user in the Admins group.@@1@210212@1 <b>Access 2007+ uses different description:</b> 'You can't remove this user account from group ' '.@* You may have tried to remove a user account from the default Users group. Microsoft Office Access automatically adds all users to the default Users group. To remove a user account from the Users group, you must first delete the account. * You may have tried to remove all users from the Admins group. There must be at least one user in the Admins group.@@1@1@10212@1' <b>Access 2010+ uses different description:</b> 'You can't remove this user account from group ' 1'.@* You may have tried to remove a user account from the default Users group. Microsoft Access automatically adds all users to the default Users group. To remove a user account from the Users group, you must first delete the account. * You may have tried to remove all users from the Admins group. There must be at least one user in the Admins group.@@1@1@10212@1'</p>	Access 2003+
2606	<p>The object type is invalid.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'The object type is invalid.@@@1@@@1'</p>	Access 2003+



2607	<p>You don't have permission to cut ' .'@To cut this object, you must have Modify Design permission for it. If the object is a table, you must also have Delete Data permission for it. For more information on permissions and who can set them, click Help.@@2@410222@1 <b>Access 2007+ uses different description:</b> 'You don't have permission to cut ' .'@To cut this object, you must have Modify Design permission for it. If the object is a table, you must also have Delete Data permission for it. For more information on permissions and who can set them, click Help.@@2@1@10222@1'</p>	Access 2003+
2608	<p>You don't have permission to copy ' .'@To copy this object, you must have Read Design permission for it. If the object is a table, you must also have Read Data permission for it. For more information on permissions and who can set them, click Help.@@2@410222@1 <b>Access 2007+ uses different description:</b> 'You don't have permission to copy ' .'@To copy this object, you must have Read Design permission for it. If the object is a table, you must also have Read Data permission for it. For more information on permissions and who can set them, click Help.@@2@1@10222@1'</p>	Access 2003+
2609	<p>You don't have permission to delete ' .'@To delete this object, you must have Modify Design permission for it. If the object is a table, you must also have Delete Data permission for it. For more information on permissions and who can set them, click Help.@@2@410222@1 <b>Access 2007+ uses different description:</b> 'You don't have permission to delete ' .'@To delete this object, you must have Modify Design permission for it. If the object is a table, you must also have Delete Data permission for it. For more information on permissions and who can set them, click Help.@@2@1@10222@1'</p>	Access 2003+
2610	<p>You must enter a personal identifier (PID) consisting of at least 4 and no more than 20 characters and digits.@Microsoft Office Access uses the combination of the user or group name and the PID to identify the user or group. Note that Microsoft Office Access hides the PID after you create it, so make sure to write down the exact user or group account name and the PID entries. If you ever have to re-create the account, you must supply the same name and PID entries.@@1@@1 <b>Access 2007+ uses different description:</b> 'You must enter a personal identifier (PID) consisting of at least 4 and no more than 20 characters and digits.@Microsoft Office Access uses the combination of the user or group name and the PID to identify the user or group. Note that Microsoft Office Access hides the PID after you create it, so make sure to write down the exact user or group account name and the PID entries. If you ever have to re-create the account, you must supply the same name and PID entries.@@1@@@1' <b>Access 2010+ uses different description:</b> 'You must enter a personal identifier (PID) consisting of at least 4 and no more than 20 characters and digits.@Microsoft Access uses the combination of the user or group name and the PID to identify the user or group. Note that Microsoft Access hides the PID after you create it, so make sure to write down the exact user or group account name and the PID entries. If you ever have to re-create the account, you must supply the same name and PID entries.@@1@@@1'</p>	Access 2003+
2611	<p>Microsoft Office Access can't find the workgroup file ' .'Would you like to use the default workgroup file?@@@20@@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access can't find the workgroup file ' .'Would you like to use the default workgroup file?@@@20@@@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access can't find the workgroup file ' .'Would you like to use the default workgroup file?@@@20@@@1'</p>	Access 2003+
2612	<p>The account name is invalid.@For information about naming conventions, click Help.@@2@210213@1 <b>Access 2007+ uses different description:</b> 'The account name is invalid.@For information about naming conventions, click Help.@@2@1@10213@1'</p>	Access 2003+
2613	<p>You don't have permission to rename ' .'@To rename a database object, you must have Modify Design permission for the object. For more information on permissions and who can set them, click Help.@@2@410222@1 <b>Access</b></p>	Access 2003+

**2007+ uses different description:** 'You don't have permission to rename  
'|. '@To rename a database object, you must have Modify Design permission for  
the object. For more information on permissions and who can set them, click  
Help.@@2@1@10222@1'

You don't have permission to insert this form into another form. '@To insert a  
form into another form as a subform, you must have Read Design permission  
for the form being inserted. For more information on permissions and who can  
set them, click Help.@@2@410222@1 **Access 2007+ uses different**  
**description:** 'You don't have permission to insert this form into another  
form. '@To insert a form into another form as a subform, you must have Read  
Design permission for the form being inserted. For more information on  
permissions and who can set them, click Help.@@2@1@10222@1'

You don't have permission to change the owner of '|. '@To change the owner of  
a database object, you must have Administer permission for it. For more  
information on permissions and who can set them, click

Help.@@5@410222@1 **Access 2007+ uses different description:** 'You don't  
have permission to change the owner of '|. '@To change the owner of a database  
object, you must have Administer permission for it. For more information on  
permissions and who can set them, click Help.@@5@1@10222@1'

You can't change permissions for '|. '@To change permissions for this object,  
you must have Administer permission for it. For more information on  
permissions and who can set them, click Help.@@5@410222@1 **Access**  
**2007+ uses different description:** 'You can't change permissions for '|. '@To  
change permissions for this object, you must have Administer permission for it.  
For more information on permissions and who can set them, click  
Help.@@5@1@10222@1'

You don't have permission to import, export, or link to '|. '@To import, export,  
or link to this object, you must have Read Design and Read Data permissions  
for it. For more information on permissions and who can set them, click  
Help.@@2@410222@1 **Access 2007+ uses different description:** 'You don't  
have permission to import, export, or link to '|. '@To import, export, or link to  
this object, you must have Read Design and Read Data permissions for it. For  
more information on permissions and who can set them, click  
Help.@@2@1@10222@1'

You need to have the database open for exclusive use to set or unset the  
database password. '@To open the database exclusively, close the database, and  
then reopen it using the Open command on the File menu. In the Open dialog  
box, click the arrow to the right of the Open button, and then choose Open  
Exclusive.@@1@@1 **Access 2007+ uses different description:** 'You must  
have the database open for exclusive use to set or remove the database  
password. '@To open the database exclusively, close the database, and then  
reopen it by clicking the Microsoft Office Button and using the Open  
command. In the Open dialog box, click the arrow next to the Open button, and  
then select Open Exclusive.@@1@@@1' **Access 2010+ uses different**  
**description:** 'You must have the database open for exclusive use to set or  
remove the database password. '@To open the database exclusively, close the  
database, and then reopen it by clicking the File tab and using the Open  
command. In the Open dialog box, click the arrow next to the Open button, and  
then select Open Exclusive.@@1@@@1'

You can't change permissions for '|' in a replica. '@Permissions may only be  
changed in the Design Master for the replica set.@@3@@1 **Access 2007+ uses**  
**different description:** 'You can't change permissions for '|' in a  
replica. '@Permissions may only be changed in the Design Master for the replica  
set.@@3@@@1'

The password you entered in the Old Password box is incorrect. '@Please enter  
the correct password for this account.@@1@@1 **Access 2007+ uses different**

**description:** 'The password you entered in the Old Password box is incorrect.@Please enter the correct password for this account.@@1@@@1'

Error Code	Error Description	Supported Versions
2621	That password isn't valid.@You may have used a semicolon.@@1@@@1 <b>Access 2007+ uses different description:</b> 'That password isn't valid.@You may have used a semicolon.@@1@@@1'	Access 2003+
2622	You can't save ' ' because it is read-only.@To save, switch to Design View and choose Save As from the File menu.@@3@@@1 <b>Access 2007+ uses different description:</b> 'You cannot save ' ' because it is read-only.@To save, switch to Design View, click the Microsoft Office Button, point to Save As, and enter a new name.@@3@@@1' <b>Access 2010+ uses different description:</b> 'You cannot save ' ' because it is read-only.@To save, switch to Design View, click the File tab, point to Save As, and enter a new name.@@3@@@0'	Access 2003+
2623	Saving the database to the previous version of Access will create a new database that contains none of the security information that you have set.Are you sure you want to proceed? <b>Access 2007+ uses different description:</b> "	Access 2003
2624	An error has occurred while changing workgroup database.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'An error has occurred while changing workgroup database.@@@1@@@1'	Access 2003+
2625	Workgroup Administrator couldn't create the workgroup information file.Make sure that you have specified a valid path and file name, that you have adequate permissions to create the file, and that you have enough disk space on the destination drive. ( )@@@1@@@1 <b>Access 2007+ uses different description:</b> 'Workgroup Administrator couldn't create the workgroup information file.Make sure that you have specified a valid path and file name, that you have adequate permissions to create the file, and that you have enough disk space on the destination drive. ( )@@@1@@@1'	Access 2003+
2626	Reserved error ( ); there is no message for this error.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'Reserved error ( ); there is no message for this error.@@@1@@@1'	Access 2003+
2627	There's not enough disk space.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'There's not enough disk space.@@@1@@@1'	Access 2003+
2628	One of your parameters is invalid.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'One of your parameters is invalid.@@@1@@@1'	Access 2003+
2629	Could not open workgroup file. This is a directory.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'Could not open workgroup file. This is a directory.@@@1@@@1'	Access 2003+
2630	The specified path is invalid.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'The specified path is invalid.@@@1@@@1'	Access 2003+
2631	The specified path is too long.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'The specified path is too long.@@@1@@@1'	Access 2003+
2632	Change Workgroup cannot proceed without your Name, PIN, and a path to the new Workgroup Information File.	Access 2003+
2633	Microsoft Office Access cannot change the password for the logon account ' ' because the current connection is using Microsoft Windows NT integrated security.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access cannot change the password for the logon account ' ' because the current connection is using Microsoft Windows NT integrated security.@@@1@@@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access cannot change the password for the logon account ' 1' because the current connection is using Microsoft Windows NT integrated security.@@@1@@@1'	Access 2003+
2634	The new password doesn't match the verify password value.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'The new password doesn't match the verify password value.@@@1@@@1'	Access 2003+

2635	Microsoft Office Access is unable to change the password because the old password doesn't match the password of the currently logged in user. <b>Access 2010+ uses different description:</b> 'Microsoft Access is unable to change the password because the old password doesn't match the password of the currently logged in user.'	Access 2003+
2636	Workgroup file already exists.	Access 2003+
2637	Unable to start SQL Server service.To restart the SQL Server service, double click on the SQL Server System Manager icon in the system tray and click Start/Continue.@Once the service is started, point to Connection on the File menu in Access and click OK.@@19@@2 <b>Access 2007+ uses different description:</b> 'Unable to start SQL Server service. To restart the SQL Server service, double-click the SQL Server System Manager icon in the system tray and click Start/Continue.@When the service is started, in Microsoft Office Access, click the Microsoft Office Button, point to Server Tasks, click Connection, and then click OK.@@19@@@2' <b>Access 2010+ uses different description:</b> 'Unable to start SQL Server service. To restart the SQL Server service, double-click the SQL Server System Manager icon in the system tray and click Start/Continue.@When the service is started, in Microsoft Access, click the File tab, point to Server Tasks, click Connection, and then click OK.@@19@@@2'	Access 2003+
2638	Unable to start SQL Server service.To restart the SQL Server service, double click on the SQL Server System Manager icon in the system tray and click Start/Continue. If the service fails to start, go to the Services console and verify that the MSSQLServer service Log On information is correct.@Once the service is started, point to Connection on the File menu in Access and click OK.@@19@@2 <b>Access 2007+ uses different description:</b> 'Unable to start SQL Server service. To restart the SQL Server service, double-click the SQL Server System Manager icon in the system tray and click Start/Continue. If the service fails to start, go to the Services console and verify that the MSSQLServer service Log On information is correct.@When the service is started, in Microsoft Office Access, click the Microsoft Office Button, point to Server Tasks, click Connection, and then click OK.@@19@@@2' <b>Access 2010+ uses different description:</b> 'Unable to start SQL Server service. To restart the SQL Server service, double-click the SQL Server System Manager icon in the system tray and click Start/Continue. If the service fails to start, go to the Services console and verify that the MSSQLServer service Log On information is correct.@When the service is started, in Microsoft Access, click the File tab, point to Server Tasks, click Connection, and then click OK.@@19@@@2'	Access 2003+
2639	Microsoft Office Access cannot open   due to security restrictions.@Security settings restrict access to the file because it is not digitally signed.@@2@553714138@2 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access cannot open   due to security restrictions.@Security settings restrict access to the file because it is not digitally signed.@@2@1@553714138@2' <b>Access 2010+ uses different description:</b> 'Microsoft Access cannot open  1 due to security restrictions.@Security settings restrict access to the file because it is not digitally signed.@@2@1@553714138@2'	Access 2003+
2646	Microsoft Office Access can't create this relationship and enforce referential integrity.@Data in the table ' ' violates referential integrity rules. For example, there may be records relating to an employee in the related table, but no record for the employee in the primary table.@Edit the data so that records in the primary table exist for all related records. If you want to create the relationship without following the rules of referential integrity, clear the Enforce Referential Integrity check box.@1@209086@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access can't create this relationship and enforce referential integrity.@Data in the table ' ' violates referential integrity rules. For example,	Access 2003+

there may be records relating to an employee in the related table, but no record for the employee in the primary table. @Edit the data so that records in the primary table exist for all related records. If you want to create the relationship without following the rules of referential integrity, clear the Enforce Referential Integrity check box. @1@1@9086@1' **Access 2010+ uses different description:** 'Microsoft Access can't create this relationship and enforce referential integrity. @Data in the table '1' violates referential integrity rules. For example, there may be records relating to an employee in the related table, but no record for the employee in the primary table. @Edit the data so that records in the primary table exist for all related records. If you want to create the relationship without following the rules of referential integrity, clear the Enforce Referential Integrity check box. @1@1@9086@1'

Error Code	Error Description	Supported Versions
2648	Microsoft Office Access created a one-to-one relationship instead of a one-to-many relationship because there is a unique index on the field(s) specified for the related table. @If you want to define a one-to-many relationship between these tables, try one of the following: * Delete the one-to-one relationship, and then change the setting of the Indexed property for the foreign key field from No Duplicates to Duplicates OK. * Choose different matching fields. @@1@@1 <b>Access 2007+ uses different description:</b> "Microsoft Office Access can't enforce referential integrity for this relationship. @Make sure the fields you drag are primary key fields or uniquely indexed and that the unique index or primary key is correctly set. If you want to create the relationship without following the rules of referential integrity, clear the Enforce Referential Integrity check box. @@1@209086@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access can't enforce referential integrity for this relationship. @Make sure the fields you drag are primary key fields or uniquely indexed and that the unique index or primary key is correctly set. If you want to create the relationship without following the rules of referential integrity, clear the Enforce Referential Integrity check box. @@1@1@9086@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access can't create this relationship and enforce referential integrity. @* The fields you chose may have different data types. * The fields may have the Number data type but not the same FieldSize property setting. @Try one of the following: * Select fields with the same data type. * Open the tables in Design view, and change the data types and field sizes so that the fields match. If you want to create the relationship without following the rules of referential integrity, clear the Enforce Referential Integrity check box. @2@209086@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access can't create this relationship and enforce referential integrity. @* The fields you chose may have different data types. * The fields may have the Number data type but not the same FieldSize property setting. @Try one of the following: * Select fields with the same data type. * Open the tables in Design view, and change the data types and field sizes so that the fields match. If you want to create the relationship without following the rules of referential integrity, clear the Enforce Referential Integrity check box. @2@1@9086@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access can't create this relationship and enforce referential integrity. @* The fields you chose may have different data types. * The fields may have the Number data type but not the same FieldSize property setting. @Try one of the following: * Select fields with the same data type. * Open the tables in Design view, and change the data types and field sizes so that the fields match. If you want to create the relationship	Access 2003
2649	Microsoft Office Access can't enforce referential integrity for this relationship. @Make sure the fields you drag are primary key fields or uniquely indexed and that the unique index or primary key is correctly set. If you want to create the relationship without following the rules of referential integrity, clear the Enforce Referential Integrity check box. @@1@1@9086@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access can't enforce referential integrity for this relationship. @Make sure the fields you drag are primary key fields or uniquely indexed and that the unique index or primary key is correctly set. If you want to create the relationship without following the rules of referential integrity, clear the Enforce Referential Integrity check box. @@1@1@9086@1'	Access 2003+
2650	Microsoft Office Access can't create this relationship and enforce referential integrity. @* The fields you chose may have different data types. * The fields may have the Number data type but not the same FieldSize property setting. @Try one of the following: * Select fields with the same data type. * Open the tables in Design view, and change the data types and field sizes so that the fields match. If you want to create the relationship without following the rules of referential integrity, clear the Enforce Referential Integrity check box. @2@209086@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access can't create this relationship and enforce referential integrity. @* The fields you chose may have different data types. * The fields may have the Number data type but not the same FieldSize property setting. @Try one of the following: * Select fields with the same data type. * Open the tables in Design view, and change the data types and field sizes so that the fields match. If you want to create the relationship without following the rules of referential integrity, clear the Enforce Referential Integrity check box. @2@1@9086@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access can't create this relationship and enforce referential integrity. @* The fields you chose may have different data types. * The fields may have the Number data type but not the same FieldSize property setting. @Try one of the following: * Select fields with the same data type. * Open the tables in Design view, and change the data types and field sizes so that the fields match. If you want to create the relationship	Access 2003+

without following the rules of referential integrity, clear the Enforce Referential Integrity check box.@2@1@9086@1'

You can't create a relationship between fields with the Memo, OLE Object, Yes/No, or Hyperlink data type.@You tried to enforce referential integrity for a relationship, but one or more of the fields you chose have the Memo, OLE Object, Yes/No, or Hyperlink data type.@Select fields in the grid that don't have these data types, or open the tables in Design view and change data types.@1@@1 **Access 2007+ uses different description:** 'You can't create a relationship between fields with the Memo, OLE Object, Yes/No, or Hyperlink data type.@You tried to enforce referential integrity for a relationship, but one or more of the fields you chose have the Memo, OLE Object, Yes/No, or Hyperlink data type.@Select fields in the grid that don't have these data types, or open the tables in Design view and change data types.@1@@@1'

You can't delete a relationship inherited from a linked database.@@@1@@1 **Access 2007+ uses different description:** 'You can't delete a relationship inherited from a linked database.@@@1@@@1'

The form or report includes more OLE objects than Microsoft Office Access can display at one time.@Delete some of the bound or unbound object frames.@@1@@1 **Access 2007+ uses different description:** 'The form or report includes more OLE objects than Microsoft Office Access can display at one time.@Delete some of the bound or unbound object frames.@@1@@@1' **Access 2010+ uses different description:** 'The form or report includes more OLE objects than Microsoft Access can display at one time.@Delete some of the bound or unbound object frames.@@1@@@1'

There is no object in this control.@@@1@@1 **Access 2007+ uses different description:** 'There is no object in this control.@@@1@@@1'

The OLE object is empty.@You can't edit a bound object frame if the field in the underlying table doesn't contain an OLE object.@Embed or link an OLE object into the bound object frame using the Object command on the Insert menu.@1@109360@1 **Access 2007+ uses different description:** 'The OLE object is empty.@You can't edit a bound object frame if the field in the underlying table doesn't contain an OLE object.@Right-click the field, click Insert Object, and use the dialog box to locate and add the object to the field.@1@1@9360@1'

The object doesn't have an OLE object data type.@The bound object frame containing the object you tried to edit isn't bound to a field with the OLE object data type.@If you want to display an OLE object, set the ControlSource property for the bound object frame to a field with the OLE object data type. Or use a different control, such as a text box, to display the data.@1@109360@1 **Access 2007+ uses different description:** 'The object doesn't have an OLE object data type.@The bound object frame containing the object you tried to edit isn't bound to a field with the OLE object data type.@If you want to display an OLE object, set the ControlSource property for the bound object frame to a field with the OLE object data type. Or use a different control, such as a text box, to display the data.@1@1@9360@1'

Microsoft Office Access is unable to save the | object.@Your computer ran out of disk space while Microsoft Office Access was saving the OLE object. For information on freeing disk space, search the Microsoft Windows Help index for 'disk space, freeing'.@@1@@1 **Access 2007+ uses different description:** 'Microsoft Office Access is unable to save the | object.@Your computer ran out of disk space while Microsoft Office Access was saving the OLE object. For information on freeing disk space, search the Microsoft Windows Help index for 'disk space, freeing'.@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access is unable to save the |1 object.@Your computer ran out of disk space while Microsoft Access was saving the OLE object. For information on freeing disk space, search the Microsoft Windows Help index for 'disk space, freeing'.@@1@@@1'

2687	<p>There was a problem loading the   object.@1@@1 Access 2007+ uses different description: "</p> <p>A system resource necessary for displaying the   object isn't available.@Your computer may be low on memory.@Close unneeded programs, and try the operation again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@1@@1 Access 2007+ uses different description: 'A system resource necessary for displaying the   object isn't available.@Your computer may be low on memory.@Close unneeded programs, and try the operation again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@1@@1'</p>	Access 2003
2690	<p>Microsoft Office Access can't communicate with the OLE server.@The OLE server may not be registered.@To register the OLE server, reinstall it.@1@@1 Access 2007+ uses different description: 'Microsoft Office Access can't communicate with the OLE server.@The OLE server may not be registered.@To register the OLE server, reinstall it.@1@@1' Access 2010+ uses different description: 'Microsoft Access can't communicate with the OLE server.@The OLE server may not be registered.@To register the OLE server, reinstall it.@1@@1'</p> <p>The Clipboard isn't available.@The Clipboard may be in use by another application, or your computer may be low on memory.@If your computer is low on memory, close unneeded programs, and then try the operation again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@1@@1 Access 2007+ uses different description: 'The Clipboard isn't available.@The Clipboard may be in use by another application, or your computer may be low on memory.@If your computer is low on memory, close unneeded programs, and then try the operation again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@1@@1'</p>	Access 2003+
2691	<p>Microsoft Office Access is unable to display the converted   object.@Delete the object in the bound object frame, and then re-create it.@1@@1 Access 2007+ uses different description: 'Microsoft Office Access is unable to display the converted   object.@Delete the object in the bound object frame, and then re-create it.@1@@1' Access 2010+ uses different description: 'Microsoft Access is unable to display the converted  1 object.@Delete the object in the bound object frame, and then re-create it.@1@@1'</p> <p>Microsoft Office Access can't read the OLE object.@Delete the object in the bound object frame, and then re-create it.@1@@1 Access 2007+ uses different description: 'Microsoft Office Access can't read the OLE object.@Delete the object in the bound object frame, and then re-create it.@1@@1' Access 2010+ uses different description: 'Microsoft Access can't read the OLE object.@Delete the object in the bound object frame, and then re-create it.@1@@1'</p>	Access 2003+
2694	<p>There was a problem loading the   object.@The object you tried to create or edit is not a valid OLE object.@Re-create the object, and then embed or link it again.@1@109360@1 Access 2007+ uses different description: 'There was a problem loading the   object.@The object you tried to create or edit is not a valid OLE object.@Re-create the object, and then embed or link it again.@1@1@9360@1'</p>	Access 2003+
2695	<p>The   object you tried to create or edit is too large to save.@* Your database may not contain enough space for the object. * Your computer may be out of disk space. For information on freeing disk space, search the Microsoft Windows Help index for 'disk space, freeing'.@1@@1 Access 2007+ uses different description: 'The   object you tried to create or edit is too large to save.@* Your database may not contain enough space for the object. * Your computer may be out of disk space. For information on freeing disk space,</p>	Access 2003+
2696		
2697		
2698		

search the Microsoft Windows Help index for 'disk space, freeing'.@@1@@@1'

The connection with the OLE server was lost, or the OLE server encountered an error while you were using it.@Restart the OLE server, and then try the operation again.@@1@@@1 **Access 2007+ uses different description:** 'The connection with the OLE server was lost, or the OLE server encountered an error while you were using it.@Restart the OLE server, and then try the operation again.@@1@@@1'

Microsoft Office Access can't find an OLE server or a dynamic-link library (DLL) required for the OLE operation.@The OLE server or DLL may not be registered.@To register the OLE server or DLL, reinstall it.@1@@@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't find an OLE server or a dynamic-link library (DLL) required for the OLE operation.@The OLE server or DLL may not be registered.@To register the OLE server or DLL, reinstall it.@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access can't find an OLE server or a dynamic-link library (DLL) required for the OLE operation.@The OLE server or DLL may not be registered.@To register the OLE server or DLL, reinstall it.@1@@@1'

### Error Code

**Error Description**

The OLE server for the OLE object you tried to create is already open.@Switch to the OLE server window and close it. Then try to create or edit the OLE object again.@@1@@@1 **Access 2007+ uses different description:** 'The OLE server for the OLE object you tried to create is already open.@Switch to the OLE server window and close it. Then try to create or edit the OLE object again.@@1@@@1'

The | object isn't registered.@The object may be calling an application that isn't installed.@To register the application, reinstall it.@1@@@1 **Access 2007+ uses different description:** 'The | object isn't registered.@The object may be calling an application that isn't installed.@To register the application, reinstall it.@1@@@1'

Microsoft Office Access can't read the | object because communication was interrupted.@If the OLE server application is located on a network server, make sure your computer is connected to it.@@1@@@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't read the | object because communication was interrupted.@If the OLE server application is located on a network server, make sure your computer is connected to it.@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access can't read the |1 object because communication was interrupted.@If the OLE server application is located on a network server, make sure your computer is connected to it.@@1@@@1'

The | object you tried to edit doesn't have any displayable information.@@@2@109360@1 **Access 2007+ uses different description:** 'The | object you tried to edit doesn't have any displayable information.@@@2@1@9360@1'

Microsoft Office Access can't open the file containing the OLE object.@\* You may have specified an invalid file name or an invalid unit of data (such as a range of cells from a worksheet) within the file for the OLE object. \* The file you specified may not be available because it's locked by another user or you don't have permission to use it.@Try one of the following: \* Make sure the file is available and that you used the correct file name. \* Check the OLE server's documentation for information about the syntax to use when specifying an OLE object's data.@1@109360@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't open the file containing the OLE object.@\* You may have specified an invalid file name or an invalid unit of data (such as a range of cells from a worksheet) within the file for the OLE object. \* The file you specified may not be available because it's locked by another user or you

Access 2003+

Access 2003+

**Supported Versions**

Access 2003+

Access 2003+

Access 2003+

Access 2003+

Access 2003+



don't have permission to use it.@Try one of the following: \* Make sure the file is available and that you used the correct file name. \* Check the OLE server's documentation for information about the syntax to use when specifying an OLE object's data.@1@1@9360@1' **Access 2010+ uses different description:** 'Microsoft Access can't open the file containing the OLE object.@\* You may have specified an invalid file name or an invalid unit of data (such as a range of cells from a worksheet) within the file for the OLE object. \* The file you specified may not be available because it's locked by another user or you don't have permission to use it.@Try one of the following: \* Make sure the file is available and that you used the correct file name. \* Check the OLE server's documentation for information about the syntax to use when specifying an OLE object's data.@1@1@9360@1'

The file name argument in the GetObject function of the Visual Basic procedure you ran is invalid.@\* You may not have entered, or may have misspelled, the file name. \* The unit of data (such as a range of cells from a worksheet) may not be valid.@Try one of the following: \* Make sure the file is installed on your computer and that you used the correct file name. \* Check the OLE server's documentation for information about the syntax to use when specifying an OLE object's data.@1@1010959@1 **Access 2007+ uses different description:** 'The file name argument in the GetObject function of the Visual Basic procedure you ran is invalid.@\* You may not have entered, or may have misspelled, the file name. \* The unit of data (such as a range of cells from a worksheet) may not be valid.@Try one of the following: \* Make sure the file is installed on your computer and that you used the correct file name. \* Check the OLE server's documentation for information about the syntax to use when specifying an OLE object's data.@1@3@1010959@1'

A problem occurred when Microsoft Office Access tried to access the | object.@\* You may have specified an invalid file name or an invalid unit of data (such as a range of cells from a worksheet) within the file for the OLE object. \* The file you specified may not be available because it's locked by another user or you don't have permission to use it.@Try one of the following: \* Make sure that the file is installed on your computer and that you used the correct file name. \* Check the OLE server's documentation for information about the syntax to use when specifying an OLE object's data.@1@109360@1 **Access 2007+ uses different description:** 'A problem occurred when Microsoft Office Access tried to access the | object.@\* You may have specified an invalid file name or an invalid unit of data (such as a range of cells from a worksheet) within the file for the OLE object. \* The file you specified may not be available because it's locked by another user or you don't have permission to use it.@Try one of the following: \* Make sure that the file is installed on your computer and that you used the correct file name. \* Check the OLE server's documentation for information about the syntax to use when specifying an OLE object's data.@1@1@9360@1' **Access 2010+ uses different description:** 'A problem occurred when Microsoft Access tried to access the |1 object.@\* You may have specified an invalid file name or an invalid unit of data (such as a range of cells from a worksheet) within the file for the OLE object. \* The file you specified may not be available because it's locked by another user or you don't have permission to use it.@Try one of the following: \* Make sure that the file is installed on your computer and that you used the correct file name. \* Check the OLE server's documentation for information about the syntax to use when specifying an OLE object's data.@1@1@9360@1'

The | object doesn't support verbs that can be performed on an OLE object, such as play or edit.@Check the OLE server's documentation for information on the verbs the OLE object supports, or use the ObjectVerbs property or the ObjectVerbsCount property to find the verbs supported by an OLE object.@1@1@606970@1 **Access 2007+ uses different description:** 'The | object doesn't support verbs that can be performed on an OLE object, such as play or edit.@Check the OLE server's documentation for information on the

Access 2003+

Access 2003+

Access 2003+

verbs the OLE object supports, or use the ObjectVerbs property or the ObjectVerbsCount property to find the verbs supported by an OLE object.@@1@1@6970@1'

The index for the Action or the Verb property for the | object is invalid.@The setting you entered may be a negative number or may be too

2715 large.@@1@606967@1 **Access 2007+ uses different description:** 'The index for the Action or the Verb property for the | object is invalid.@The setting you entered may be a negative number or may be too large.@@1@1@6967@1' Access 2003+

The | object has no displayable information.@You tried to perform an operation on a bound or unbound object frame containing an OLE object, but the OLE object is empty.@Use the Object command on the Insert menu to create an OLE object or to embed or link an OLE object from a file that isn't

2717 empty.@1@109360@1 **Access 2007+ uses different description:** 'The | object has no information that can be displayed.@You tried to perform an operation on a bound or unbound object frame containing an OLE object, but the OLE object is empty.@Right-click the frame, click Insert Object, and then use the dialog box to locate and either add or link to an object from a file that is not empty.@1@1@9360@1' Access 2003+

A problem occurred while accessing the | object.@\* The OLE server may not be available because it's on a network server and you lost the connection. Try re-establishing the connection. \* The OLE object may be stored in a linked file, but the file isn't available. Activate the OLE server outside of Microsoft Office Access, and then open the file containing the OLE object to verify that it still exists and can be accessed.@@1@@1 **Access 2007+ uses different**

2719 **description:** 'A problem occurred while accessing the | object.@\* The OLE server may not be available because it's on a network server and you lost the connection. Try re-establishing the connection. \* The OLE object may be stored in a linked file, but the file isn't available. Activate the OLE server outside of Microsoft Office Access, and then open the file containing the OLE object to verify that it still exists and can be accessed.@@1@@@1' **Access 2010+ uses different description:** 'A problem occurred while accessing the |1 object.@\* The OLE server may not be available because it's on a network server and you lost the connection. Try re-establishing the connection. \* The OLE object may be stored in a linked file, but the file isn't available. Activate the OLE server outside of Microsoft Access, and then open the file containing the OLE object to verify that it still exists and can be accessed.@@1@@@1' Access 2003+

The | object doesn't support the attempted operation.@The OLE object was changed to a picture, or the link to the object was broken.@If you want to perform the operation, delete the OLE object, and then embed or link it again.@1@109360@1 **Access 2007+ uses different description:** 'The | object doesn't support the attempted operation.@The OLE object was changed to a picture, or the link to the object was broken.@If you want to perform the operation, delete the OLE object, and then embed or link it again.@1@1@9360@1'

2723 Access 2003+

2724 One or more dynamic-link libraries required for using OLE objects is an incorrect version.@Run Setup to reinstall Microsoft Office Access. If you want to preserve your security or custom settings, back up the Microsoft Office Access workgroup information file. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'.@@1@@1 **Access 2007+ uses different description:** 'One or more dynamic-link libraries required for using OLE objects is an incorrect version.@Run Setup to reinstall Microsoft Office Access. If you want to preserve your security or custom settings, back up the Microsoft Office Access workgroup information file. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'.@@1@@185309@1' **Access 2010+ uses different description:** 'One or more dynamic-link libraries required for using OLE objects is an incorrect version.@Run Setup to reinstall Microsoft Access. If you

want to secure your security or custom settings, back up the Microsoft Access workgroup information file. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'.@@1@@185309@1'

The OLE server isn't registered.@To register the OLE server, reinstall

it.@@1@@1 **Access 2007+ uses different description:** 'The OLE server isn't registered.@To register the OLE server, reinstall it.@@1@@@1'

Microsoft Office Access can't perform the OLE operation because it was unable to read the Windows Registry where the OLE server is registered.@Reinstall the OLE server, and then try the operation again. If problems continue, reinstall Microsoft Windows and the other applications on your computer. If you reinstall Microsoft Office Access, you may want to back up your Microsoft Office Access workgroup information file first to preserve any custom settings. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'. For information on the Windows Registry, search the Microsoft Windows Help index for 'registry'.@@1@@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't perform the OLE operation because it was unable to read the Windows Registry where the OLE server is registered.@Reinstall the OLE server, and then try the operation again.

If problems continue, reinstall Microsoft Windows and the other applications on your computer. If you reinstall Microsoft Office Access, you may want to back up your Microsoft Office Access workgroup information file first to preserve any custom settings. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'. For information on the Windows Registry, search the Microsoft Windows Help index for 'registry'.@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access can't perform the OLE operation because it was unable to read the Windows Registry where the OLE server is registered.@Reinstall the OLE server, and then try the operation again. If problems continue, reinstall Microsoft Windows and the other applications on your computer. If you reinstall Microsoft Access, you may want to back up your Microsoft Access workgroup information file first to preserve any custom settings. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'. For information on the Windows Registry, search the Microsoft Windows Help index for 'registry'.@@1@@@1'

Microsoft Office Access can't perform the OLE operation because it was unable to write to the Windows Registry where the OLE server is

registered.@Reinstall the OLE server, and then try the operation again. If problems continue, reinstall Microsoft Windows and the other applications on your computer. If you reinstall Microsoft Office Access, you may want to back up your Microsoft Office Access workgroup information file first to preserve any custom settings. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'. For information on the Windows Registry, search the Microsoft Windows Help index for 'registry'.@@1@@@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't perform the OLE operation because it was unable to write to the Windows Registry where the OLE server is registered.@Reinstall the OLE server, and then try the operation again. If problems continue, reinstall Microsoft Windows and the other applications on your computer. If you reinstall Microsoft Office Access, you may want to back up your Microsoft Office Access workgroup information file first to preserve any custom settings. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'. For information on the Windows Registry, search the Microsoft Windows Help index for 'registry'.@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access can't perform the OLE operation because it was unable to write to the Windows Registry where the OLE server is registered.@Reinstall the OLE server, and then try the operation again. If problems continue, reinstall Microsoft Windows and the other applications on your computer. If you reinstall Microsoft Access, you may want to back up

your Microsoft Access workgroup information file first to preserve any custom settings. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'. For information on the Windows Registry, search the Microsoft Windows Help index for 'registry'.@@1@@@1'

The OLE object you tried to edit is busy.@Try again later.@@1@@1 **Access 2007+ uses different description:** 'The OLE object you tried to edit is busy.@Try again later.@@1@@@1'

Access 2003+

There was a problem communicating with the OLE server.@Try again later. If you still can't access the object, try one or more of the following: \* Free up system memory. For information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'. \* Reinstall the OLE server to make sure it's registered. \* Check the OLE server's documentation for information about the syntax to use when specifying an OLE object's data.@@1@@1 **Access 2007+ uses different description:** 'There was a problem communicating with the OLE server.@Try again later. If you still can't access the object, try one or more of the following: \* Free up system memory. For information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'. \* Reinstall the OLE server to make sure it's registered. \* Check the OLE server's documentation for information about the syntax to use when specifying an OLE object's data.@@1@@@1'

Access 2003+

An error occurred while accessing the OLE server.@The OLE server may not be registered.@To register the OLE server, reinstall it.@1@@1 **Access 2007+ uses different description:** 'An error occurred while accessing the OLE server.@The OLE server may not be registered.@To register the OLE server, reinstall it.@1@@@1'

Access 2003+

Microsoft Office Access can't read the | object.@Communication between Microsoft Office Access and the OLE server was interrupted.@Make sure your computer is connected to the network server on which the OLE server is located.@1@@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't read the | object.@Communication between Microsoft Office Access and the OLE server was interrupted.@Make sure your computer is connected to the network server on which the OLE server is located.@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access can't read the |1 object.@Communication between Microsoft Access and the OLE server was interrupted.@Make sure your computer is connected to the network server on which the OLE server is located.@1@@@1'

Access 2003+

Error Code	Error Description	Supported Versions
2733	The OLE object you tried to edit can't be accessed.@You don't have permission to change the object, or another user opened and locked the object.@@1@@1 <b>Access 2007+ uses different description:</b> 'The OLE object you tried to edit can't be accessed.@You don't have permission to change the object, or another user opened and locked the object.@@1@@@1'	Access 2003+
2734	You can't save the   object now.@The OLE server is running an operation, or another user opened and locked the object.@Try to save the object again later.@1@@1 <b>Access 2007+ uses different description:</b> 'You can't save the   object now.@The OLE server is running an operation, or another user opened and locked the object.@Try to save the object again later.@1@@@1'	Access 2003+
2735	This disk is write-protected. You can't save the   object to it.@@@1@@1 <b>Access 2007+ uses different description:</b> 'This disk is write-protected. You can't save the   object to it.@@@1@@@1'	Access 2003+
2737	Microsoft Office Access can't find the file containing the linked OLE object you tried to update using the OLE/DDE Links command.@You may have misspelled the file name, or the file may have been deleted or renamed.@If the file has been moved to a different location, use the OLE/DDE Links command to change the source. Or delete the object, and create a new linked object.@1@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office	Access 2003+

Access can't find the file containing the linked OLE object you tried to update using the OLE/DDE Links command.@You may have misspelled the file name, or the file may have been deleted or renamed.@If the file has been moved to a different location, use the OLE/DDE Links command to change the source. Or delete the object, and create a new linked object.@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access can't find the file containing the linked OLE object you tried to update using the OLE/DDE Links command.@You may have misspelled the file name, or the file may have been deleted or renamed.@If the file has been moved to a different location, use the OLE/DDE Links command to change the source. Or delete the object, and create a new linked object.@1@@@1'

There isn't enough memory to complete the operation.@Close unneeded programs and try the operation again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@@1@@1 **Access 2007+ uses different description:** 'There isn't enough memory to complete the operation.@Close unneeded programs and try the operation again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@@1@@@1'

An error occurred during the operation with an OLE object.@The object is in use.@@1@@1 **Access 2007+ uses different description:** 'An error occurred during the operation with an OLE object.@The object is in use.@@1@@@1'

Your computer ran out of disk space while Microsoft Office Access was saving the changes you made to the | object.@For information on freeing disk space, search the Microsoft Windows Help index for 'disk space, freeing'.@@1@@1 **Access 2007+ uses different description:** 'Your computer ran out of disk space while Microsoft Office Access was saving the changes you made to the | object.@For information on freeing disk space, search the Microsoft Windows Help index for 'disk space, freeing'.@@1@@@1' **Access 2010+ uses different description:** 'Your computer ran out of disk space while Microsoft Access was saving the changes you made to the |1 object.@For information on freeing disk space, search the Microsoft Windows Help index for 'disk space, freeing'.@@1@@@1'

Microsoft Office Access was unable to create more files.@Your computer may be low on memory or disk space.@Close unneeded programs and try the operation again. For information on freeing memory or disk space, search the Microsoft Windows Help index for 'memory, troubleshooting' or 'disk space, freeing'.@1@@1 **Access 2007+ uses different description:** 'Microsoft Office Access was unable to create more files.@Your computer may be low on memory or disk space.@Close unneeded programs and try the operation again. For information on freeing memory or disk space, search the Microsoft Windows Help index for 'memory, troubleshooting' or 'disk space, freeing'.@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access was unable to create more files.@Your computer may be low on memory or disk space.@Close unneeded programs and try the operation again. For information on freeing memory or disk space, search the Microsoft Windows Help index for 'memory, troubleshooting' or 'disk space, freeing'.@1@@@1'

The | object is stored in a format that is incompatible with the version of OLE on your computer.@@@1@@1 **Access 2007+ uses different description:** 'The | object is stored in a format that is incompatible with the version of OLE on your computer.@@@1@@@1'

Microsoft Office Access can't find the OLE server.@The setting for the SourceDoc property may be invalid, or the file may have been deleted, renamed, or moved.@@1@606973@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't find the OLE server.@The setting for the SourceDoc property may be invalid, or the file may have been deleted,

renamed, or moved.@1@1@6973@1' **Access 2010+ uses different description:** 'Microsoft Access can't find the OLE server.@The setting for the SourceDoc property may be invalid, or the file may have been deleted, renamed, or moved.@1@1@6973@1'

Share.exe or Vshare.386 is missing from your computer; OLE support needs these files to work correctly.@Rerun Microsoft Office Access or Microsoft Office Setup to reinstall Microsoft Office Access, the Share program, and Vshare.386.@If you want to preserve your security or custom settings, back up the Microsoft Office Access workgroup information file. Then restore the file to its original location. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'.@1@@3 **Access 2007+ uses**

**different description:** 'Share.exe or Vshare.386 is missing from your computer; OLE support needs these files to work correctly.@Rerun Microsoft Office Access or Microsoft Office Setup to reinstall Microsoft Office Access, the Share program, and Vshare.386.@If you want to preserve your security or custom settings, back up the Microsoft Office Access workgroup information file. Then restore the file to its original location. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'.@1@@185309@3' **Access 2010+ uses different description:** 'Share.exe or Vshare.386 is missing from your computer; OLE support needs these files to work correctly.@Rerun Microsoft Access or Microsoft Office Setup to reinstall Microsoft Access, the Share program, and Vshare.386.@If you want to preserve your security or custom settings, back up the Microsoft Access workgroup information file. Then restore the file to its original location. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'.@1@@185309@3'

You can't switch to Design view because your form contains too many OLE objects.@Close other applications, close the form, and then open the form again in Design view. Then delete some of the OLE objects or move them to a different form.@1@@1 **Access 2007+ uses different description:** 'You can't switch to Design view because your form contains too many OLE objects.@Close other applications, close the form, and then open the form again in Design view. Then delete some of the OLE objects or move them to a different form.@1@@@1'

The OLE server can't display the | object.@There is a problem with the file containing the OLE object, or there isn't enough memory available.@Open the OLE server outside of Microsoft Office Access, and then open the OLE object file. If you can do this, then your computer may be low on memory. Close other programs, and then try the operation again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@1@@1 **Access 2007+ uses different description:** 'The OLE server can't display the | object.@There is a problem with the file containing the OLE object, or there isn't enough memory available.@Open the OLE server outside of Microsoft Office Access, and then open the OLE object file. If you can do this, then your computer may be low on memory. Close other programs, and then try the operation again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@1@@@1' **Access 2010+ uses different description:** 'The OLE server can't display the |1 object.@There is a problem with the file containing the OLE object, or there isn't enough memory available.@Open the OLE server outside of Microsoft Access, and then open the OLE object file. If you can do this, then your computer may be low on memory. Close other programs, and then try the operation again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@1@@@1'

The Automation object operation isn't available for the | object.@Check the component's documentation for information on which operations are available

Access 2003+

Access 2003+

Access 2003+

Access 2003+

for an Automation object.@@1@@@1 **Access 2007+ uses different**

**description:** 'The Automation object operation isn't available for the | object.@Check the component's documentation for information on which operations are available for an Automation object.@@1@@@1'

There isn't enough memory to complete the Automation object operation on the | object.@Close unneeded programs and try the operation again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@@1@@@1 **Access 2007+ uses different**

**description:** 'There isn't enough memory to complete the Automation object operation on the | object.@Close unneeded programs and try the operation again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@@1@@@1'

The operation on the | object failed.@The OLE server may not be registered.@To register the OLE server, reinstall it.@1@@@1 **Access 2007+ uses different description:** 'The operation on the | object failed.@The OLE server may not be registered.@To register the OLE server, reinstall it.@1@@@1'

The Exit or Update operation failed.@You pressed the ESC key (or another key used in the OLE server to stop an operation) while Microsoft Office Access was saving the changes you made to an OLE object in a form or report.@Try to exit or update again.@1@@@1 **Access 2007+ uses different description:** 'The Exit or Update operation failed.@You pressed the ESC key (or another key used in the OLE server to stop an operation) while Microsoft Office Access was saving the changes you made to an OLE object in a form or report.@Try to exit or update again.@1@@@1' **Access 2010+ uses different description:** 'The Exit or Update operation failed.@You pressed the ESC key (or another key used in the OLE server to stop an operation) while Microsoft Access was saving the changes you made to an OLE object in a form or report.@Try to exit or update again.@1@@@1'

A problem occurred while Microsoft Office Access was communicating with the OLE server or ActiveX Control.@Close the OLE server and restart it outside of Microsoft Office Access. Then try the original operation again in Microsoft Office Access.@@1@@@1 **Access 2007+ uses different description:** 'A problem occurred while Microsoft Office Access was communicating with the OLE server or ActiveX Control.@Close the OLE server and restart it outside of Microsoft Office Access. Then try the original operation again in Microsoft Office Access.@@1@@@1' **Access 2010+ uses different description:** 'A problem occurred while Microsoft Access was communicating with the OLE server or ActiveX Control.@Close the OLE server and restart it outside of Microsoft Access. Then try the original operation again in Microsoft Access.@@1@@@1'

A problem occurred while Microsoft Office Access was communicating with the OLE server.@Try one or more of the following: \* Make sure you're connected to the network server where the OLE server application is located. \* Close the OLE server and restart it outside of Microsoft Office Access. Then try the original operation again from within Microsoft Office Access. \* Reinstall the OLE server to ensure that it's registered.@@1@@@1 **Access 2007+ uses different description:** 'A problem occurred while Microsoft Office Access was communicating with the OLE server.@Try one or more of the following: \* Make sure you're connected to the network server where the OLE server application is located. \* Close the OLE server and restart it outside of Microsoft Office Access. Then try the original operation again from within Microsoft Office Access. \* Reinstall the OLE server to ensure that it's registered.@@1@@@1' **Access 2010+ uses different description:** 'A problem occurred while Microsoft Access was communicating with the OLE server.@Try one or more of the following: \* Make sure you're connected to the network server where the OLE server application is located. \* Close the OLE

Access 2003+

Access 2003+

Access 2003+

Access 2003+

Access 2003+

server and restart it outside of Microsoft Access. Then try the original operation again from within Microsoft Access. \* Reinstall the OLE server to ensure that it's registered.@@1@@@1'

There was a problem referencing a property or method of the object.@You tried to run a Visual Basic procedure that references an object property or method.@Try one or more of the following: \* Make sure the component is properly registered. \* Make sure your computer is connected to the network server where the component is located. \* Close the component and restart it outside of Microsoft Office Access. Then try again to run the procedure in Microsoft Office Access.@@1@@@1' **Access 2007+ uses different description:**

'There was a problem referencing a property or method of the object.@You tried to run a Visual Basic procedure that references an object property or method.@Try one or more of the following: \* Make sure the component is properly registered. \* Make sure your computer is connected to the network server where the component is located. \* Close the component and restart it outside of Microsoft Office Access. Then try again to run the procedure in Microsoft Office Access.@@1@@@1' **Access 2010+ uses different description:** 'There was a problem referencing a property or method of the object.@You tried to run a Visual Basic procedure that references an object property or method.@Try one or more of the following: \* Make sure the component is properly registered. \* Make sure your computer is connected to the network server where the component is located. \* Close the component and restart it outside of Microsoft Access. Then try again to run the procedure in Microsoft Access.@@1@@@1'

Access 2003+

2755

## Error Code

## Error Description

## Supported Versions

A problem occurred when Microsoft Office Access tried to access the OLE object.@Close the Microsoft Office Access form or report that displays the OLE object, and close the OLE server. Then reopen the form or report to see if it can display the OLE object.@@1@@@1' **Access 2007+ uses different description:** 'A problem occurred when Microsoft Office Access tried to access the OLE object.@Close the Microsoft Office Access form or report that displays the OLE object, and close the OLE server. Then reopen the form or report to see if it can display the OLE object.@@1@@@1' **Access 2010+ uses different description:** 'A problem occurred when Microsoft Access tried to access the OLE object.@Close the Microsoft Access form or report that displays the OLE object, and close the OLE server. Then reopen the form or report to see if it can display the OLE object.@@1@@@1'

Access 2003+

2756

There was a problem accessing a property or method of the OLE object.@Try one or more of the following: \* Verify that the OLE server is registered correctly by reinstalling it. \* Make sure your computer is connected to the server on which the OLE server application resides. \* Close the OLE server and restart it outside of Microsoft Office Access. Then try the original operation again from within Microsoft Office Access.@@1@@@1' **Access 2007+ uses different description:** 'There was a problem accessing a property or method of the OLE object.@Try one or more of the following: \* Verify that the OLE server is registered correctly by reinstalling it. \* Make sure your computer is connected to the server on which the OLE server application resides. \* Close the OLE server and restart it outside of Microsoft Office Access. Then try the original operation again from within Microsoft Office Access.@@1@@@1' **Access 2010+ uses different description:** 'There was a problem accessing a property or method of the OLE object.@Try one or more of the following: \* Verify that the OLE server is registered correctly by reinstalling it. \* Make sure your computer is connected to the server on which the OLE server application resides. \* Close the OLE server and restart it outside of Microsoft Access. Then try the original operation again from within Microsoft Access.@@1@@@1'

Access 2003+

2757

There was a problem initializing the dynamic-link library Msole20 when you tried to perform the OLE operation.@\* You may have too many Microsoft

Access 2003

2758



applications open. Close Windows applications other than Microsoft Office Access, and try the OLE operation again. \* Your computer may have an older version of the dynamic-link library Msole20, in which case you will need to run Setup to reinstall Microsoft Office Access. If you need to reinstall Microsoft Office Access, you may want to preserve your security or custom settings by backing up the Microsoft Office Access workgroup information file. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'.@1@1 **Access 2007+ uses different description:** "

The method you tried to invoke on an object failed.@\* You may have specified too many or too few arguments for a property or method of an object. Check the component's documentation for information on the properties and methods it makes available for Automation operations. \* There may not be enough memory to run the procedure. Close unneeded programs and try to run the procedure again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@1@@1

**Access 2007+ uses different description:** 'The method you tried to invoke on an object failed.@\* You may have specified too many or too few arguments for a property or method of an object. Check the component's documentation for information on the properties and methods it makes available for Automation operations. \* There may not be enough memory to run the procedure. Close unneeded programs and try to run the procedure again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@1@@@1'

An error occurred while referencing the object.@You tried to run a Visual Basic procedure that improperly references a property or method of an object.@1@@1 **Access 2007+ uses different description:** 'An error occurred while referencing the object.@You tried to run a Visual Basic procedure that improperly references a property or method of an object.@1@@@1'

There was a problem referencing a property or method of an object.@Check the component's documentation for information on the properties and methods it makes available for Automation operations.@1@@1 **Access 2007+ uses different description:** 'There was a problem referencing a property or method of an object.@Check the component's documentation for information on the properties and methods it makes available for Automation operations.@1@@@1'

| returned an error while referencing a property of an object.@Check the component's documentation for information on the properties and methods it makes available for Automation operations.@1@@1 **Access 2007+ uses different description:** '| returned an error while referencing a property of an object.@Check the component's documentation for information on the properties and methods it makes available for Automation operations.@1@@@1'

|1 returned the error: |2.@Check the component's documentation for information on the properties and methods it makes available for Automation operations.@1@@1 **Access 2007+ uses different description:** '|1 returned the error: |2.@Check the component's documentation for information on the properties and methods it makes available for Automation operations.@1@@@1'

The object's property or method can't be set.@You tried to run a Visual Basic procedure to set a property or apply a method for an object. However, the property or method doesn't support named arguments.@Check the component's documentation for information on the properties and methods it makes available to Automation operations.@1@@1 **Access 2007+ uses different description:** 'The object's property or method can't be set.@You tried to run a Visual Basic procedure to set a property or apply a method for an object. However, the property or method doesn't support named arguments.@Check

Access 2003+

Access 2003+

Access 2003+

Access 2003+

Access 2003+

Access 2003+

the component's documentation for information on the properties and methods it makes available to Automation operations.@1@@@1'

Visual Basic can't convert the data type of one of the arguments you entered.@You tried to run a Visual Basic procedure that executes a method or sets a property of an object.@Check the component's documentation for information on the properties and methods it makes available for Automation operations.@1@@@1 **Access 2007+ uses different description:** 'Visual Basic can't convert the data type of one of the arguments you entered.@You tried to run a Visual Basic procedure that executes a method or sets a property of an object.@Check the component's documentation for information on the properties and methods it makes available for Automation operations.@1@@@1'

Access 2003+

The object doesn't contain the Automation object '|'.@You tried to run a Visual Basic procedure to set a property or method for an object. However, the component doesn't make the property or method available for Automation operations.@Check the component's documentation for information on the properties and methods it makes available for Automation operations.@1@@@1 **Access 2007+ uses different description:** 'The object doesn't contain the Automation object '|'.@You tried to run a Visual Basic procedure to set a property or method for an object. However, the component doesn't make the property or method available for Automation operations.@Check the component's documentation for information on the properties and methods it makes available for Automation operations.@1@@@1'

Access 2003+

The object doesn't support American English; it was developed using a different language.@Use a version of the object developed in Visual Basic that supports the language you are using.@@1@@@1 **Access 2007+ uses different description:** 'The object doesn't support American English; it was developed using a different language.@Use a version of the object developed in Visual Basic that supports the language you are using.@@1@@@1'

Access 2003+

The number you used to reference an element in the array is outside the bounds of the array.@For example, the array is from 0 through 10, and you entered a -1 or an 11.@Check the component's documentation for information on the properties and methods it makes available for Automation operations.@1@@@1 **Access 2007+ uses different description:** 'The number you used to reference an element in the array is outside the bounds of the array.@For example, the array is from 0 through 10, and you entered a -1 or an 11.@Check the component's documentation for information on the properties and methods it makes available for Automation operations.@1@@@1'

Access 2003+

A property of the Automation object requires or returns a data type that isn't supported by Visual Basic.@You tried to run a Visual Basic procedure that references an Automation object's property. However, the value of the property isn't supported by Visual Basic.@Check the component's documentation for information on the properties and methods it makes available for Automation operations.@1@@@1 **Access 2007+ uses different description:** 'A property of the Automation object requires or returns a data type that isn't supported by Visual Basic.@You tried to run a Visual Basic procedure that references an Automation object's property. However, the value of the property isn't supported by Visual Basic.@Check the component's documentation for information on the properties and methods it makes available for Automation operations.@1@@@1'

Access 2003+

The object you referenced in the Visual Basic procedure as an OLE object isn't an OLE object.@@@1@@@1 **Access 2007+ uses different description:** 'The object you referenced in the Visual Basic procedure as an OLE object isn't an OLE object.@@@1@@@1'

Access 2003+

The bound or unbound object frame you tried to edit doesn't contain an OLE object.@Use the Object command on the Insert menu to add an OLE object to the bound or unbound object frame.@@1@109360@1 **Access 2007+ uses**

Access 2003+

	<p><b>different description:</b> 'The bound or unbound object frame you tried to edit does not contain an OLE object.@Right-click the frame, click Insert Object, and then use the dialog box to locate and either add or link to an object from a file that is not empty.@@1@1@9360@1'</p> <p>The component doesn't support Automation.@You tried to run a Visual Basic procedure that references an Automation object.@Check the component's documentation for information on whether it supports Automation.@1@@1</p>	
2774	<p><b>Access 2007+ uses different description:</b> 'The component doesn't support Automation.@You tried to run a Visual Basic procedure that references an Automation object.@Check the component's documentation for information on whether it supports Automation.@1@@@1'</p> <p>You specified too many arguments in the Visual Basic procedure, or there isn't enough memory to run the procedure.@Specify fewer arguments, or close unneeded programs, and then try to run the procedure again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@@1@@1</p>	Access 2003+
2775	<p><b>Access 2007+ uses different description:</b> 'You specified too many arguments in the Visual Basic procedure, or there isn't enough memory to run the procedure.@Specify fewer arguments, or close unneeded programs, and then try to run the procedure again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@@1@@@1'</p> <p>The class argument in the CreateObject function of the Visual Basic procedure you're trying to run is invalid.@Try one of the following: * Make sure the file is installed on your computer and that you used the correct file name. * Check the OLE server's documentation for information about the syntax to use when specifying an OLE object's data.@@1@1010851@1</p>	Access 2003+
2777	<p><b>Access 2007+ uses different description:</b> 'The class argument in the CreateObject function of the Visual Basic procedure you're trying to run is invalid.@Try one of the following: * Make sure the file is installed on your computer and that you used the correct file name. * Check the OLE server's documentation for information about the syntax to use when specifying an OLE object's data.@@1@3@1010851@1'</p>	Access 2003+
2778	<p>Microsoft Office Access tried to create an OLE link, but there was no source document for this object.@@@1@@1</p> <p><b>Access 2007+ uses different description:</b> 'Microsoft Office Access tried to create an OLE link, but there was no source document for this object.@@@1@@@1'</p> <p><b>Access 2010+ uses different description:</b> 'Microsoft Access tried to create an OLE link, but there was no source document for this object.@@@1@@@1'</p>	Access 2003+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
2782	<p>You must specify a property or method for the object.@You tried to run a Visual Basic procedure that references and sets a property or method for the object.@Enter a property or method for the object.@1@606968@1</p> <p><b>Access 2007+ uses different description:</b> 'You must specify a property or method for the object.@You tried to run a Visual Basic procedure that references and sets a property or method for the object.@Enter a property or method for the object.@1@1@6968@1'</p>	Access 2003+

2783	<p>You entered an invalid setting for the Action property.@Use one of the Microsoft Office Access intrinsic constants for the Action property. For a list of valid settings you can use with the Action property, click Help.@@2@606967@1 <b>Access 2007+ uses different description:</b> 'You entered an invalid setting for the Action property.@Use one of the Microsoft Office Access intrinsic constants for the Action property. For a list of valid settings you can use with the Action property, click Help.@@2@1@6967@1' <b>Access 2010+ uses different description:</b> 'You entered an invalid setting for the Action property.@Use one of the Microsoft Access intrinsic constants for the Action property. For a list of valid settings you can use with the Action property, click Help.@@2@1@6967@1'</p>	Access 2003+
2784	<p>The path you entered for the SourceDoc property setting for a linked OLE object is too long.@Move the file to a location with a shorter path.@@1@606973@1 <b>Access 2007+ uses different description:</b> 'The path you entered for the SourceDoc property setting for a linked OLE object is too long.@Move the file to a location with a shorter path.@@1@1@6973@1'</p>	Access 2003+
2785	<p>The OLE server wasn't able to open the object.@* The OLE server may not be installed. * You may have specified an invalid setting for the SourceDoc or SourceItem property in a property sheet, a macro, or a Visual Basic procedure.@To see the valid settings for either of these properties, search the Help index for the property topic.@1@606973@1 <b>Access 2007+ uses different description:</b> 'The OLE server wasn't able to open the object.@* The OLE server may not be installed. * You may have specified an invalid setting for the SourceDoc or SourceItem property in a property sheet, a macro, or a Visual Basic procedure.@To see the valid settings for either of these properties, search the Help index for the property topic.@1@1@6973@1'</p>	Access 2003+
2786	<p>The OLE server doesn't support linking.@You tried to run a Visual Basic procedure using the Action property. However, you provided insufficient information to establish a link.@@1@@1 <b>Access 2007+ uses different description:</b> 'The OLE server doesn't support linking.@You tried to run a Visual Basic procedure using the Action property. However, you provided insufficient information to establish a link.@@1@@@1'</p>	Access 2003+
2788	<p>The   object isn't a linked object.@The property you tried to set in Visual Basic applies only to linked objects.@@1@@1 <b>Access 2007+ uses different description:</b> 'The   object isn't a linked object.@The property you tried to set in Visual Basic applies only to linked objects.@@1@@@1'</p>	Access 2003+
2790	<p>You can't embed an OLE object into a bound or unbound object frame if the OLETypeAllowed property for the bound or unbound object frame is set to Linked.@Insert a linked object, or set the OLETypeAllowed property to Embedded or Either, and then embed the object.@@1@606439@1 <b>Access 2007+ uses different description:</b> 'You can't embed an OLE object into a bound or unbound object frame if the OLETypeAllowed property for the bound or unbound object frame is set to Linked.@Insert a linked object, or set the OLETypeAllowed property to Embedded or Either, and then embed the object.@@1@1@6439@1'</p>	Access 2003+
2791	<p>Microsoft Office Access can't link the OLE object or the bound or unbound object frame.@The OLETypeAllowed property for the bound or unbound object frame is set to Embedded.@Embed the object, or set the OLETypeAllowed property to Linked or Either, and then link the object.@1@606439@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access can't link the OLE object or the bound or unbound object frame.@The OLETypeAllowed property for the bound or unbound object frame is set to Embedded.@Embed the object, or set the OLETypeAllowed property to Linked or Either, and then link the object.@1@1@6439@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access can't link the OLE object or the bound or unbound object frame.@The OLETypeAllowed property for the bound or unbound object frame is set to Embedded.@Embed the object, or set</p>	Access 2003+

the OLETypeAllowed property to Linked or Either, and then link the object.@1@1@6439@1'

- 2792 You can't save a locked OLE object.@@@1@@1 **Access 2007+ uses different description:** 'You can't save a locked OLE object.@@@1@@@1' Access 2003+
- 2793 Microsoft Office Access can't perform the operation specified in the Action property of the Visual Basic procedure you're trying to run.@The object frame may be locked or disabled.@Set the Locked property to No and the Enabled property to Yes.@1@@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't perform the operation specified in the Action property of the Visual Basic procedure you're trying to run.@The object frame may be locked or disabled.@Set the Locked property to No and the Enabled property to Yes.@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access can't perform the operation specified in the Action property of the Visual Basic procedure you're trying to run.@The object frame may be locked or disabled.@Set the Locked property to No and the Enabled property to Yes.@1@@@1' Access 2003+
- 2794 The ActiveX control you tried to insert isn't registered.@For information on registering an ActiveX control, click Help.@@2@212639@1 **Access 2007+ uses different description:** 'The ActiveX control you tried to insert isn't registered.@For information on registering an ActiveX control, click Help.@@2@1@12639@1' Access 2003+
- 2797 This OLE object was created in an earlier version of OLE so it can't be displayed as an icon.@For an effect similar to displaying an object as an icon, add an image control to your form, and add the icon for the application to the image control. Then set the image control's OnDbClick property to a Visual Basic procedure that opens the OLE object.@@1@@1 **Access 2007+ uses different description:** 'This OLE object was created in an earlier version of OLE so it can't be displayed as an icon.@For an effect similar to displaying an object as an icon, add an image control to your form, and add the icon for the application to the image control. Then set the image control's OnDbClick property to a Visual Basic procedure that opens the OLE object.@@1@@@1' Access 2003+
- 2798 You can't use the Action property to delete a bound OLE object from its underlying table or query.@You tried to run a Visual Basic procedure that deletes the object in a bound object frame by setting the Action property to acOLEDelete.@Delete the object in a different way, such as with the DAO Delete method in Visual Basic.@1@613790@1 **Access 2007+ uses different description:** 'You can't use the Action property to delete a bound OLE object from its underlying table or query.@You tried to run a Visual Basic procedure that deletes the object in a bound object frame by setting the Action property to acOLEDelete.@Delete the object in a different way, such as with the DAO Delete method in Visual Basic.@1@1@13790@1' Access 2003+
- 2799 The OLE object can't be activated upon receiving the focus.@If you selected an OLE object or a chart, and the AutoActivate property for that control is set to GetFocus, the OLE object or chart should be activated automatically when it receives the focus. However, the ActiveX component doesn't support this operation.@Check the component's documentation for information on the properties and methods it makes available to Automation operations.@1@@1 **Access 2007+ uses different description:** 'The OLE object can't be activated upon receiving the focus.@If you selected an OLE object or a chart, and the AutoActivate property for that control is set to GetFocus, the OLE object or chart should be activated automatically when it receives the focus. However, the ActiveX component doesn't support this operation.@Check the component's documentation for information on the properties and methods it makes available to Automation operations.@1@@@1' Access 2003+
- 2800 The object is locked, so any changes you make will be discarded when the form is closed.@Click Save As on the File menu and save the object under a different name.@@1@@1 **Access 2007+ uses different description:** 'This

object is locked. Any changes you make will be discarded when the form is closed. @Click the Microsoft Office Button, point to Save As, and save the object under a different name. @1@@@1' **Access 2010+ uses different description:** 'This object is locked. Any changes you make will be discarded when the form is closed. @Click the File tab, point to Save As, and save the object under a different name. @1@@@0'

The OLE object isn't loaded because the unbound ActiveX control hasn't been initialized. @@@1@109015@1 **Access 2007+ uses different description:** 'The OLE object isn't loaded because the unbound ActiveX control hasn't been initialized. @@@1@1@9015@1'

You can't insert an ActiveX control in a bound or unbound object frame. @ActiveX controls are automatically contained in ActiveX control frames. @1@@@1 **Access 2007+ uses different description:** 'You can't insert an ActiveX control in a bound or unbound object frame. @ActiveX controls are automatically contained in ActiveX control frames. @1@@@1'

You don't have the license required to use this ActiveX control. @You tried to open a form containing an OLE object or an ActiveX control or you tried to create an ActiveX control. @To obtain the appropriate license, contact the company that provides the licensed OLE object or ActiveX control. @1@@@1 **Access 2007+ uses different description:** 'You don't have the license required to use this ActiveX control. @You tried to open a form containing an OLE object or an ActiveX control or you tried to create an ActiveX control. @To obtain the appropriate license, contact the company that provides the licensed OLE object or ActiveX control. @1@@@1'

You can't create an ActiveX control in an unbound object frame. @ActiveX controls are automatically contained in ActiveX control frames. @1@211711@1 **Access 2007+ uses different description:** 'You can't create an ActiveX control in an unbound object frame. @ActiveX controls are automatically contained in ActiveX control frames. @1@1@11711@1'

There was an error loading an ActiveX control on one of your forms or reports. @Make sure all the controls that you are using are properly registered. For information on registering an ActiveX control, click Help. @2@212639@1 **Access 2007+ uses different description:** 'There was an error loading an ActiveX control on one of your forms or reports. @Make sure all the controls that you are using are properly registered. For information on registering an ActiveX control, click Help. @2@1@12639@1'

## Error Code

Microsoft Office Access doesn't support this ActiveX control. @@@1@@@1 **Access 2007+ uses different description:** 'Microsoft Office Access doesn't support this ActiveX control. @@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access doesn't support this ActiveX control. @@@1@@@1'

You can't paste this object as the type you specified. @Choose another object type. @1@@@1 **Access 2007+ uses different description:** 'You can't paste this object as the type you specified. @Choose another object type. @1@@@1'

Microsoft Office Access can't find the Active Accessibility dynamic-link library (DLL) OleAcc. @Rerun the Microsoft Office Access Setup program. @1@@@3 **Access 2007+ uses different description:** 'Microsoft Office Access can't find the Active Accessibility dynamic-link library (DLL) OleAcc. @Rerun the Microsoft Office Access Setup program. @1@@@3' **Access 2010+ uses different description:** 'Microsoft Access can't find the Active Accessibility dynamic-link library (DLL) OleAcc. @Rerun the Microsoft Access Setup program. @1@@@3'

Microsoft Office Access is unable to create the data access page. **Access 2010+ uses different description:** 'Microsoft Access is unable to create the data access page.'

Access 2003+

Access 2003+

Access 2003+

Access 2003+

Access 2003+

**Supported Versions**

Access 2003+

Access 2003+

Access 2003+

Access 2003+

2812	@The path specified was invalid, or may be too long.@Please check the path and ensure it is correct.@1@@1 <b>Access 2007+ uses different description:</b> ' @The path specified was invalid, or may be too long.@Please check the path and ensure it is correct.@1@@@1'	Access 2003+
2813	@The file could not be opened.It may currently be in use.@@1@@1 <b>Access 2007+ uses different description:</b> ' @The file could not be opened.It may currently be in use.@@1@@@1'	Access 2003+
2814	@Unable to save the file.@@1@@1 <b>Access 2007+ uses different description:</b> ' @Unable to save the file.@@1@@@1'	Access 2003+
2815	@Unable to save the file to an alternate location.@@1@@1 <b>Access 2007+ uses different description:</b> ' @Unable to save the file to an alternate location.@@1@@@1'	Access 2003+
2816	@Unable to close the file.@@1@@1 <b>Access 2007+ uses different description:</b> ' @Unable to close the file.@@1@@@1'	Access 2003+
2817	Microsoft Office Access is unable to save (or send) the data access page. <b>Access 2010+ uses different description:</b> 'Microsoft Access is unable to save (or send) the data access page.'	Access 2003+
2818	Microsoft Office Access is unable to retrieve the file:  .@Either the file is not available, or you do not have enough disk space to copy the file.@@1@@ <b>Access 2007+ uses different description:</b> 'Microsoft Office Access is unable to retrieve the file:  .@Either the file is not available, or you do not have enough disk space to copy the file.@@1@@@' <b>Access 2010+ uses different description:</b> 'Microsoft Access is unable to retrieve the file:  1.@Either the file is not available, or you do not have enough disk space to copy the file.@@1@@@'	Access 2003+
2819	Microsoft Office Access is unable to open the data access page. <b>Access 2010+ uses different description:</b> 'Microsoft Access is unable to open the data access page.'	Access 2003+
2820	Microsoft Office Access is unable to change the BASE HREF for your document. <b>Access 2010+ uses different description:</b> 'Microsoft Access is unable to change the BASE HREF for your document.'	Access 2003+
2821	File in use	Access 2003+
2822	Microsoft Office Access encountered an unexpected error while attempting to recover from a failed save (or send).@Your data access page may not be in a usable state.Please attempt to save to a different location.@@1@@ <b>Access 2007+ uses different description:</b> 'Microsoft Office Access encountered an unexpected error while attempting to recover from a failed save (or send).@Your data access page may not be in a usable state.Please attempt to save to a different location.@@1@@@' <b>Access 2010+ uses different description:</b> 'Microsoft Access encountered an unexpected error while attempting to recover from a failed save (or send).@Your data access page may not be in a usable state.Please attempt to save to a different location.@@1@@@'	Access 2003+
2823	The Microsoft Office Access data access page name ' ' is misspelled or refers to a Page that doesn't exist.@If the invalid Page name is in a macro, an Action Failed dialog box will display the macro name and the macro's arguments after you click OK. Open the Macro window, and enter the correct Page name.@@1@@1 <b>Access 2007+ uses different description:</b> 'The Microsoft Office Access data access page name ' ' is misspelled or refers to a Page that doesn't exist.@If the invalid Page name is in a macro, an Action Failed dialog box will display the macro name and the macro's arguments after you click OK. Open the Macro window, and enter the correct Page name.@@1@@@1' <b>Access 2010+ uses different description:</b> 'The Microsoft Access data access page name ' 1' is misspelled or refers to a Page that doesn't exist.@If the invalid Page name is in a macro, an Action Failed dialog box will display the macro	Access 2003+

name and the macro's arguments after you click OK. Open the Macro window, and enter the correct Page name.@@1@@@1'

2824 |@You do not have adequate file permissions.@@1@@@1 **Access 2007+ uses different description:** '|@You do not have adequate file permissions.@@1@@@1'

Access 2003+

2825 |@The file does not exist, or you do not have read access to the file.@@1@@@1 **Access 2007+ uses different description:** '|@The file does not exist, or you do not have read access to the file.@@1@@@1'

Access 2003+

2827 |@File read error.@@1@@@1 **Access 2007+ uses different description:** '|@File read error.@@1@@@1'

Access 2003+

2828 |@File write error.@The disk may be full.@1@@@1 **Access 2007+ uses different description:** '|@File write error.@The disk may be full.@1@@@1'

Access 2003+

## Error Code

## Error Description

## Supported Versions

2832 |@Check file permissions and delete them from their location in your computer's file system.@@1@@@1 **Access 2007+ uses different description:** '|@Check file permissions and delete them from their location in your computer's file system.@@1@@@1'

Access 2003+

2833 |@An unexpected error has occurred.@@1@@@1 **Access 2007+ uses different description:** '|@An unexpected error has occurred.@@1@@@1'

Access 2003+

2835 |@An attempt to create this file has failed.@Please select another location and retry the operation.@1@@@1 **Access 2007+ uses different description:** '|@An attempt to create this file has failed.@Please select another location and retry the operation.@1@@@1'

Access 2003+

2837 |@There was not enough memory.@Please close other applications and try the operation again.@1@@@1 **Access 2007+ uses different description:** '|@There was not enough memory.@Please close other applications and try the operation again.@1@@@1'

Access 2003+

2838 Microsoft Office Access is unable to preview the selected theme. **Access 2010+ uses different description:** 'Microsoft Access is unable to preview the selected theme.'

Access 2003+

2839 |@An attempt to create a temporary file has failed.@Please confirm that you have adequate disk space on your system drive and try the operation again.@1@@@1 **Access 2007+ uses different description:** '|@An attempt to create a temporary file has failed.@Please confirm that you have adequate disk space on your system drive and try the operation again.@1@@@1'

Access 2003+

2840 |@Unable to read the list of supporting files from the data access page.@@1@@@1 **Access 2007+ uses different description:** '|@Unable to read the list of supporting files from the data access page.@@1@@@1'

Access 2003+

2842 Microsoft Office Access encountered an error after saving (or sending) your data access page. **Access 2010+ uses different description:** 'Microsoft Access encountered an error after saving (or sending) your data access page.'

Access 2003+

2845 Microsoft Office Access is unable to open the data access page from the mail envelope. **Access 2010+ uses different description:** 'Microsoft Access is unable to open the data access page from the mail envelope.'

Access 2003+

2846 |@The save destination is full.@Please clear space at the destination or save to another location.@1@@@1 **Access 2007+ uses different description:** '|@The save destination is full.@Please clear space at the destination or save to another location.@1@@@1'

Access 2003+

2847 |@Unable to create a folder for the supporting files.@You may not have adequate permissions at the save destination.@1@@@1 **Access 2007+ uses different description:** '|@Unable to create a folder for the supporting files.@You may not have adequate permissions at the save destination.@1@@@1'

Access 2003+



2848	<p> @The maximum path length was exceeded.@Please specify a shorter filename, or use a folder that is closer to the root.@1@@1 <b>Access 2007+ uses different description:</b> ' @The maximum path length was exceeded.@Please specify a shorter filename, or use a folder that is closer to the root.@1@@@1'</p> <p> @There are too many supporting files in your document.@Please remove a few supporting files from your document, and try again.@1@@1 <b>Access 2007+ uses different description:</b> ' @There are too many supporting files in your document.@Please remove a few supporting files from your document, and try again.@1@@@1'</p>	Access 2003+
2849	<p> @You do not have write permission at the save destination.@@1@@1 <b>Access 2007+ uses different description:</b> ' @You do not have write permission at the save destination.@@1@@@1'</p>	Access 2003+
2850	<p> @You are saving to a server that does not support long filenames and do not have permission to create a folder.@You must have permission to create a folder at the save destination to complete this operation.@1@@1 <b>Access 2007+ uses different description:</b> ' @You are saving to a server that does not support long filenames and do not have permission to create a folder.@You must have permission to create a folder at the save destination to complete this operation.@1@@@1'</p>	Access 2003+
2851	<p>Microsoft Office Access was unable to parse the document properties for this data access page.@They may be corrupted.@@1@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access was unable to parse the document properties for this data access page.@They may be corrupted.@@1@@@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access was unable to parse the document properties for this data access page.@They may be corrupted.@@1@@@1'</p>	Access 2003+
2854	<p>Microsoft Office Access could not delete one or more files related to the page. <b>Access 2010+ uses different description:</b> 'Microsoft Access could not delete one or more files related to the page.'</p>	Access 2003+
2855	<p>Access could not load the e-mail envelope.This could be caused by a network connection problem or a problem with your Office installation.@@@1@@1 <b>Access 2007+ uses different description:</b> 'Access could not load the e-mail envelope.This could be caused by a network connection problem or a problem with your Office installation.@@@1@@@1'</p>	Access 2003+
2859	<p>You cannot insert a bound field to a caption or record navigation section.</p>	Access 2003+
2860	<p>Microsoft Office Access is unable to preview the selected web page. <b>Access 2010+ uses different description:</b> 'Microsoft Access is unable to preview the selected web page.'</p>	Access 2003+
2861		
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
2862	<p> @The file you attempted to load was not recognized as HTML.@You may have selected the wrong file, or tried to open a database file off of a web server.@1@@1 <b>Access 2007+ uses different description:</b> ' @Access cannot open the specified file type from a Web server.@You may have selected the wrong file.@1@@@1'</p>	Access 2003+
2863	<p> @Unable to create or load a file due to network or access permission problems.@@1@@1 <b>Access 2007+ uses different description:</b> ' @Unable to create or load a file due to network or access permission problems.@@1@@@1'</p>	Access 2003+
2864	<p> @This file (or a supporting file) is already in use, or has the read-only attribute set.@@1@@1 <b>Access 2007+ uses different description:</b> ' @This file (or a supporting file) is already in use, or has the read-only attribute set.@@1@@@1'</p>	Access 2003+
2865	<p> @The disk is write-protected.@@1@@1 <b>Access 2007+ uses different description:</b> ' @The disk is write-protected.@@1@@@1'</p>	Access 2003+

2866	@Unexpected data corruption failure.@1@@1 <b>Access 2007+ uses different description:</b> ' @Unexpected data corruption failure.@1@@@1'	Access 2003+
2867	@Unexpected data I/O failure.@1@@1 <b>Access 2007+ uses different description:</b> ' @Unexpected data I/O failure.@1@@@1'	Access 2003+
2868	@You cannot save this data access page over itself because it is read-only.@Please select a different file for the save.@1@@1 <b>Access 2007+ uses different description:</b> ' @You cannot save this data access page over itself because it is read-only.@Please select a different file for the save.@1@@@1'	Access 2003+
2869	@The file does not exist.@You do not have adequate permission to modify the data access page link to point to a valid file.Please contact the database administrator.@1@@1 <b>Access 2007+ uses different description:</b> ' @The file does not exist.@You do not have adequate permission to modify the data access page link to point to a valid file.Please contact the database administrator.@1@@@1'	Access 2003+
2870	Microsoft Office Access encountered an error synchronizing the HTML from the Microsoft Script Editor.@Please check the HTML for syntax errors and try again.@1@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access encountered an error synchronizing the HTML from the Microsoft Script Editor.@Please check the HTML for syntax errors and try again.@1@@@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access encountered an error synchronizing the HTML from the Microsoft Script Editor.@Please check the HTML for syntax errors and try again.@1@@@1'	Access 2003+
2871	Microsoft Office Access is unable to create a data access page using the codepage selected in Web Options.@The codepage may not be installed on your system.@Please install the codepage, or select a different one in Web Options.@1@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access is unable to create a data access page using the codepage selected in Web Options.@The codepage may not be installed on your system.@Please install the codepage, or select a different one in Web Options.@1@@@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access is unable to create a data access page using the codepage selected in Web Options.@The codepage may not be installed on your system.@Please install the codepage, or select a different one in Web Options.@1@@@1'	Access 2003+
2873	@The filename specified is a long filename, but you have the 'use long filenames' web option turned off.@Please specify a file name that uses a maximum of eight characters for the name and three characters for the file extension.@1@@1 <b>Access 2007+ uses different description:</b> ' @The filename specified is a long filename, but you have the 'use long filenames' web option turned off.@Please specify a file name that uses a maximum of eight characters for the name and three characters for the file extension.@1@@@1'	Access 2003+
2874	Cannot move or paste the grouping field ' ' into a section at a higher group level  @Unable to complete the save.@The drive or network connection you attempted to save to may no longer be available.@1@@1 <b>Access 2007+ uses different description:</b> ' @Unable to complete the save.@The drive or network connection you attempted to save to may no longer be available.@1@@@1'	Access 2003+
2875	The data definition of this data access page has been corrupted and can't be repaired.You must recreate the page.Save has been disabled.	Access 2003+
2877	In a Microsoft Office Access database (.mdb), you can't group on a control bound to a field that has a Memo or OLE Object data type. In a Microsoft Office Access project (.adp), you can't group on a control bound to a field that has an Imageor Text data type. <b>Access 2010+ uses different description:</b> 'In a Microsoft Access database (.mdb), you can't group on a control bound to a field that has a Memo or OLE Object data type. In a Microsoft Access project (.adp), you can't group on a control bound to a field that has an Imageor Text data type.'	Access 2003+

2878	You cannot add a bound field to a caption or record navigation section.	Access 2003+
2879	Caption and record navigation sections cannot contain bound fields.	Access 2003+
2880	Can't edit pages that contain framesets.	Access 2003+
2881	This web page contains XML namespaces that may conflict with Access namespaces. You should edit the HTML source to ensure that all namespaces have a unique prefix.	Access 2003+
2882	<p> @The folder that this Web page would use to organize supporting files is already reserved for use in the current location.@Please choose a different name or location for this Web page.@1@@1</p> <p><b>Access 2007+ uses different description:</b> ' @The folder that this Web page would use to organize supporting files is already reserved for use in the current location.@Please choose a different name or location for this Web page.@1@@@1'</p>	Access 2003+
Error Code	Error Description	Supported Versions
2883	<p>A supporting file path for this data access page has been altered outside of Access.@Please save this page to a different location and ensure that all supporting files are maintained.@@1@@1</p> <p><b>Access 2007+ uses different description:</b> 'A supporting file path for this data access page has been altered outside of Access.@Please save this page to a different location and ensure that all supporting files are maintained.@@1@@@1'</p>	Access 2003+
2884	Cannot find the database or some database objects that this page refers to. Update the connection information of the page, or fix the references to the missing database objects.	Access 2003+
2885	This page uses a database which is not supported. You will not be able to make data changes until you connect to a supported database	Access 2003+
2886	Components necessary for data access pages are not installed.	Access 2003+
2887	<p> @The path specified is not a valid absolute (non-relative) path or URL.@Please enter a valid path.@1@@1</p> <p><b>Access 2007+ uses different description:</b> ' @The path specified is not a valid absolute (non-relative) path or URL.@Please enter a valid path.@1@@@1'</p>	Access 2003+
2888	<p>Microsoft Office Access detects some HTML elements between the banner and the section of your data access page. Saving this page in Access will corrupt it. Close the page without saving it, and then edit the page in another HTML editor to remove these elements.</p> <p><b>Access 2010+ uses different description:</b> 'Microsoft Access detects some HTML elements between the banner and the section of your data access page. Saving this page in Access will corrupt it. Close the page without saving it, and then edit the page in another HTML editor to remove these elements.'</p>	Access 2003+
2889	This section cannot be deleted.	Access 2003+
2890	<p>You cannot edit this page because it contains frames.@The data access page designer cannot edit pages with frames.@@1@@1</p> <p><b>Access 2007+ uses different description:</b> 'You cannot edit this page because it contains frames.@The data access page designer cannot edit pages with frames.@@1@@@1'</p>	Access 2003+
2892	You can't move the group filter control to another section. Delete the group filter control from the current section and create it in a different section.	Access 2003+
2893	<p>A link to this data access page could not be created because the database cannot be exclusively locked.@To create the link later, open the page by selecting 'Edit web page that already exists', and then save.@@1@@1</p> <p><b>Access 2007+ uses different description:</b> 'A link to this data access page could not be created because the database cannot be exclusively locked.@To create the link later, open the page by selecting 'Edit web page that already exists', and then save.@@1@@@1'</p>	Access 2003+
2894	The link to the data access page specified could not be updated because the database cannot be exclusively locked.@To update the link, open this page	Access 2003+

	again when you are the only person using the database.@@1@@1 <b>Access 2007+ uses different description:</b> 'The link to the data access page specified could not be updated because the database cannot be exclusively locked.@To update the link, open this page again when you are the only person using the database.@@1@@@1'	
2895	This page was designed with a version of the Microsoft Office Web Components that is not currently installed on this machine.If you have not been prompted to install those components on this page, please contact the page author for the installation location.	Access 2003+
2896	The operation is only valid on a data access page opened in Design View.@Please switch the page to Design View and try the operation again.@@1@@@1 <b>Access 2007+ uses different description:</b> 'The operation is only valid on a data access page opened in Design View.@Please switch the page to Design View and try the operation again.@@1@@@1'	Access 2003+
2897	You have opened a page that was last modified using Access 2000. To be able to edit the page, you must save it using a more recent version of the Microsoft Office Web Components. Do you want Access to convert this page by saving it using a more recent version of the Microsoft Office Web Components?	Access 2003+
2898	Microsoft Office Access has created a backup copy of your original page.This page can be used if you want to revert to the Office 2000 Web Components. The backup page name is:' ' <b>Access 2010 uses different description:</b> 'Microsoft Access has created a backup copy of your original page.This page can be used if you want to revert to the Office 2000 Web Components. The backup page name is:' 1" <b>Access 2013 uses different description:</b> 'Microsoft Access has created a backup copy of your original page.This page can be used if you want to revert to the Office 2000 Web Components. The backup page name is:' 1" <b>Access 2016 uses different description:</b> 'Microsoft Access has created a backup copy of your original page.This page can be used if you want to revert to the Office 2000 Web Components.The backup page name is:' 1"	Access 2003+
2899	Microsoft Office Access could not create a backup copy of your original page. This page cannot be opened. <b>Access 2010+ uses different description:</b> 'Microsoft Access could not create a backup copy of your original page. This page cannot be opened.'	Access 2003+
2900	Microsoft Office Access could not upgrade the Office Web Components on your page.This page cannot be opened. <b>Access 2010+ uses different description:</b> 'Microsoft Access could not upgrade the Office Web Components on your page.This page cannot be opened.'	Access 2003+
2901	Error loading ActiveX control ' 1' on form or report ' 2'.	Access 2003+
2902	Access is unable to save the   object because it does not support persistence, or your computer may have run out of disk space.	Access 2003+
2903	Do you want to set this folder as the default location for data access pages? @ @@19@@@1 <b>Access 2007+ uses different description:</b> 'Do you want to set this folder as the default location for data access pages?@ @@19@@@1'	Access 2003+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
2904	You must match each field on the left with a field on the right.@@@@@1 <b>Access 2007+ uses different description:</b> 'You must match each field on the left with a field on the right.@@@1@@@1'	Access 2003+
2905	You must choose a linking field for every parameter.@@@@@1 <b>Access 2007+ uses different description:</b> 'You must choose a linking field for every parameter.@@@1@@@1'	Access 2003+
2906	' ' contains no fields that can participate in a relationship.@@@@@1 <b>Access 2007+ uses different description:</b> "' ' contains no fields that can participate in a relationship.@The contents of the RecordSource property may be invalid, or the RecordSource may contain only fields that are not acceptable for use in a	Access 2003+

join.@Correct the RecordSource property for this form or report and try your field operation again.@1@@@1'

- 2907 Do you want to revert to the saved '|'?@@@19@@@1 **Access 2007+ uses different description:** 'Do you want to revert to the saved '|'?@@@19@@@1' Access 2003+
- 2908 The Control ID '|' is already in use. Specify a different ID for the control.@@@@@1 **Access 2007+ uses different description:** 'The Control ID '|' is already in use. Specify a different ID for the control.@@@@@1' **Access 2010+ uses different description:** 'The Control ID '|' is already in use. Specify a different ID for the control.'
- 2909 This relationship is not valid because the fields in the first table do not match the fields in the second table.@To repair the relationship, select at least one field from each table.@@@@@1 **Access 2007+ uses different description:** 'This relationship is not valid because the fields in the first table do not match the fields in the second table.@To repair the relationship, select at least one field from each table.@@@@@1' **Access 2010+ uses different description:** 'This relationship is not valid because the fields in the first table do not match the fields in the second table.@To repair the relationship, select at least one field from each table.@@1@@@1'
- 2910 This connection file refers to a provider not supported by data access pages.@Please select a different connection file.@@@@@1 **Access 2007+ uses different description:** 'This connection file refers to a provider not supported by data access pages.@Please select a different connection file.@@@@@1' **Access 2010+ uses different description:** 'This connection file refers to a provider not supported by data access pages.@Please select a different connection file.@@1@@@1'
- 2911 You cannot change the data access page path while it it open.@Please close the page and try again.@@@@@1 **Access 2007+ uses different description:** 'You cannot change the data access page path while it it open.@Please close the page and try again.@@@@@1' **Access 2010+ uses different description:** 'You cannot change the data access page path while it it open.@Please close the page and try again.@@1@@@1'
- 2912 If you create a data access page in this version of Access, you cannot open it in Design view in Access 2000. If you have installed the Microsoft Office XP Web Components, however, you can open this page in Page view in Access 2000.@&Don't show this warning again@@3@@@1 **Access 2007+ uses different description:** 'If you create a data access page in this version of Access, you cannot open it in Design view in Access 2000. If you have installed the Microsoft Office XP Web Components, however, you can open this page in Page view in Access 2000.@&Don't show this warning again@@3@@@1' **Access 2010+ uses different description:** 'If you create a Data Access Page in this version of Access, you cannot open it in Design view in Access 2000.@If you have installed the Microsoft Office XP Web Components, however, you can open this page in Page view in Access 2000.@&Don't show this warning again@3@@@1'
- 2913 Cannot save to a URL address with a bookmark.@Please specify a valid path.@@@@@1 **Access 2007+ uses different description:** 'Cannot save to a URL address with a bookmark.@Please specify a valid path.@@@@@1' **Access 2010+ uses different description:** 'Cannot save to a URL address with a bookmark.@Please specify a valid path.@@1@@@1'
- 2914 Microsoft Office Access could not link to a connection file.@A connection string will be embedded in the page.@@@@@1 **Access 2007+ uses different description:** 'Microsoft Office Access could not link to a connection file.@A connection string will be embedded in the page.@@@@@1' **Access 2010+ uses different description:** 'Microsoft Access could not link to a connection file.@A connection string will be embedded in the page.@@1@@@1'

2915	Microsoft Office Access is unable to connect to the data source specified in the connection string of this page.@The server may not exist on the network, or there may be an error in the connection string information for this page.@@1@@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access is unable to connect to the data source specified in the connection string of this page.@The server may not exist on the network, or there may be an error in the connection string information for this page.@@1@@@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access is unable to connect to the data source specified in the connection string of this page.@The server may not exist on the network, or there may be an error in the connection string information for this page.@@1@@@1'	Access 2003+
2916	You cannot edit HTML pages created using PowerPoint in Microsoft Office Access. <b>Access 2010+ uses different description:</b> 'You cannot edit HTML pages created using PowerPoint in Microsoft Access.'	Access 2003+
2917	Invalid HTML color value.	Access 2003+
2918	Unable to open or read this connection file.@Either the file has been damaged or the file format is not valid.@@@1 <b>Access 2007+ uses different description:</b> 'Unable to open or read this connection file.@Either the file has been damaged or the file format is not valid.@@@1' <b>Access 2010+ uses different description:</b> 'Unable to open or read this connection file.@Either the file has been damaged or the file format is not valid.@@1@@@1'	Access 2003+
2919	You can't place this control in the section you specified.@@@@@1 <b>Access 2007+ uses different description:</b> 'You can't place this control in the section you specified.@@@@@1' <b>Access 2010+ uses different description:</b> 'You can't place this control in the section you specified.'	Access 2003+
2920	Microsoft Office Access is unable to load the database schema.Save has been disabled.Either repair or reinstall Microsoft Office. <b>Access 2010+ uses different description:</b> 'Microsoft Access is unable to load the database schema.@Save has been disabled.@Either repair or reinstall Microsoft Office.@1@@@1'	Access 2003+
2921	Microsoft Office Access cannot open this page because it was created using a newer version of Access. Try opening the page using a newer version of Microsoft Office Access. <b>Access 2010+ uses different description:</b> 'Microsoft Access cannot open this page because it was created using a newer version of Access. Try opening the page using a newer version of Microsoft Access.'	Access 2003+
2922	Microsoft Office Access has created a backup copy of your original page.This page can be used if you want to revert to the Office XP Web Components. The backup page name is:' ' <b>Access 2010 uses different description:</b> 'Microsoft Access has created a backup copy of your original page. This page can be used if you want to revert to the Office XP Web Components. The backup page name is: ' 1" <b>Access 2013 uses different description:</b> 'Microsoft Access has created a backup copy of your original page. This page can be used if you want to revert to the Office XP Web Components. The backup page name is: ' 1" <b>Access 2016 uses different description:</b> 'Microsoft Access has created a backup copy of your original page. This page can be used if you want to revert to the Office XP Web Components.The backup page name is: ' 1"	Access 2003+
2923	You do not have the correct permissions. Contact the server administrator.	Access 2007+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
2924	You cannot compact a file that was opened from a Web Server.	Access 2007+
2925	You cannot encrypt a file that was opened from a Web Server.	Access 2007+
2926	Because of your security settings and current security policy, this control is disabled. To modify your policy and enable the database, use the Message Bar.	Access 2007+
3000	Reserved error (); there is no message for this error.@@@2@5363@1 <b>Access 2007+ uses different description:</b> 'Reserved error (); there is no message for this error.'	Access 2003+

3001	Invalid argument.	Access 2003+
3002	Could not start session.	Access 2003+
3003	Could not start transaction; too many transactions already nested.	Access 2003+
3004	*****	Access 2003+
3005	' ' is not a valid database name.	Access 2003+
3006	Database ' ' is exclusively locked.	Access 2003+
3007	Cannot open library database ' '.	Access 2003+
3008	The table ' ' is already opened exclusively by another user, or it is already open through the user interface and cannot be manipulated programmatically.	Access 2003+
3009	You tried to lock table ' ' while opening it, but the table cannot be locked because it is currently in use.Wait a moment, and then try the operation again. <b>Access 2010+ uses different description:</b> 'You tried to lock table ' ' while opening it, but the table cannot be locked because it is currently in use. Wait a moment, and then try the operation again.'	Access 2003+
3010	Table ' ' already exists.	Access 2003+
3011	The Microsoft Jet database engine could not find the object ' '.Make sure the object exists and that you spell its name and the path name correctly. <b>Access 2007+ uses different description:</b> 'The Microsoft Office Access database engine could not find the object ' '.Make sure the object exists and that you spell its name and the path name correctly.' <b>Access 2010+ uses different description:</b> 'The Microsoft Access database engine could not find the object ' '. Make sure the object exists and that you spell its name and the path name correctly. If ' ' is not a local object, check your network connection or contact the server administrator.'	Access 2003+
3012	Object ' ' already exists.	Access 2003+
3013	Could not rename installable ISAM file.	Access 2003+
3014	Cannot open any more tables.	Access 2003+
3015	Index not found.	Access 2003+
3016	Field will not fit in record.	Access 2003+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
3017	The size of a field is too long.	Access 2003+
3018	Could not find field.	Access 2003+
3019	Operation invalid without a current index.	Access 2003+
3020	Update or CancelUpdate without AddNew or Edit.	Access 2003+
3021	No current record.	Access 2003+
3022	The changes you requested to the table were not successful because they would create duplicate values in the index, primary key, or relationship.Change the data in the field or fields that contain duplicate data, remove the index, or redefine the index to permit duplicate entries and try again. <b>Access 2010+ uses different description:</b> 'The changes you requested to the table were not successful because they would create duplicate values in the index, primary key, or relationship. Change the data in the field or fields that contain duplicate data, remove the index, or redefine the index to permit duplicate entries and try again.'	Access 2003+
3023	AddNew or Edit already used.	Access 2003+
3024	Could not find file ' '.	Access 2003+
3025	Cannot open any more files.	Access 2003+
3026	Not enough space on disk.	Access 2003+
3027	Cannot update.Database or object is read-only. <b>Access 2010+ uses different description:</b> 'Cannot update. Database or object is read-only.'	Access 2003+
3028	Cannot start your application. The workgroup information file is missing or opened exclusively by another user.	Access 2003+

3029	Not a valid account name or password.	Access 2003+
3030	' ' is not a valid account name.	Access 2003+
3031	Not a valid password.	Access 2003+
3032	Cannot perform this operation.	Access 2003+
3033	You do not have the necessary permissions to use the ' ' object. Have your system administrator or the person who created this object establish the appropriate permissions for you. <b>Access 2010+ uses different description:</b> 'You do not have the necessary permissions to use the ' ' object. Have your system administrator or the person who created this object establish the appropriate permissions for you.'	Access 2003+
3034	You tried to commit or rollback a transaction without first beginning a transaction.	Access 2003+
3035	System resource exceeded.	Access 2003+
3036	Database has reached maximum size.	Access 2003+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
3037	Cannot open any more tables or queries.	Access 2003+
3038	System resource exceeded.	Access 2003+
3039	Could not create index; too many indexes already defined.	Access 2003+
3040	Disk I/O error during read.	Access 2003+
3041	Cannot open a database created with a previous version of your application.	Access 2003+
3042	Out of MS-DOS file handles.	Access 2003+
3043	Disk or network error. <b>Access 2007+ uses different description:</b> 'Your network access was interrupted. To continue, close the database, and then open it again.'	Access 2003+
3044	' ' is not a valid path. Make sure that the path name is spelled correctly and that you are connected to the server on which the file resides. <b>Access 2010+ uses different description:</b> ' ' is not a valid path. Make sure that the path name is spelled correctly and that you are connected to the server on which the file resides.'	Access 2003+
3045	Could not use ' '; file already in use.	Access 2003+
3046	Could not save; currently locked by another user.	Access 2003+
3047	Record is too large.	Access 2003+
3048	Cannot open any more databases.	Access 2003+
3049	Cannot open database ' '. It may not be a database that your application recognizes, or the file may be corrupt. <b>Access 2010+ uses different description:</b> 'Cannot open database ' '. It may not be a database that your application recognizes, or the file may be corrupt.'	Access 2003+
3050	Could not lock file.	Access 2003+
3051	The Microsoft Jet database engine cannot open the file ' '. It is already opened exclusively by another user, or you need permission to view its data. <b>Access 2007+ uses different description:</b> 'The Microsoft Office Access database engine cannot open or write to the file ' '. It is already opened exclusively by another user, or you need permission to view and write its data.' <b>Access 2010+ uses different description:</b> 'The Microsoft Access database engine cannot open or write to the file ' '. It is already opened exclusively by another user, or you need permission to view and write its data.'	Access 2003+
3052	File sharing lock count exceeded. Increase MaxLocksPerFile registry entry.	Access 2003+
3053	Too many client tasks.	Access 2003+
3054	Too many Memo, OLE, or Hyperlink Object fields.	Access 2003+
3055	Not a valid file name.	Access 2003+
3056	Could not repair this database.	Access 2003+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>



3057	Operation not supported on linked tables.	Access 2003+
3058	Index or primary key cannot contain a Null value.	Access 2003+
3059	Operation canceled by user.	Access 2003+
3060	Wrong data type for parameter ' '.	Access 2003+
3061	Too few parameters. Expected  .	Access 2003+
3062	Duplicate output alias ' '.	Access 2003+
3063	Duplicate output destination ' '.	Access 2003+
3064	Cannot open action query ' '.	Access 2003+
3065	Cannot execute a select query.	Access 2003+
3066	Query must have at least one destination field.	Access 2003+
3067	Query input must contain at least one table or query.	Access 2003+
3068	Not a valid alias name.	Access 2003+
3069	The action query ' ' cannot be used as a row source.	Access 2003+
3070	The Microsoft Jet database engine does not recognize ' ' as a valid field name or expression. <b>Access 2007+ uses different description:</b> 'The Microsoft Office Access database engine does not recognize ' ' as a valid field name or expression.' <b>Access 2010+ uses different description:</b> 'The Microsoft Access database engine does not recognize ' ' as a valid field name or expression.'	Access 2003+
3071	This expression is typed incorrectly, or it is too complex to be evaluated.For example, a numeric expression may contain too many complicated elements.Try simplifying the expression by assigning parts of the expression to variables. <b>Access 2010+ uses different description:</b> 'This expression is typed incorrectly, or it is too complex to be evaluated. For example, a numeric expression may contain too many complicated elements. Try simplifying the expression by assigning parts of the expression to variables.'	Access 2003+
3072		Access 2003+
3073	Operation must use an updateable query.	Access 2003+
3074	Cannot repeat table name ' ' in FROM clause.	Access 2003+
3075	1 in query expression ' 2'.	Access 2003+
3076	in criteria expression.	Access 2003+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
3077	in expression.  The Microsoft Jet database engine cannot find the input table or query ' '.Make sure it exists and that its name is spelled correctly. <b>Access 2007+ uses different description:</b> 'The Microsoft Office Access database engine cannot find the input table or query ' '.Make sure it exists and that its name is spelled correctly.' <b>Access 2010+ uses different description:</b> 'The Microsoft Access database engine cannot find the input table or query ' . Make sure it exists and that its name is spelled correctly.'	Access 2003+
3078		Access 2003+
3079	The specified field ' ' could refer to more than one table listed in the FROM clause of your SQL statement.	Access 2003+
3080	Joined table ' ' not listed in FROM clause.	Access 2003+
3081	Cannot join more than one table with the same name ( ).	Access 2003+
3082	JOIN operation ' ' refers to a field that is not in one of the joined tables.	Access 2003+
3083	Cannot use internal report query.	Access 2003+
3084	Cannot insert data with action query.	Access 2003+
3085	Undefined function ' ' in expression.	Access 2003+
3086	Could not delete from specified tables.	Access 2003+
3087	Too many expressions in GROUP BY clause.	Access 2003+
3088	Too many expressions in ORDER BY clause.	Access 2003+
3089	Too many expressions in DISTINCT output.	Access 2003+

3090	Resultant table not allowed to have more than one AutoNumber field.	Access 2003+
3091	HAVING clause (()) without grouping or aggregation.	Access 2003+
3092	Cannot use HAVING clause in TRANSFORM statement.	Access 2003+
3093	ORDER BY clause (()) conflicts with DISTINCT.	Access 2003+
3094	ORDER BY clause (()) conflicts with GROUP BY clause.	Access 2003+
3095	Cannot have aggregate function in expression (()).	Access 2003+
3096	Cannot have aggregate function in WHERE clause (()).	Access 2003+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
3097	Cannot have aggregate function in ORDER BY clause (()).	Access 2003+
3098	Cannot have aggregate function in GROUP BY clause (()).	Access 2003+
3099	Cannot have aggregate function in JOIN operation (()).	Access 2003+
3100	Cannot set field 'I' in join key to Null.	Access 2003+
3101	The Microsoft Jet database engine cannot find a record in the table 'I2' with key matching field(s) 'I1'. <b>Access 2007+ uses different description:</b> 'The Microsoft Office Access database engine cannot find a record in the table 'I2' with key matching field(s) 'I1'.' <b>Access 2010+ uses different description:</b> 'The Microsoft Access database engine cannot find a record in the table 'I2' with key matching field(s) 'I1'.'	Access 2003+
3102	Circular reference caused by 'I'.	Access 2003+
3103	Circular reference caused by alias 'I' in query definition's SELECT list.	Access 2003+
3104	Cannot specify fixed column heading 'I' in a crosstab query more than once.	Access 2003+
3105	Missing destination field name in SELECT INTO statement (()).	Access 2003+
3106	Missing destination field name in UPDATE statement (()).	Access 2003+
3107	Record(s) cannot be added; no insert permission on 'I'.	Access 2003+
3108	Record(s) cannot be edited; no update permission on 'I'.	Access 2003+
3109	Record(s) cannot be deleted; no delete permission on 'I'.	Access 2003+
3110	Could not read definitions; no read definitions permission for table or query 'I'.	Access 2003+
3111	Could not create; no modify design permission for table or query 'I'.	Access 2003+
3112	Record(s) cannot be read; no read permission on 'I'.	Access 2003+
3113	Cannot update 'I'; field not updateable.	Access 2003+
3114	Cannot include Memo, OLE, or Hyperlink Object when you select unique values (()).	Access 2003+
3115	Cannot have Memo, OLE, or Hyperlink Object fields in aggregate argument (()).	Access 2003+
3116	Cannot have Memo, OLE, or Hyperlink Object fields in criteria (()) for aggregate function.	Access 2003+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
3117	Cannot sort on Memo, OLE, or Hyperlink Object (()).	Access 2003+
3118	Cannot join on Memo, OLE, or Hyperlink Object (()).	Access 2003+
3119	Cannot group on Memo, OLE, or Hyperlink Object (()).	Access 2003+
3120	Cannot group on fields selected with '*' (()).	Access 2003+
3121	Cannot group on fields selected with '*'.	Access 2003+
3122	You tried to execute a query that does not include the specified expression 'I' as part of an aggregate function. <b>Access 2013+ uses different description:</b> 'Your query does not include the specified expression 'I' as part of an aggregate function.'	Access 2003+
3123	Cannot use '*' in crosstab query.	Access 2003+
3124	Cannot input from internal report query (()).	Access 2003+
3125	'I' is not a valid name.Make sure that it does not include invalid characters or punctuation and that it is not too long. <b>Access 2010+ uses different</b>	Access 2003+

**description:** '|' is not a valid name. Make sure that it does not include invalid characters or punctuation and that it is not too long.'

3126	Invalid bracketing of name ' '. The INSERT INTO statement contains the following unknown field name: ' '. Make sure you have typed the name correctly, and try the operation again.	Access 2003+
3127	<b>Access 2010+ uses different description:</b> 'The INSERT INTO statement contains the following unknown field name: ' '. Make sure you have typed the name correctly, and try the operation again.'	Access 2003+
3128	Specify the table containing the records you want to delete.	Access 2003+
3129	Invalid SQL statement; expected 'DELETE', 'INSERT', 'PROCEDURE', 'SELECT', or 'UPDATE'.	Access 2003+
3130	Syntax error in DELETE statement.	Access 2003+
3131	Syntax error in FROM clause.	Access 2003+
3132	Syntax error in GROUP BY clause.	Access 2003+
3133	Syntax error in HAVING clause.	Access 2003+
3134	Syntax error in INSERT INTO statement.	Access 2003+
3135	Syntax error in JOIN operation.	Access 2003+
3136	The LEVEL clause includes a reserved word or argument that is misspelled or missing, or the punctuation is incorrect.	Access 2003+

Error Code	Error Description	Supported Versions
3137	Missing semicolon (;) at end of SQL statement.	Access 2003+
3138	Syntax error in ORDER BY clause.	Access 2003+
3139	Syntax error in PARAMETER clause.	Access 2003+
3140	Syntax error in PROCEDURE clause.	Access 2003+
3141	The SELECT statement includes a reserved word or an argument name that is misspelled or missing, or the punctuation is incorrect.	Access 2003+
3142	Characters found after end of SQL statement.	Access 2003+
3143	Syntax error in TRANSFORM statement.	Access 2003+
3144	Syntax error in UPDATE statement.	Access 2003+
3145	Syntax error in WHERE clause.	Access 2003+
3146	ODBC--call failed.	Access 2003+
3151	ODBC--connection to ' ' failed.	Access 2003+
3154	ODBC--could not find DLL ' '.	Access 2003+
3155	ODBC--insert on a linked table ' ' failed.	Access 2003+
3156	ODBC--delete on a linked table ' ' failed.	Access 2003+
3157	ODBC--update on a linked table ' ' failed.	Access 2003+
3158	Could not save record; currently locked by another user.	Access 2003+
3159	Not a valid bookmark.	Access 2003+
3160	Table is not open.	Access 2003+
3161	Could not decrypt file.	Access 2003+
3162	You tried to assign the Null value to a variable that is not a Variant data type.	Access 2003+

Error Code	Error Description	Supported Versions
3163	The field is too small to accept the amount of data you attempted to add. Try inserting or pasting less data. <b>Access 2010+ uses different description:</b> 'The field is too small to accept the amount of data you attempted to add. Try inserting or pasting less data.'	Access 2003+
3164	Field cannot be updated.	Access 2003+
3165	Could not open .inf file.	Access 2003+
3166	Cannot locate the requested Xbase memo file.	Access 2003+

3167	Record is deleted.	Access 2003+
3168	Invalid .inf file.	Access 2003+
3169	The Microsoft Jet database engine could not execute the SQL statement because it contains a field that has an invalid data type. <b>Access 2007+ uses different description:</b> 'The Microsoft Office Access database engine could not execute the SQL statement because it contains a field that has an invalid data type.' <b>Access 2010+ uses different description:</b> 'The Microsoft Access database engine could not execute the SQL statement because it contains a field that has an invalid data type.'	Access 2003+
3170	Could not find installable ISAM.	Access 2003+
3171	Could not find network path or user name.	Access 2003+
3172	Could not open Paradox.net.	Access 2003+
3173	Could not open table 'MSysAccounts' in the workgroup information file.	Access 2003+
3174	Could not open table 'MSysGroups' in the workgroup information file.	Access 2003+
3175	Date is out of range or is in an invalid format.	Access 2003+
3176	Could not open file '	Access 2003+
3177	Not a valid table name.	Access 2003+
3179	Encountered unexpected end of file.	Access 2003+
3180	Could not write to file '	Access 2003+
3181	Invalid range.	Access 2003+
3182	Invalid file format.	Access 2003+
3183	Not enough space on temporary disk. <b>Access 2007+ uses different description:</b> 'The query cannot be completed. Either the size of the query result is larger than the maximum size of a database (2 GB), or there is not enough temporary storage space on the disk to store the query result.'	Access 2003+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
3184	Could not execute query; could not find linked table.	Access 2003+
3185	SELECT INTO on a remote database tried to produce too many fields.	Access 2003+
3186	Could not save; currently locked by user ' 2' on machine ' 1'.	Access 2003+
3187	Could not read; currently locked by user ' 2' on machine ' 1'.	Access 2003+
3188	Could not update; currently locked by another session on this machine.	Access 2003+
3189	Table ' 1' is exclusively locked by user ' 3' on machine ' 2'.	Access 2003+
3190	Too many fields defined.	Access 2003+
3191	Cannot define field more than once.	Access 2003+
3192	Could not find output table '	Access 2003+
3193	(unknown)	Access 2003+
3194	(unknown)	Access 2003+
3195	(expression)	Access 2003+
3196	The database '  is already in use by another person or process. When the database is available, try the operation again. <b>Access 2010+ uses different description:</b> 'The database '  is already in use by another person or process. When the database is available, try the operation again.'	Access 2003+
3197	The Microsoft Jet database engine stopped the process because you and another user are attempting to change the same data at the same time. <b>Access 2007+ uses different description:</b> 'The Microsoft Office Access database engine stopped the process because you and another user are attempting to change the same data at the same time.' <b>Access 2010+ uses different description:</b> 'The Microsoft Access database engine stopped the process because you and another user are attempting to change the same data at the same time.'	Access 2003+
3198	Could not start session. Too many sessions already active. <b>Access 2010+ uses different description:</b> 'Could not start session. Too many sessions already	Access 2003+

active.'

3199	Could not find reference.	Access 2003+
3200	The record cannot be deleted or changed because table 'I' includes related records.	Access 2003+
3201	You cannot add or change a record because a related record is required in table 'I'.	Access 2003+
3202	Could not save; currently locked by another user.	Access 2003+
3203	Subqueries cannot be used in the expression ().	Access 2003+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
3204	Database already exists.	Access 2003+
3205	Too many crosstab column headers ().	Access 2003+
3206	Cannot create a relationship between a field and itself.	Access 2003+
3207	Operation not supported on a Paradox table with no primary key.	Access 2003+
3208	Invalid Deleted setting in the Xbase keyof the Windows Registry.	Access 2003+
3209	*****  The connection string is too long. <b>Access 2007+ uses different description:</b> 'The connection string is too long. The connection string cannot exceed 255 characters.'	Access 2003+
3210		
3211	The database engine could not lock table 'I' because it is already in use by another person or process.	Access 2003+
3212	Could not lock table 'I1'; currently in use by user 'I3' on machine 'I2'.	Access 2003+
3213	Invalid Date setting in the Xbase key of the Windows Registry.	Access 2003+
3214	Invalid Mark setting in the Xbase key of the Windows Registry.	Access 2003+
3215	Too many Btrieve tasks.	Access 2003+
3216	Parameter 'I' specified where a table name is required.	Access 2003+
3217	Parameter 'I' specified where a database name is required.	Access 2003+
3218	Could not update; currently locked.	Access 2003+
3219	Invalid operation.	Access 2003+
3220	Incorrect collating sequence.	Access 2003+
3221	Invalid settings in the Btrieve key of the Windows Registry.	Access 2003+
3222	Query cannot contain a Database parameter.	Access 2003+
3223	'I' is invalid because it is too long, or contains invalid characters.	Access 2003+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
3224	Cannot read Btrieve data dictionary.	Access 2003+
3225	Encountered a record locking deadlock while performing a Btrieve operation.	Access 2003+
3226	Errors encountered while using the Btrieve DLL.	Access 2003+
3227	Invalid Century setting in the Xbase key of the Windows Registry.	Access 2003+
3228	Selected collating sequence not supported by the operating system.	Access 2003+
3229	Btrieve--cannot change field.	Access 2003+
3230	Out-of-date Paradox lock file.	Access 2003+
3231	ODBC--field would be too long; data truncated.	Access 2003+
3232	ODBC--could not create table.	Access 2003+
3234	ODBC--remote query timeout expired.	Access 2003+
3235	ODBC--data type not supported on server.	Access 2003+
3238	ODBC--data out of range.	Access 2003+
3239	Too many active users.	Access 2003+
3240	Btrieve--missing Btrieve engine.	Access 2003+
3241	Btrieve--out of resources.	Access 2003+

3242	Invalid reference in SELECT statement.	Access 2003+
3243	None of the import field names match fields in the appended table.	Access 2003+
3244	Cannot import password-protected spreadsheet.	Access 2003+
3245	Could not parse field names from the first row of the import table.	Access 2003+
3246	Operation not supported in transactions.	Access 2003+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
3247	ODBC--linked table definition has changed.	Access 2003+
3248	Invalid NetworkAccess setting in the Windows Registry.	Access 2003+
3249	Invalid PageTimeout setting in the Windows Registry.	Access 2003+
3250	Could not build key.	Access 2003+
3251	Operation is not supported for this type of object.	Access 2003+
3252	Cannot open a form whose underlying query contains a user-defined function that attempts to set or get the form's RecordsetClone property.	Access 2003+
3254	ODBC--Cannot lock all records.	Access 2003+
3256	Index file not found.	Access 2003+
3257	Syntax error in WITH OWNERACCESS OPTION declaration.	Access 2003+
3258	The SQL statement could not be executed because it contains ambiguous outer joins.To force one of the joins to be performed first, create a separate query that performs the first join and then include that query in your SQL statement. <b>Access 2010+ uses different description:</b> 'The SQL statement could not be executed because it contains ambiguous outer joins. To force one of the joins to be performed first, create a separate query that performs the first join and then include that query in your SQL statement.'	Access 2003+
3259	Invalid field data type.	Access 2003+
3260	Could not update; currently locked by user ' 2' on machine ' 1'.	Access 2003+
3261	Table ' ' is exclusively locked by user ' 2' on machine ' 1'.	Access 2003+
3262	Could not lock table	Access 2003+
3263	Invalid Database object.	Access 2003+
3264	No field defined--cannot append TableDef or Index.	Access 2003+
3265	Item not found in this collection.	Access 2003+
3266	Cannot append a Field that is already a part of a Fields collection.	Access 2003+
3267	Property can be set only when the Field is part of a Recordset object's Fields collection.	Access 2003+
3268	Cannot set this property once the object is part of a collection.	Access 2003+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
3269	Cannot append an Index that is already a part of an Indexes collection.	Access 2003+
3270	Property not found.	Access 2003+
3271	Invalid property value.	Access 2003+
3272	Object is not a collection.	Access 2003+
3273	Method not applicable for this object.	Access 2003+
3274	External table is not in the expected format.	Access 2003+
3275	Unexpected error from external database driver ( ).	Access 2003+
3276	Invalid database object reference.	Access 2003+
3277	Cannot have more than 10 fields in an index.	Access 2003+
3278	The Microsoft Jet database engine has not been initialized. <b>Access 2007+ uses different description:</b> 'The Microsoft Office Access database engine has not been initialized.' <b>Access 2010+ uses different description:</b> 'The Microsoft Access database engine has not been initialized.'	Access 2003+
3279	The Microsoft Jet database engine has already been initialized. <b>Access 2007+ uses different description:</b> 'The Microsoft Office Access database engine has	Access 2003+

already been initialized.' **Access 2010+ uses different description:** 'The Microsoft Access database engine has already been initialized.'

3280	Cannot delete a field that is part of an index or is needed by the system.	Access 2003+
3281	Cannot delete this index or table.It is either the current index or is used in a relationship. <b>Access 2010+ uses different description:</b> 'Cannot delete this index or table. It is either the current index or is used in a relationship.'	Access 2003+
3282	Operation not supported on a table that contains data.	Access 2003+
3283	Primary key already exists.	Access 2003+
3284	Index already exists.	Access 2003+
3285	Invalid index definition.	Access 2003+
3286	Format of memo file does not match specified external database format.	Access 2003+
3287	Cannot create index on the given field.	Access 2003+
3288	Paradox index is not primary.	Access 2003+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
3289	Syntax error in CONSTRAINT clause.	Access 2003+
3290	Syntax error in CREATE TABLE statement.	Access 2003+
3291	Syntax error in CREATE INDEX statement.	Access 2003+
3292	Syntax error in field definition.	Access 2003+
3293	Syntax error in ALTER TABLE statement.	Access 2003+
3294	Syntax error in DROP INDEX statement.	Access 2003+
3295	Syntax error in DROP TABLE or DROP INDEX.	Access 2003+
3296	Join expression not supported. <b>Access 2007+ uses different description:</b> 'JOIN expression not supported.'	Access 2003+
3297	Could not import table or query.No records found, or all records contain errors. <b>Access 2010+ uses different description:</b> 'Could not import table or query. No records found, or all records contain errors.'	Access 2003+
3298	There are several tables with that name.Please specify owner in the format 'owner.table'. <b>Access 2010+ uses different description:</b> 'There are several tables with that name. Please specify owner in the format 'owner.table'.'	Access 2003+
3299	ODBC Specification Conformance Error (()).Report this error to the developer of your application. <b>Access 2010+ uses different description:</b> 'ODBC Specification Conformance Error (()). Report this error to the developer of your application.'	Access 2003+
3300	Cannot create a relationship.	Access 2003+
3301	Cannot perform this operation; features in this version are not available in databases with older formats.	Access 2003+
3302	Cannot change a rule while the rules for this table are in use.	Access 2003+
3303	Cannot delete this field.It is part of one or more relationships. <b>Access 2010+ uses different description:</b> 'Cannot delete this field. It is part of one or more relationships.'	Access 2003+
3304	You must enter a personal identifier (PID) consisting of at least 4 and no more than 20 characters and digits.	Access 2003+
3305	Invalid connection string in pass-through query.	Access 2003+
3306	You have written a subquery that can return more than one field without using the EXISTS reserved word in the main query's FROM clause.Revise the SELECT statement of the subquery to request only one field. <b>Access 2010+ uses different description:</b> 'You have written a subquery that can return more than one field without using the EXISTS reserved word in the main query's FROM clause. Revise the SELECT statement of the subquery to request only one field.'	Access 2003+
3307	The number of columns in the two selected tables or queries of a union query do not match.	Access 2003+

3308	Invalid TOP argument in select query.	Access 2003+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
3309	Property value is too large.	Access 2003+
3310	This property is not supported for external data sources or for databases created with a previous version of Microsoft Jet.	Access 2003+
3311	Property specified already exists.	Access 2003+
3312	Validation rules and default values cannot be placed on system or linked tables.	Access 2003+
3313	Cannot place this validation expression on this field.	Access 2003+
3314	The field ' ' cannot contain a Null value because the Required property for this field is set to True.Enter a value in this field. <b>Access 2007+ uses different description:</b> 'You must enter a value in the ' ' field.'	Access 2003+
3315	Field ' ' cannot be a zero-length string.	Access 2003+
3316		Access 2003+
3317	One or more values are prohibited by the validation rule ' 2' set for ' 1'.Enter a value that the expression for this field can accept. <b>Access 2010+ uses different description:</b> 'One or more values are prohibited by the validation rule ' 2' set for ' 1'. Enter a value that the expression for this field can accept.'	Access 2003+
3318	Values specified in a TOP clause are not allowed in delete queries or reports.	Access 2003+
3319	Syntax error in union query.	Access 2003+
3320	in table-level validation expression.	Access 2003+
3321	No database specified in connection string or IN clause.	Access 2003+
3322	Crosstab query contains one or more invalid fixed column headings.	Access 2003+
3323	The query cannot be used as a row source.	Access 2003+
3324	The query is a DDL query and cannot be used as a row source.	Access 2003+
3325	Pass-through query with ReturnsRecords property set to True did not return any records.	Access 2003+
3326	This Recordset is not updateable.	Access 2003+
3327	Field ' ' is based on an expression and cannot be edited.	Access 2003+
3328	Table ' 2' is read-only. <b>Access 2010+ uses different description:</b> 'Table is read-only.'	Access 2003+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
3329	Record in table ' ' was deleted by another user.	Access 2003+
3330	Record in table ' ' is locked by another user.	Access 2003+
3331	To make changes to this field, first save the record.	Access 2003+
3332	Cannot enter value into blank field on 'one' side of outer join.	Access 2003+
3333	Records in table ' ' would have no record on the 'one' side.	Access 2003+
3334	Can be present only in version 1.0 format.	Access 2003+
3335	DeleteOnly called with non-zero cbData.	Access 2003+
3336	Btrieve: Invalid IndexDDF option in initialization setting.	Access 2003+
3337	Invalid DataCodePage option in initialization setting.	Access 2003+
3338	Btrieve: Xtrieve options are not correct in initialization setting.	Access 2003+
3339	Btrieve: Invalid IndexDeleteRenummer option in initialization setting.	Access 2003+
3340	Query ' ' is corrupt.	Access 2003+
3341	The current field must match the join key ' ' in the table that serves as the 'one' side of one-to-many relationship.Enter a record in the 'one' side table with the desired key value, and then make the entry with the desired join key in the 'many-only' table. <b>Access 2010+ uses different description:</b> 'The current field must match the join key ' ' in the table that serves as the 'one' side of one-to-many relationship. Enter a record in the 'one' side table with the desired key	Access 2003+



value, and then make the entry with the desired join key in the 'many-only' table.'

3342	Invalid Memo, OLE, or Hyperlink Object in subquery ' '. Access 2003+
3343	Unrecognized database format ' '. Access 2003+
3344	The database engine does not recognize either the field ' 1' in a validation expression, or the default value in the table ' 2'. Access 2003+
3345	Unknown or invalid field reference ' '. Access 2003+
3346	Number of query values and destination fields are not the same. Access 2003+
3347	Cannot add record(s); primary key for table ' ' not in recordset. Access 2003+
3348	Cannot add record(s); join key of table ' ' not in recordset. Access 2003+
<b>Error Code</b>	<b>Error Description</b> <b>Supported Versions</b>
3349	Numeric field overflow. <b>Access 2007+ uses different description:</b> 'You cannot record your changes because a value you entered violates the settings defined for this table or list (for example, a value is less than the minimum or greater than the maximum).Correct the error and try again.' <b>Access 2010+ uses different description:</b> 'You cannot record your changes because a value you entered violates the settings defined for this table or list (for example, a value is less than the minimum or greater than the maximum). Correct the error and try again.' Access 2003+
3350	Object is invalid for operation. Access 2003+
3351	The ORDER BY expression ( ) includes fields that are not selected by the query.Only those fields requested in the first query can be included in an ORDER BY expression. <b>Access 2010+ uses different description:</b> 'The ORDER BY expression ( ) includes fields that are not selected by the query. Only those fields requested in the first query can be included in an ORDER BY expression.' Access 2003+
3352	No destination field name in INSERT INTO statement ( ). Access 2003+
3353	Btrieve: Cannot find file Field.ddf. Access 2003+
3354	At most one record can be returned by this subquery. Access 2003+
3355	Syntax error in default value. Access 2003+
3356	You attempted to open a database that is already opened exclusively by user ' 2' on machine ' 1'.Try again when the database is available. <b>Access 2010+ uses different description:</b> 'You attempted to open a database that is already opened exclusively by user ' 2' on machine ' 1'. Try again when the database is available.' Access 2003+
3357	This query is not a properly formed data-definition query. Access 2003+
3358	Cannot open the Microsoft Jet engine workgroup information file. <b>Access 2007+ uses different description:</b> 'Cannot open the Microsoft Office Access database engine workgroup information file.' <b>Access 2010+ uses different description:</b> 'Cannot open the Microsoft Access database engine workgroup information file.' Access 2003+
3359	Pass-through query must contain at least one character. Access 2003+
3360	Query is too complex. Access 2003+
3361	Unions not allowed in a subquery. Access 2003+
3362	Single-row update/delete affected more than one row of a linked table.Unique index contains duplicate values. <b>Access 2010+ uses different description:</b> 'Single-row update/delete affected more than one row of a linked table. Unique index contains duplicate values.' Access 2003+
3363	Record(s) cannot be added; no corresponding record on the 'one' side. Access 2003+
3364	Cannot use Memo, OLE, or Hyperlink Object field ' ' in the SELECT clause of a union query. Access 2003+
3365	Property value not valid for REMOTE objects. Access 2003+

3366	Cannot append a relation with no fields defined.	Access 2003+
3367	<b>Access 2010+ uses different description:</b> 'Cannot append. An object with that name already exists in the collection.'	Access 2003+
3368	Relationship must be on the same number of fields with the same data types.	Access 2003+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
3369	*****	Access 2003+
3370	Cannot modify the design of table ' '.It is in a read-only database. <b>Access 2010+ uses different description:</b> 'Cannot modify the design of table ' '. It is in a read-only database.'	Access 2003+
3371	Cannot find table or constraint.	Access 2003+
3372	No such index ' 2' on table ' 1'.	Access 2003+
3373	Cannot create relationship.Referenced table ' ' does not have a primary key. <b>Access 2010+ uses different description:</b> 'Cannot create relationship. Referenced table ' ' does not have a primary key.'	Access 2003+
3374	The specified fields are not uniquely indexed in table ' '.	Access 2003+
3375	Table ' 1' already has an index named ' 2'.	Access 2003+
3376	Table ' ' does not exist.	Access 2003+
3377	No such relationship ' 2' on table ' 1'.	Access 2003+
3378	There is already a relationship named ' ' in the current database.	Access 2003+
3379	Cannot create relationships to enforce referential integrity.Existing data in table ' 2' violates referential integrity rules in table ' 1'. <b>Access 2010+ uses different description:</b> 'Cannot create relationships to enforce referential integrity. Existing data in table ' 2' violates referential integrity rules in table ' 1'.'	Access 2003+
3380	Field ' 2' already exists in table ' 1'.	Access 2003+
3381	There is no field named ' 2' in table ' 1'.	Access 2003+
3382	Size of field ' ' is too long.	Access 2003+
3383	Cannot delete field ' '.It is part of one or more relationships. <b>Access 2010+ uses different description:</b> 'Cannot delete field ' '. It is part of one or more relationships.'	Access 2003+
3384	Cannot delete a built-in property.	Access 2003+
3385	User-defined properties do not support a Null value.	Access 2003+
3386	Property ' ' must be set before using this method.	Access 2003+
3387	Cannot find TEMP directory.	Access 2003+
3388	Unknown function ' 2' in validation expression or default value on ' 1'.	Access 2003+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
3389	Query support unavailable.	Access 2003+
3390	Account name already exists.	Access 2003+
3391	An error has occurred.Properties were not saved. <b>Access 2010+ uses different description:</b> 'An error has occurred. Properties were not saved.'	Access 2003+
3392	*****	Access 2003+
3393	Cannot perform join, group, sort, or indexed restriction. A value being searched or sorted on is too long.	Access 2003+
3394	Cannot save property; property is a schema property.	Access 2003+
3395	*****	Access 2003+
3396	Cannot perform cascading operation.Since related records exist in table ' ', referential integrity rules would be violated. <b>Access 2010+ uses different description:</b> 'Cannot perform cascading operation. Since related records exist in table ' ', referential integrity rules would be violated.'	Access 2003+
3397	Cannot perform cascading operation.There must be a related record in table ' '. <b>Access 2010+ uses different description:</b> 'Cannot perform cascading	Access 2003+

	operation. There must be a related record in table ' .'	
3398	Cannot perform cascading operation.It would result in a null key in table ' '. <b>Access 2010+ uses different description:</b> 'Cannot perform cascading operation. It would result in a null key in table ' .'	Access 2003+
3399	Cannot perform cascading operation.It would result in a duplicate key in table ' '. <b>Access 2010+ uses different description:</b> 'Cannot perform cascading operation. It would result in a duplicate key in table ' .'	Access 2003+
3400	Cannot perform cascading operation.It would result in two updates to field '2' in table '1'. <b>Access 2010+ uses different description:</b> 'Cannot perform cascading operation. It would result in two updates to field '2' in table '1'.'	Access 2003+
3401	Cannot perform cascading operation.It would cause field ' ' to become Null, which is not allowed. <b>Access 2010+ uses different description:</b> 'Cannot perform cascading operation. It would cause field ' ' to become Null, which is not allowed.'	Access 2003+
3402	Cannot perform cascading operation.It would cause field ' ' to become a zero-length string, which is not allowed. <b>Access 2010+ uses different description:</b> 'Cannot perform cascading operation. It would cause field ' ' to become a zero-length string, which is not allowed.'	Access 2003+
3403	Cannot perform cascading operation:' '.	Access 2003+
3404	Cannot perform cascading operation.The value entered is prohibited by the validation rule '2' set for '1'. <b>Access 2010+ uses different description:</b> 'Cannot perform cascading operation. The value entered is prohibited by the validation rule '2' set for '1'.'	Access 2003+
3405	Error ' ' in validation rule.	Access 2003+
3406	The expression you are trying to use for the DefaultValue property is invalid because ' '.Use a valid expression to set this property. <b>Access 2010+ uses different description:</b> 'The expression you are trying to use for the DefaultValue property is invalid because ' '. Use a valid expression to set this property.'	Access 2003+
3407	The server's MSysConf table exists, but is in an incorrect format.Contact your system administrator. <b>Access 2010+ uses different description:</b> 'The server's MSysConf table exists, but is in an incorrect format. Contact your system administrator.'	Access 2003+
3408	Too many FastFind Sessions were invoked.	Access 2003+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
3409	Invalid field definition ' ' in definition of index or relationship.	Access 2003+
3411	Invalid entry.Cannot perform cascading operation in table '1' because the value entered is too large for field '2'. <b>Access 2010+ uses different description:</b> 'Invalid entry. Cannot perform cascading operation in table '1' because the value entered is too large for field '2'.'	Access 2003+
3412	Cannot perform cascading update on the table because it is currently in use by another user.	Access 2003+
3413	Cannot perform cascading operation on table '1' because it is currently in use by user '3' on machine '2'.	Access 2003+
3414	Cannot perform cascading operation on table '1' because it is currently in use.	Access 2003+
3415	Zero-length string is valid only in a Text or Memo field.	Access 2003+
3416		Access 2003+
3417	An action query cannot be used as a row source.	Access 2003+
3418	Cannot open ' '.Another user has the table open using a different network control file or locking style. <b>Access 2010+ uses different description:</b> 'Cannot open ' '. Another user has the table open using a different network control file or locking style.'	Access 2003+

3419	Cannot open this Paradox 4.x or 5.x table because ParadoxNetStyle is set to 3.x in the Windows Registry.	Access 2003+
3420	Object invalid or no longer set.	Access 2003+
3421	Data type conversion error.	Access 2003+
3422	Cannot modify table structure. Another user has the table open. <b>Access 2010+ uses different description:</b> 'Cannot modify table structure. Another user has the table open.'	Access 2003+
3423	You cannot use ODBC to import from, export to, or link an external Microsoft Jet or ISAM database table to your database. <b>Access 2007+ uses different description:</b> 'You cannot use ODBC to import from, export to, or link an external Microsoft Office Access or ISAM database table to your database.' <b>Access 2010+ uses different description:</b> 'You cannot use ODBC to import from, export to, or link an external Microsoft Access or ISAM database table to your database.'	Access 2003+
3424	Cannot create database because the locale is invalid.	Access 2003+
3425	This method or property is not currently available on this Recordset.	Access 2003+
3426	This action was cancelled by an associated object.	Access 2003+
3427	Error in DAO automation.	Access 2003+
3428	A problem occurred in your database. Correct the problem by repairing and compacting the database. <b>Access 2010+ uses different description:</b> 'A problem occurred in your database. Correct the problem by repairing and compacting the database.'	Access 2003+
3429	Incompatible version of an installable ISAM.	Access 2003+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
3430	While loading the Microsoft Excel installable ISAM, OLE was unable to initialize.	Access 2003+
3431	This is not a Microsoft Excel 5.0 file.	Access 2003+
3432	Error opening a Microsoft Excel 5.0 file.	Access 2003+
3433	Invalid setting in Excel key of the Engines section of the Windows Registry.	Access 2003+
3434	Cannot expand named range.	Access 2003+
3435	Cannot delete spreadsheet cells.	Access 2003+
3436	Failure creating file.	Access 2003+
3437	Spreadsheet is full.	Access 2003+
3438	The data being exported does not match the format described in the Schema.ini file.	Access 2003+
3439	You attempted to link or import a Microsoft Word mail merge file. Although you can export such files, you cannot link or import them.	Access 2003+
3440	An attempt was made to import or link an empty text file. To import or link a text file, the file must contain data.	Access 2003+
3441	Text file specification field separator matches decimal separator or text delimiter.	Access 2003+
3442	In the text file specification ' 1', the  2 option is invalid.	Access 2003+
3443	The fixed width specification ' 1' contains no column widths.	Access 2003+
3444	In the fixed width specification ' 1', column ' 2' does not specify a width.	Access 2003+
3445	Incorrect version of the DLL file '  was found.	Access 2003+
3446	Jet VBA file (VBAJET.dll for 16-bit versions, or VBAJET32.dll for 32-bit versions) is missing. Try reinstalling the application that returned the error. <b>Access 2007+ uses different description:</b> 'The VBA file (VBAJET.dll for 16-bit versions, or VBAJET32.dll for 32-bit versions) is missing. Try reinstalling the application that returned the error.' <b>Access 2010+ uses different description:</b> 'VBAJET32.dll is missing. Try reinstalling the Microsoft Access database engine.'	Access 2003+

The Jet VBA file (VBAJET.dll for 16-bit versions, or VBAJET32.dll for 32-bit versions) failed to initialize when called. Try reinstalling the application that returned the error. **Access 2007+ uses different description:** 'The VBA file (VBAJET.dll for 16-bit versions, or VBAJET32.dll for 32-bit versions) failed to initialize when called. Try reinstalling the application that returned the error.' **Access 2010+ uses different description:** 'VBAJET32.dll failed to initialize when called. Try reinstalling the Microsoft Access database engine.'

A call to an OLE system function was not successful. Try reinstalling the application that returned the error. Access 2003+

No country code found in connection string for a linked table. **Access 2007+ uses different description:** 'No country/region code found in connection string for a linked table.' Access 2003+

Error Code	Error Description	Supported Versions
------------	-------------------	--------------------

3450	Syntax error in query.Incomplete query clause. <b>Access 2010+ uses different description:</b> 'Syntax error in query. Incomplete query clause.'	Access 2003+
------	--	--------------

3451	Illegal reference in query.	Access 2003+
------	-----------------------------	--------------

3452	You cannot make changes to the design of the database at this replica.	Access 2003+
------	--	--------------

3453	You cannot establish or maintain an enforced relationship between a replicated table and a local table.	Access 2003+
------	---	--------------

3455	Cannot make the database replicable.	Access 2003+
------	--------------------------------------	--------------

3456	Cannot make the  2 object in  1 container replicable.	Access 2003+
------	---	--------------

3457	You cannot set the KeepLocal property for an object that is already replicated.	Access 2003+
------	---	--------------

3458	The KeepLocal property cannot be set on a database; it can be set only on the objects in a database.	Access 2003+
------	--	--------------

3459	After a database has been replicated, you cannot remove the replication features from the database.	Access 2003+
------	---	--------------

3460	The operation you attempted conflicts with an existing operation involving this member of the replica set.	Access 2003+
------	--	--------------

3461	The replication property you are attempting to set or delete is read-only and cannot be changed.	Access 2003+
------	--	--------------

3462	Failure to load a DLL.	Access 2003+
------	------------------------	--------------

3463	Cannot find the .dll  2'.	Access 2003+
------	---------------------------	--------------

3464	Data type mismatch in criteria expression.	Access 2003+
------	--	--------------

3465	The disk drive you are attempting to access is unreadable.	Access 2003+
------	--	--------------

3468	Access was denied while accessing dropbox folder  2'.	Access 2003+
------	---	--------------

3469	The disk for dropbox folder  2' is full.	Access 2003+
------	--	--------------

3470	Disk failure accessing dropbox folder  2'.	Access 2003+
------	--	--------------

3471	Failure to write to the Synchronizer log file.	Access 2003+
------	--	--------------

3472	Disk full for path  1'.	Access 2003+
------	-------------------------	--------------

Error Code	Error Description	Supported Versions
------------	-------------------	--------------------

3473	Disk failure while accessing log file  1'.	Access 2003+
------	--	--------------

3474	Cannot open the log file  1' for writing.	Access 2003+
------	---	--------------

3475	Sharing violation while attempting to open log file  1' in Deny Write mode.	Access 2003+
------	---	--------------

3476	Invalid dropbox path  2'.	Access 2003+
------	---------------------------	--------------

3477	Dropbox address  2' is syntactically invalid.	Access 2003+
------	---	--------------

3478	The replica is not a partial replica.	Access 2003+
------	---------------------------------------	--------------

3479	Cannot designate a partial replica as the Design Master for the replica set.	Access 2003+
------	--	--------------

3480	The relationship  ' in the partial filter expression is invalid.	Access 2003+
------	--	--------------

3481	The table name  ' in the partial filter expression is invalid.	Access 2003+
------	--	--------------

3482	The filter expression for the partial replica is invalid.	Access 2003+
------	---	--------------

3483	The password supplied for the dropbox folder 'l2' is invalid.	Access 2003+
3484	The password used by the Synchronizer to write to a destination dropbox folder is invalid.	Access 2003+
3485	The object cannot be replicated because the database is not replicated.	Access 2003+
3486	You cannot add a second Replication ID AutoNumber field to a table.	Access 2003+
3487	The database you are attempting to replicate cannot be converted.	Access 2003+
3488	The value specified is not a ReplicaID for any member in the replica set.	Access 2003+
3489	The object specified cannot be replicated because it is missing anecessary resource.	Access 2003+
3490	Cannot create a new replica because the 'l2' object in 'l1' container could not be replicated.	Access 2003+
3491	The database must be opened in exclusive mode before it can be replicated.	Access 2003+
3492	The synchronization failed because a design change could not be applied to one of the replicas.	Access 2003+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
3493	Cannot set the specified Registry parameter for the Synchronizer.	Access 2003+
3494	Unable to retrieve the specified Registry parameter for the Synchronizer.	Access 2003+
3495	There are no scheduled synchronization's between the two Synchronizers.	Access 2003+
3496	Replication Manager cannot find the ExchangeID in the MSysExchangeLog table.	Access 2003+
3497	Unable to set a schedule for the Synchronizer.	Access 2003+
3499	Cannot retrieve the full path information for a member of the replica set.	Access 2003+
3500	You cannot specify two different Synchronizers to manage the same replica.	Access 2003+
3502	The Design Master or replica is not being managed by a Synchronizer.	Access 2003+
3503	The Synchronizer's Registry has no value set for the key you queried.	Access 2003+
3504	The Synchronizer ID does not match an existing ID in the MSysTranspAddress table.	Access 2003+
3505	You attempted to delete or get information about a partial filter that does not exist in MSysFilters.	Access 2003+
3506	The Synchronizer is unable to open the Synchronizer log.	Access 2003+
3507	Failure writing to the Synchronizer log.	Access 2003+
3508	There is no active transport for the Synchronizer.	Access 2003+
3509	Could not find a valid transport for this Synchronizer.	Access 2003+
3510	The member of the replica set you are attempting to synchronize is currently being used in another synchronization.	Access 2003+
3512	Failed to read the dropbox folder.	Access 2003+
3513	Failed to write to the dropbox folder.	Access 2003+
3514	Synchronizer could not find any scheduled or on-demand synchronization's to process.	Access 2003+
3515	The Microsoft Jet database engine could not read the system clock on your computer. <b>Access 2007+ uses different description:</b> 'The Microsoft Office Access database engine could not read the system clock on your computer.' <b>Access 2010+ uses different description:</b> 'The Microsoft Access database engine could not read the system clock on your computer.'	Access 2003+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
3516	Destination synchronizer is not configured to support indirect synchronronization, and the destination replica is unavailable for direct synchronization.	Access 2003+
3517	Synchronizer could not find any messages to process.	Access 2003+
3518	Could not find Synchronizer in the MSysTranspAddress table.	Access 2003+

3519	Failed to send a message.	Access 2003+
3520	The replica name or ID does not match a currently managed member of the replica set.	Access 2003+
3521	Two members of the replica set cannot be synchronized because there is no common point to start the synchronization.	Access 2003+
3522	Synchronizer cannot find the record of a specific synchronization in the MSysExchangeLog table.	Access 2003+
3523	Synchronizer cannot find a specific version number in the MSysSchChange table.	Access 2003+
3524	The history of design changes in the replica does not match the history in the Design Master.	Access 2003+
3525	Synchronizer could not access the message database.	Access 2003+
3526	The name selected for the system object is already in use.	Access 2003+
3527	The Synchronizer or Replication Manager could not find the system object.	Access 2003+
3528	There is no new data in shared memory for the Synchronizer or Replication Manager to read.	Access 2003+
3529	The Synchronizer or Replication Manager found unread data in the shared memory. The existing data will be overwritten.	Access 2003+
3530	The Synchronizer is already serving a client.	Access 2003+
3531	The wait period for an event has timed out.	Access 2003+
3532	Synchronizer could not be initialized.	Access 2003+
3533	The system object used by a process still exists after the process has stopped.	Access 2003+
3534	Synchronizer looked for a system event but did not find one to report to the client.	Access 2003+
3535	Client has asked the Synchronizer to terminate operation.	Access 2003+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
3536	Synchronizer received an invalid message for a member of the replica set that it manages.	Access 2003+
3537	The Synchronizer's client is no longer present and cannot be notified.	Access 2003+
3538	Cannot initialize Synchronizer because there are too many applications running.	Access 2003+
3539	A system error has occurred or your swap file has reached its limit.	Access 2003+
3540	Your swap file has reached its limit or is corrupted.	Access 2003+
3541	Synchronizer could not be shut down properly and is still active.	Access 2003+
3542	Process stopped when attempting to terminate Synchronizer client.	Access 2003+
3543	Synchronizer has not been set up.	Access 2003+
3544	Synchronizer is already running.	Access 2003+
3545	The two replicas you are attempting to synchronize are from different replica sets.	Access 2003+
3546	The type of synchronization you are attempting is not valid.	Access 2003+
3547	Synchronizer could not find a replica from the correct set to complete the synchronization.	Access 2003+
3548	GUIDs do not match or the requested GUID could not be found.	Access 2003+
3549	The file name you provided is too long.	Access 2003+
3550	There is no index on the GUID column.	Access 2003+
3551	Unable to delete the specified Registry parameter for the Synchronizer.	Access 2003+
3552	The size of the Registry parameter exceeds the maximum allowed.	Access 2003+
3553	The GUID could not be created.	Access 2003+
3555	All valid nicknames for replicas are already in use.	Access 2003+
3556	Invalid path for destination dropbox folder.	Access 2003+

Error Code	Error Description	Supported Versions
3557	Invalid address for destination dropbox folder.	Access 2003+
3558	Disk I/O error at destination dropbox folder.	Access 2003+
3559	Failure to write because destination disk is full.	Access 2003+
3560	The two members of the replica set you are attempting to synchronize have the same ReplicaID.	Access 2003+
3561	The two members of the replica set you are attempting to synchronize are both Design Masters.	Access 2003+
3562	Access denied at destination dropbox folder.	Access 2003+
3563	Fatal error accessing a local dropbox folder.	Access 2003+
3564	Synchronizer cannot find the source file for messages.	Access 2003+
3565	There is a sharing violation in the source dropbox folder because the message database is open in another application.	Access 2003+
3566	Network I/O error.	Access 2003+
3567	Message in dropbox folder belongs to the wrong Synchronizer.	Access 2003+
3568	Synchronizer could not delete a file.	Access 2003+
3569	This member of the replica set has been logically removed from the set and is no longer available.	Access 2003+
3570	The filters defining a partial replica have been changed.The partial replica must be repopulated. <b>Access 2010+ uses different description:</b> 'The filters defining a partial replica have been changed. The partial replica must be repopulated.'	Access 2003+
3571	The attemptto set a column in a partial replica violated a rule governing partial replicas.	Access 2003+
3572	A disk I/O error occurred while reading or writing to the TEMP directory.	Access 2003+
3573	The directory you queried for a list of replicas is not a managed directory.	Access 2003+
3574	The ReplicaID for this member of the replica set was reassigned during a move or copy procedure.	Access 2003+
3575	The disk drive you are attempting to write to is full.	Access 2003+
3576	The database you are attempting to open is already in use by another application.	Access 2003+
Error Code	Error Description	Supported Versions
3577	Cannot update replication system column.	Access 2003+
3578	Failure to replicate database; cannot determine whether the database is open in exclusive mode.	Access 2003+
3579	Could not create replication system tables needed to make the database replicable.	Access 2003+
3580	Could not add rows needed to make the database replicable.	Access 2003+
3581	Cannot open replication system table ' ' because the table is already in use.	Access 2003+
3582	Cannot make a new replica because the  2 object in  1 container could not be made replicable.	Access 2003+
3583	Cannot make the  2 object in  1 container replicable.	Access 2003+
3584	Insufficient memory to complete operation.	Access 2003+
3585	Cannot replicate the table; the number of columns exceeds the maximum allowed.	Access 2003+
3586	Syntax error in partial filter expression on table  1.	Access 2003+
3587	Invalid expression in the ReplicaFilter property.	Access 2003+
3588	Error when evaluating the partial filter expression.	Access 2003+
3589	The partial filter expression contains an unknown function.	Access 2003+
3590	Violates the rules for partial replicas.	Access 2003+
3591	Log file path ' 1' is invalid.	Access 2003+



3592	You cannot replicate a password-protected database or set password protection on a replicated database.	Access 2003+
3593	You cannot change the data master attribute for the replica set.	Access 2003+
3594	You cannot change the data master attribute for the replica set.It allows data changes only at the Design Master. <b>Access 2010+ uses different description:</b> 'You cannot change the data master attribute for the replica set. It allows data changes only at the Design Master.'	Access 2003+
3595	The system tables in your replica are no longer reliable and the replica should not be used.	Access 2003+
3600	Aggregation expressions cannot use GUIDs.	Access 2003+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
3605	Synchronizing with a non-replicated database is not allowed. The ' ' database is not a Design Master or replica.	Access 2003+
3607	The replication property you are attempting to delete is read-only and cannot be removed.	Access 2003+
3608	Record length is too long for an indexed Paradox table.	Access 2003+
3609	No unique index found for the referenced field of the primary table.	Access 2003+
3610	Same table ' ' referenced as both the source and destination in make-table query.	Access 2003+
3611	Cannot execute data definition statements on linked data sources.	Access 2003+
3612	Multi-level GROUP BY clause is not allowed in a subquery.	Access 2003+
3613	Cannot create a relationship on linked ODBC tables.	Access 2003+
3614	GUID not allowed in Find method criteria expression.	Access 2003+
3615	Type mismatch in expression.	Access 2003+
3616	Updating data in a linked table is not supported by this ISAM.	Access 2003+
3617	Deleting data in a linked table is not supported by this ISAM.	Access 2003+
3618	Exceptions table could not be created on import/export.	Access 2003+
3619	Records could not be added to exceptions table.	Access 2003+
3620	The connection for viewing your linked Microsoft Excel worksheet was lost.	Access 2003+
3621	Cannot change password on a shared open database.	Access 2003+
3622	You must use the dbSeeChanges option with OpenRecordset when accessing a SQL Server table that has an IDENTITY column.	Access 2003+
3623	Cannot access the FoxPro 3.0 bound DBF file ' '.	Access 2003+
3624	Could not read the record; currently locked by another user.	Access 2003+
3625	The text file specification ' ' does not exist.You cannot import, export, or link using the specification. <b>Access 2010+ uses different description:</b> 'The text file specification ' ' does not exist. You cannot import, export, or link using the specification.'	Access 2003+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
3626	The operation failed.There are too many indexes on table ' '.Delete some of the indexes on the table and try the operation again. <b>Access 2010+ uses different description:</b> 'The operation failed. There are too many indexes on table ' '. Delete some of the indexes on the table and try the operation again.'	Access 2003+
3627	Cannot find the executable file for the Synchronizer (mstran40.exe).	Access 2003+
3628	Partner replica is not managed by a Synchronizer.	Access 2003+
3629	Synchronizer ' 1' is also using the same File System dropbox ' 2'.	Access 2003+
3630	Synchronizer ' 1' is also using the same File System dropbox ' 2'.	Access 2003+
3631	Invalid Table Name In Filter	Access 2003+
3632	Internet Transport not enabled on the remote Synchronizer.	Access 2003+
3633	Cannot load DLL:' '	Access 2003+
3634	Cannot create a replica using a partial replica.	Access 2003+

3635	Cannot create partial replica of a system database.	Access 2003+
3636	Cannot populate the replica or change the replica's filter because the replica has conflicts or data errors.	Access 2003+
3637	Cannot use the crosstab of a non-fixed column as a subquery.	Access 2003+
3638	A Source Controlled database cannot be made replicable.	Access 2003+
3639	Cannot create a replica of a System database.	Access 2003+
3640	The fetch buffer was too small for the amount of data you requested.	Access 2003+
3641	There are fewer records remaining in the recordset than you requested.	Access 2003+
3642	A cancel was performed on the operation.	Access 2003+
3643	One of the records in the recordset was deleted by another process.	Access 2003+
3645	One of the binding parameters is incorrect.	Access 2003+
3646	The specified row length is shorter than the sum of the column lengths.	Access 2003+

Error Code	Error Description	Supported Versions
3647	A column requested is not being returned to the recordset.	Access 2003+
3648	Cannot synchronize a partial replica with another partial replica.	Access 2003+
3649	The language-specific code page was not specified or could not be found.	Access 2003+
3650	Either the Internet is very slow or there is some problem in the replication manager setup on the internet server machine.	Access 2003+
3651	Invalid internet address.	Access 2003+
3652	Internet login failure.	Access 2003+
3653	Internet not set up.	Access 2003+
3654	Internal internet failure.	Access 2003+
3655	The wininet.dll cannot be loaded or initialized.	Access 2003+
3656	Error in evaluating a partial expression	Access 2003+
3657	Error in evaluating the boolean filter expression for table '1'.	Access 2003+
3658	Binary column ' ' cannot be used in a boolean filter.	Access 2003+
3659	Relationship '1' is unenforced. Relationship in a partial filter expression must be enforced.	Access 2003+
3660	Requested exchange failed because '1'.	Access 2003+
3661	Requested exchange failed because '1'	Access 2003+
3663	This operation requires a different cursor library.	Access 2003+
3664	An asynchronous OpenConnection call is not yet complete; you cannot yet reference the returned connection object until it is complete.	Access 2003+
3665	You cannot modify the replication system object ' '.	Access 2003+
3666	You cannot modify the replication system object ' '.	Access 2003+
3667	A different operation is preventing this operation from being executed.	Access 2003+

Error Code	Error Description	Supported Versions
3668	Cannot perform this operation because there is no active connection.	Access 2003+
3669	Execution cancelled.	Access 2003+
3670	Cursor is not valid.	Access 2003+
3671	Cannot find table to update.	Access 2003+
3672	Failed to load RDOCURS.DLL.	Access 2003+
3673	This table contains cells that are outside the range of cells defined in this spreadsheet.	Access 2003+
3674	Internet dll (wininet.dll) could not be found or loaded.	Access 2003+
3675	Failure to read from an internet handle. Try the operation again.	Access 2003+
3676	Failure to write to an internet handle. Try the operation again.	Access 2003+
3677	Failure to execute the HTTP request to start internet synchronizer on the internet server. Use Replication Manager to configure internet synchronizer on	Access 2003+

the internet server.

3678	Failure to connect to the FTP service on the internet server. Make sure that FTP service is running properly on the server and supports anonymous connections.	Access 2003+
3679	Failure to do open file using FTP service. Make sure that FTP dropbox has read permissions.	Access 2003+
3680	Failure in getting a file from the server using FTP. Make sure that FTP dropbox has read permissions.	Access 2003+
3681	Failure in putting a file to the server using FTP. Make sure that FTP dropbox has write permissions.	Access 2003+
3682	Failure to delete a file on the server using FTP. Make sure that FTP dropbox has read and write permissions.	Access 2003+
3683	Internet synchronizer exited unexpectedly on the server. Look at the partner replica exchange history on the internet server to figure out the problem.	Access 2003+
3684	There is no suitable replica with which to exchange.	Access 2003+
3685	Invalid HTTP address.	Access 2003+
3686	Invalid replica path or name.	Access 2003+
3687	Invalid SQL syntax - expected token: Option.	Access 2003+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
3688	Invalid SQL syntax - expected token: For.	Access 2003+
3689	Invalid SQL syntax - expected token: Privileges.	Access 2003+
3690	Invalid SQL syntax - expected a table right/privilege.	Access 2003+
3691	Invalid SQL syntax - expected an object name.	Access 2003+
3692	Invalid SQL syntax - related tokens did not match.Jet expected GRANT...TO, REVOKE...FROM, ADD...TO, or DROP...FROM. <b>Access 2007+ uses different description:</b> 'Invalid SQL syntax - related tokens did not match.Microsoft Office Access database engine expected GRANT...TO, REVOKE...FROM, ADD...TO, or DROP...FROM.' <b>Access 2010+ uses different description:</b> 'Invalid SQL syntax - related tokens did not match. The Microsoft Access database engine expected GRANT...TO, REVOKE...FROM, ADD...TO, or DROP...FROM.'	Access 2003+
3693	Invalid SQL syntax - expected user or group name.	Access 2003+
3694	Invalid SQL syntax - expected token: Grant.	Access 2003+
3695	Invalid SQL syntax - GRANT/REVOKE syntax error.	Access 2003+
3696	Invalid SQL syntax - expected token: User (or) Group.	Access 2003+
3697	Invalid SQL syntax - expected token: Password.	Access 2003+
3698	Invalid SQL syntax - expected password.	Access 2003+
3699	Invalid SQL syntax - expected token: User.	Access 2003+
3700	Invalid precision for decimal data type.	Access 2003+
3701	Invalid scale for decimal data type.	Access 2003+
3702	The width of a Unicode text column must be an even number of bytes.	Access 2003+
3703	Operation not supported on replicable databases that have not been converted to the current version.	Access 2003+
3704	You attempted to open a database that is already opened by user '2' on machine '1'.Try again when the database is available. <b>Access 2010+ uses different description:</b> 'You attempted to open a database that is already opened by user '2' on machine '1'. Try again when the database is available.'	Access 2003+
3705	Cannot make the 2 table replicable - too many columns.	Access 2003+
3706	Cannot make the 2 table replicable - too many indexes.	Access 2003+
3707	The cascading options for the new reference conflict with existing reference '.	Access 2003+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>

3708	Syntax error in Transaction statement.Expected TRANSACTION, WORK, or nothing. <b>Access 2010+ uses different description:</b> 'Syntax error in Transaction statement. Expected TRANSACTION, WORK, or nothing.'	Access 2003+
3709	The search key was not found in any record.	Access 2003+
3710	MAPI folder or address book not found.	Access 2003+
3711	Recovered replicable data. This row was recovered from a corrupted replicable database. Verify that the record contents are correct and then reinsert the record, or delete this conflict record.	Access 2003+
3712	Other. This record was rejected due to an undefined replication conflict problem.	Access 2003+
3713	Update/update conflict. Another replica also updated this record.This record lost the conflict.Either resubmit your update or delete this conflict record. <b>Access 2010+ uses different description:</b> 'Update/update conflict. Another replica also updated this record. This record lost the conflict. Either resubmit your update or delete this conflict record.'	Access 2003+
3714	Locked table. This record could not be applied during synchronization since the table was locked by another user.Resubmit this conflict record. <b>Access 2010+ uses different description:</b> 'Locked table. This record could not be applied during synchronization since the table was locked by another user. Resubmit this conflict record.'	Access 2003+
3715	Unique key violation. This record has the same key value as another record, whereas only unique values are permitted.Either change the key value in this conflict record or the winning record and then resubmit this record, or delete this conflict record. <b>Access 2010+ uses different description:</b> 'Unique key violation. This record has the same key value as another record, whereas only unique values are permitted. Either change the key value in this conflict record or the winning record and then resubmit this record, or delete this conflict record.'	Access 2003+
3716	TLV violation. This record contains a field value that does not meet the table level validation constraint.Either update the field value that is violating the validation rule and then resubmit this conflict record, or delete this conflict record. <b>Access 2010+ uses different description:</b> 'TLV violation. This record contains a field value that does not meet the table level validation constraint. Either update the field value that is violating the validation rule and then resubmit this conflict record, or delete this conflict record.'	Access 2003+
3717	Delete/RI conflict. The primary key record has been deleted by another replica, therefore this referencing record has been rejected.Either create a new primary key record that satisfies the referential integrity constraint and then resubmit your update, or delete this conflict record. <b>Access 2010+ uses different description:</b> 'Delete/RI conflict. The primary key record has been deleted by another replica, therefore this referencing record has been rejected. Either create a new primary key record that satisfies the referential integrity constraint and then resubmit your update, or delete this conflict record.'	Access 2003+
3718	Update/RI conflict. The primary key record has been updated by another replica, therefore this referencing record has been rejected.Either create a new primary key record that satisfies the referential integrity constraint, modify the foreign key value in this conflict record to match a valid primary key value and then resubmit your update, or delete this conflict record. <b>Access 2010+ uses different description:</b> 'Update/RI conflict. The primary key record has been updated by another replica, therefore this referencing record has been rejected. Either create a new primary key record that satisfies the referential integrity constraint, modify the foreign key value in this conflict record to match a valid primary key value and then resubmit your update, or delete this conflict record.'	Access 2003+
3719	Foreign key violation resulting from an invalid primary key record that was involved in a replication conflict.Either create a new primary key record that satisfies the referential integrity constraint, modify the foreign key value in this	Access 2003+

conflict record to match a valid primary key value and then resubmit this conflict record, or delete this conflict record. **Access 2010+ uses different description:** 'Foreign key violation resulting from an invalid primary key record that was involved in a replication conflict. Either create a new primary key record that satisfies the referential integrity constraint, modify the foreign key value in this conflict record to match a valid primary key value and then resubmit this conflict record, or delete this conflict record.'

Cannot change field '|'.It is part of one or more relationships. **Access 2010+ uses different description:** 'Cannot change field '|'. It is part of one or more relationships.'

Invalid SQL syntax - expected constraint name.

Invalid SQL syntax - expected token: DEFAULT.

Invalid SQL syntax - expected token: COMPRESSION to follow WITH.

Invalid SQL syntax - expected token: UPDATE or DELETE.

Invalid SQL syntax - expected token: CASCADE, SET NULL, or NO ACTION.

Invalid SQL syntax - expected token: NULL.

Invalid SQL syntax - only one update rule and/or one delete rule allowed.

## Error Code Error Description

Invalid SQL syntax - expected token: AS.

Invalid SQL syntax - expected token: SELECT.

VIEW cannot contain a parameter.

The number of aliases specified shall be the same as the number of output columns.

Expected query name after EXECUTE.

The database has been placed in a state by an unknown user that prevents it from being opened or locked.

The database has been placed in a state by user '|2' on machine '|1' that prevents it from being opened or locked.

Too many columns in inverted index.

Update/delete conflict. This updated record was deleted at another replica. Either reinsert this conflict record or delete it.

Cannot create this type of replica from the given source replica.

Local or Anonymous replicas must synch only to their designated hub replica.

The proxy replica has been removed.

Cannot add a new column to conflict table '|'.Delete obsolete columns and compact the database. **Access 2010+ uses different description:** 'Cannot add a new column to conflict table '|'. Delete obsolete columns and compact the database.'

Invalid partner synchronizer.Local or anonymous replica must synchronize with designated hub replica. **Access 2010+ uses different description:** 'Invalid partner synchronizer. Local or anonymous replica must synchronize with designated hub replica.'

An internet function timed out.

Replica has not been synchronized within the replica set retention period.

Counter columns in replicable tables cannot be modified.

The combined length of Internet Server Name, HTTP Share name, and FTP alias name should not be greater than 252 characters.

Syntax error in parameters clause. Make sure the parameter exists and that you typed its value correctly.

Parameter has no default value.

Access 2003+

Access 2003+

Access 2003+

Access 2003+

Access 2003+

Access 2003+

Access 2003+

Access 2003+

## Supported Versions

Access 2003+

Access 2003+

Access 2003+

Access 2003+

Access 2003+

Access 2003+

Access 2003+

Access 2003+

Access 2003+

Access 2003+

Access 2003+

Access 2003+

Access 2003+

Access 2003+

Access 2003+

Access 2003+

Access 2003+

Access 2003+

Access 2003+

Access 2003+

Error Code	Error Description	Supported Versions
3748	Parameter   has no default value.	Access 2003+
3749	The object is not a stored procedure.	Access 2003+
3750	Object   is not a stored procedure.	Access 2003+
3751	Requested row locking, but DB is in page lock mode.	Access 2003+
3752	Requested page locking, but DB is in row lock mode.	Access 2003+
3753	Cannot create replica of a Jet SQL replica. <b>Access 2007+ uses different description:</b> 'Cannot create replica of a Microsoft Office Access database engine SQL replica.' <b>Access 2010+ uses different description:</b> 'Cannot create replica of a Microsoft Access database engine SQL replica.'	Access 2003+
3754	Cannot delete from a Prevent Deletes Replica.	Access 2003+
3755	CHECK constraint ' ' does not exist.	Access 2003+
3756	CHECK constraint ' ' already exists.	Access 2003+
3757	The Jet sorting DLLs could not be loaded properly. <b>Access 2007+ uses different description:</b> 'The Microsoft Office Access database engine sorting DLLs could not be loaded properly.' <b>Access 2010+ uses different description:</b> 'The Microsoft Access database engine sorting DLLs could not be loaded properly.'	Access 2003+
3758	Scaling of decimal value resulted in data truncation.	Access 2003+
3759	Scaling of decimal value resulted in data truncation.	Access 2003+
3760	Scaling of decimal value resulted in data overflow.	Access 2003+
3761	The decimal field's precision is too small to accept the numeric you attempted to add.	Access 2003+
3762	Invalid SQL syntax - expected token: ACTION.	Access 2003+
3763	Concurrent schema changes caused the create replica operation to fail.Try again. <b>Access 2010+ uses different description:</b> 'Concurrent schema changes caused the create replica operation to fail. Try again.'	Access 2003+
3764	Failed to re-create one or more indexes.	Access 2003+
3765	Syntax error in CHECK constraint clause.	Access 2003+
3766	Only simple SELECT queries are allowed in VIEWS.	Access 2003+
3767	Table ' ' could not be made replicable because it could not be opened exclusively.	Access 2003+
Error Code	Error Description	Supported Versions
3768	FastFind cannot search on non-column references.	Access 2003+
3769	Conflict tables cannot be renamed.	Access 2003+
3770	Counter definition not in valid range.	Access 2003+
3771	Local or Anonymous replicas cannot be made the design master.	Access 2003+
3772	Without Administer permission, replica priority must be in the range 0 -  .	Access 2003+
3773	Cannot delete one or more objects:  .	Access 2003+
3774	Pin value is not valid.	Access 2003+
3775	Unable to load Jet SQL Server Reconciler - MSRPJT40.dll. <b>Access 2007+ uses different description:</b> 'Unable to load Microsoft Office Access database SQL Server Reconciler - MSRPJT40.dll.' <b>Access 2010+ uses different description:</b> 'Unable to load Microsoft Access database SQL Server Reconciler - MSRPJT40.dll.'	Access 2003+
3776	Unable to exchange between two Jet SQL Server Replicas. <b>Access 2007+ uses different description:</b> 'Unable to exchange between two Microsoft Office Access database SQL Server Replicas.' <b>Access 2010+ uses different description:</b> 'Unable to exchange between two Microsoft Access database SQL Server Replicas.'	Access 2003+

3777	<p>Illegal Operation performed on a Jet SQL Server Replica. <b>Access 2007+ uses different description:</b> 'Illegal Operation performed on a Microsoft Office Access database SQL Server Replica.' <b>Access 2010+ uses different description:</b> 'Illegal Operation performed on a Microsoft Access database SQL Server Replica.'</p> <p>The Jet database is wrong or missing for this SQL/Jet replica set. <b>Access 2007+ uses different description:</b> 'The Microsoft Office Access database is wrong or missing for this SQL/Microsoft Office Access database replica set.' <b>Access 2010+ uses different description:</b> 'The Microsoft Access database is wrong or missing for this SQL/Microsoft Access database replica set.'</p>	Access 2003+
3778	<p>Unable to change Column Level Tracking Property on objects that are already Replicable.</p>	Access 2003+
3779	Invalid SQL syntax - expected a view name.	Access 2003+
3780	Invalid SQL syntax - expected a procedure name.	Access 2003+
3781	Invalid SQL syntax - currently only one column-level CHECK constraint is allowed.	Access 2003+
3782	Invalid SQL syntax - cannot use multiple columns in a column-level CHECK constraint.	Access 2003+
3783	Database is already replicable.	Access 2003+
3784	Invalid SQL syntax - expected token: Database.	Access 2003+
3785	Invalid SQL syntax - expected a database privilege, such as CREATEDB or CONNECT.	Access 2003+
3786	This operation is not allowed in subqueries.	Access 2003+
3787		
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
3788	Cannot create an index on this MAPI folder/addressbook.	Access 2003+
3789	Illegal column-level constraint.	Access 2003+
3790	<p>This object requires a newer version of the Microsoft Jet database engine. <b>Access 2007+ uses different description:</b> 'This object requires a newer version of the Microsoft Office Access database engine.' <b>Access 2010+ uses different description:</b> 'This object requires a newer version of the Microsoft Access database engine.'</p>	Access 2003+
3791	<p>This index requires Microsoft Jet database engine  . <b>Access 2007+ uses different description:</b> 'This index requires Microsoft Office Access database engine  .' <b>Access 2010+ uses different description:</b> 'This index requires Microsoft Access database engine  .'</p>	Access 2003+
3792	<p>The index '2' requires Microsoft Jet database engine  1. <b>Access 2007+ uses different description:</b> 'The index '2' requires Microsoft Office Access database engine  1.' <b>Access 2010+ uses different description:</b> 'The index '2' requires Microsoft Access database engine  1.'</p>	Access 2003+
3793	<p>The column '2' requires Microsoft Jet database engine  1. <b>Access 2007+ uses different description:</b> 'The column '2' requires Microsoft Office Access database engine  1.' <b>Access 2010+ uses different description:</b> 'The column '2' requires Microsoft Access database engine  1.'</p>	Access 2003+
3794	<p>This table requires Microsoft Jet database engine  . <b>Access 2007+ uses different description:</b> 'This table requires Microsoft Office Access database engine  .' <b>Access 2010+ uses different description:</b> 'This table requires Microsoft Access database engine  .'</p>	Access 2003+
3795	<p>The table '2' requires Microsoft Jet database engine  1. <b>Access 2007+ uses different description:</b> 'The table '2' requires Microsoft Office Access database engine  1.' <b>Access 2010+ uses different description:</b> 'The table '2' requires Microsoft Access database engine  1.'</p>	Access 2003+
3796	The version of MSRECR40.DLL that was loaded was too old. Run setup again to get the correct version of this file. <b>Access 2007+ uses different description:</b>	Access 2003+

'The version of AceRecr.DLL that was loaded was too old. Run setup again to get the correct version of this file.'

The SQL/Jet exchange failed, look in the SQLServer Agent history for details.

**Access 2007+ uses different description:** 'The SQL/Microsoft Office Access database engine exchange failed, look in the SQLServer Agent history for details.'  
**Access 2010+ uses different description:** 'The SQL/Microsoft Access database engine exchange failed, look in the SQLServer Agent history for details.'

CHECK constraints are not allowed on replicable databases.

Could not find field '|'.  
'|' is not an index in this table.

The object (|) cannot be used in a CHECK constraint clause.

Error evaluating | CHECK constraint. |

DDL cannot be completed on this table because it is referenced by constraint | on table |.

There are no MAPI clients installed on this machine. Install a MAPI client (like Outlook) on this machine.  
**Access 2010+ uses different description:** 'There are no MAPI clients installed on this machine. Install a MAPI client (like Outlook) on this machine.'

CHECK constraints on table | will not be transferred to this table. CHECK constraints can only be created via SQL DDL statements.  
**Access 2010+ uses different description:** 'CHECK constraints on table | will not be transferred to this table. CHECK constraints can only be created via SQL DDL statements.'

Cannot set multiple NULL, NOT NULL attributes.

Query | contains an ambiguous column name that is conflicting with the correlation (alias) name |. Either fully qualify the column name or change the correlation (alias) name.  
**Access 2010+ uses different description:** 'Query | contains an ambiguous column name that is conflicting with the correlation (alias) name |. Either fully qualify the column name or change the correlation (alias) name.'

**Error Code**

**Error Description**

Need a version 4.x or greater format system database to perform this operation.

Query | was created with a later release of Microsoft Office Access database engine and may have syntax that this version of Microsoft Office Access database engine cannot execute. This query can only be executed with the version of Microsoft Office Access database that created it.  
**Access 2010+ uses different description:** 'Query | was created with a later release of Microsoft Access database engine and may have syntax that this version of Microsoft Access database engine cannot execute. This query can only be executed with the version of Microsoft Access database that created it.'

Unrecognized keyword WHEN.

Query could not be executed.

You cannot update this field because the value you're trying to apply is not valid or would break a data integrity rule. Please correct and try again.  
**Access 2010+ uses different description:** 'You cannot update this field because the value you're trying to apply is not valid or would break a data integrity rule. Please correct and try again.'

SQL pass through queries are disabled.

Columns that accept multiple values for a record cannot be included in a multiple-column relationship.

Columns that accept multiple values for a record cannot be included in a multiple-column index.

The unique index on the '|' column cannot be deleted.

Access 2003+

Access 2003+

Access 2003+

Access 2003+

Access 2003+

Access 2003+

Access 2003+

Access 2003+

Access 2003+

Access 2003+

Access 2003+

**Supported Versions**

Access 2007+

Access 2007+

Access 2007+

Access 2007+

Access 2007+

Access 2007+

Access 2007+

Access 2007+

Access 2007+



3817	The multi-valued field ' ' is not valid in a CROSSTAB query.	Access 2007+
3818	Operation cannot be completed on this database because it uses attachments or multi-valued lookup fields. <b>Access 2010+ uses different description:</b> 'Operation cannot be completed on this database because it uses attachments or multi-valued lookup fields.'	Access 2007+
3819	Find cannot be executed on columns that accept multiple values for a record.	Access 2007+
3820	You cannot enter that value because it duplicates an existing value in the multi-valued lookup or attachment field. Multi-valued lookup or attachment fields cannot contain duplicate values.	Access 2007+
3821	You cannot change a multi-valued lookup field to the selected data type.	Access 2007+
3822	The value cannot be added to this new row until the row has been committed. Commit the row first, and then try adding the value.	Access 2007+
3823	You cannot edit this field because it resides in a linked Excel spreadsheet. The ability to edit data in a linked Excel spreadsheet has been disabled in this Access release.	Access 2007+
3824	An INSERT INTO query cannot contain a multi-valued field.	Access 2007+
3825	SELECT * cannot be used in an INSERT INTO query when the source or destination table contains a multi-valued field.	Access 2007+
3826	An UPDATE or DELETE query cannot contain a multi-valued field.	Access 2007+
3827	Cannot perform an aggregate function on a multi-valued column when a JOIN clause contains a different multi-valued column.	Access 2007+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
3828	Cannot reference a table with a multi-valued field using an IN clause that refers to another database.	Access 2007+
3829	The multi-valued field ' ' cannot be used in an ORDER BY clause.	Access 2007+
3830	The multi-valued field ' ' cannot be used in an GROUP BY clause.	Access 2007+
3831	The multi-valued field ' ' cannot be used in a WHERE or HAVING clause.	Access 2007+
3832	The current file format no longer supports user-level security. The conversion or compaction process has removed any user-level permissions.	Access 2007+
3833	The multi-valued field ' ' is not valid in the specified JOIN clause.	Access 2007+
3834	The multi-valued field ' 1' is not valid in the expression ' 2'.	Access 2007+
3835	The DISTINCT keyword cannot be used with the multi-valued field ' '. You are attempting to work with a Paradox file that requires the Borland Database Engine (BDE). Microsoft Office Access cannot load the BDE, or the BDE is not correctly installed. To correct this, run the setup program for the BDE. <b>Access 2010+ uses different description:</b> 'You are attempting to work with a Paradox file that requires the Borland Database Engine (BDE). Microsoft Access cannot load the BDE, or the BDE is not correctly installed. To correct this, run the setup program for the BDE.'	Access 2007+
3837	The multi-valued field ' ' cannot be used in a UNION query.	Access 2007+
3838	Multi-valued fields are not allowed in SELECT INTO statements.	Access 2007+
3839	The specified file exists already.	Access 2007+
3840	The attachment you are adding exceeds the system resources available.	Access 2007+
3841	Cannot connect to the Sharepoint site ' '. Try again later. <b>Access 2010+ uses different description:</b> 'Cannot connect to the SharePoint site ' '. Try again later.'	Access 2007+
3842	The expression ' ' must be part of an aggregate function.	Access 2007+
3843	An INSERT INTO query that contains a multivalued field cannot contain another field.	Access 2007+
3844	Cannot reference a multi-valued field in an UPDATE or DELETE statement that contains other fields.	Access 2007+
3845	Microsoft Office Access does not support linking to an Access database or Microsoft Office Excel workbook saved in a format that is a later version than	Access 2007+

the current database format. **Access 2010+ uses different description:** 'Microsoft Access does not support linking to an Access database or Microsoft Office Excel workbook saved in a format that is a later version than the current database format.'

3846	The multi-valued field ' ' in an ORDER BY must also appear in the SELECT list.	Access 2007+
3847	ODBCDirect is no longer supported.Rewrite the code to use ADO instead of DAO. <b>Access 2010+ uses different description:</b> 'ODBCDirect is no longer supported. Rewrite the code to use ADO instead of DAO.'	Access 2007+
Error Code	Error Description	Supported Versions
3848	You cannot record your changes because a value you entered violates the settings defined for field ' ' (for example, a value is less than the minimum or greater than the maximum).Correct the error and try again. <b>Access 2010+ uses different description:</b> 'You cannot record your changes because a value you entered violates the settings defined for field ' ' (for example, a value is less than the minimum or greater than the maximum). Correct the error and try again.'	Access 2007+
3849	Replication is only supported on Access 2000 or Access 2002-2003 format databases. Use the conversion feature in your application to convert the database to the proper format.	Access 2007+
3850	This file was created in a previous beta version of Excel 2007.Open the file with Excel 2007 to save it to the most recent version of the Excel 2007 file format before opening the file in Access 2007. <b>Access 2010+ uses different description:</b> 'This file was created in a previous beta version of Excel 2007. Open the file with Excel 2007 to save it to the most recent version of the Excel 2007 file format before opening the file in Access 2007 or greater.'	Access 2007+
3851	The schema for this table has changed. You must refresh the table before editing or adding new records <b>Access 2010+ uses different description:</b> 'The schema for this table has changed. You must refresh the table before editing or adding new records.'	Access 2007+
3852	Cannot update a multivalued field if its parent recordset is not in edit mode. To place the parent recordset in edit mode use the AddNew or Edit method.	Access 2007+
3853	Microsoft Office Access cannot create the database in the specified format because of a Group Policy set by your administrator. Create the database using a different file format or contact your administrator. <b>Access 2010+ uses different description:</b> 'Microsoft Access cannot create the database in the specified format because of a Group Policy set by your administrator. Create the database using a different file format or contact your administrator.'	Access 2007+
3854	This operation will fail because the text file you are about to import contains more than 255 columns. We recommend that you first make a backup copy of your source file, reduce the number of columns to 255 or less, and then try again.	Access 2007+
3855	The Microsoft Access database engine cannot read the data in  1. The minimum required version to read the data is  2.	Access 2010+
3856	The Microsoft Access database engine cannot update the data in  1. The minimum required version to update the data is  2.	Access 2010+
3857	The Microsoft Access database engine cannot change the design of  1. The minimum required version to change the design is  2.	Access 2010+
3858	Expression not supported for conversion	Access 2010+
3859	The expression   cannot be used in a calculated column.	Access 2010+
3860	The expression   cannot be converted in a query.	Access 2010+
3861	The expression   cannot be converted in the results of a query.	Access 2010+
3862	The expression   cannot be converted in a UI macro.	Access 2010+
3863	The expression   cannot be converted in a default value.	Access 2010+
3864	The expression   cannot be converted in a validation rule.	Access 2010+

3865	The expression cannot be saved because it contains a circular reference.	Access 2010+
3866	The expression cannot be saved because it refers to itself.	Access 2010+
3867	The expression cannot be saved because it refers to another table.	Access 2010+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
3868	There is no data macro AXL stored for the specified table.	Access 2010+
3869	The data macro AXL is incompatible with the server with which you are trying to synchronize.	Access 2010+
3870	Microsoft Access cannot interpret the text you are pasting as a data macro. Correct the text and then try again.	Access 2010+
3871	The specified argument is invalid.	Access 2010+
3872	A data macro resource limit was hit. This may be caused by a data macro recursively calling itself. The Updated() function may be used to detect which field in a record has been updated to help prevent recursive calls.	Access 2010+
3873	The '1' action failed because it is not supported from a '2' event.	Access 2010+
3874	Type mismatch on field '1'.	Access 2010+
3875	The data macro '1' could not be found.	Access 2010+
3876	The 'ExitForEachRecord' action is only available in a ForEachRecord loop.	Access 2010+
3877	The 'SendEmail' action failed because no recipients were specified.	Access 2010+
3878	The 'SendEmail' action failed because the current database is not trusted.	Access 2010+
3879	The password is invalid; the message was not sent.	Access 2010+
3880	The mail session could not be opened. You may be out of memory. Close other applications, and then try again. You may also want to check your mail application to ensure that it's working correctly.	Access 2010+
3881	The e-mail could not be sent. Please ensure that your computer is configured to send and receive e-mail messages.	Access 2010+
3882	This calculated column needs to be recalculated.	Access 2010+
3883	This calculated column contains an invalid expression.	Access 2010+
3884	The Microsoft Access database engine encountered an error while connecting to Data Services: '1'.	Access 2010+
3885	The type of field '1' cannot be used as part of a calculated column. Examples of unsupported types include multi-value and binary fields.	Access 2010+
3887	A calculated column cannot be saved without a valid expression in the Expression property.	Access 2010+
3888	Calculated columns cannot be used in system relationships.	Access 2010+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
3889	The variable '1' could not be found.	Access 2010+
3890	The identifier '1' could not be found.	Access 2010+
3891	Queries that contain linked tables, action queries, and database references are not allowed in data macros.	Access 2010+
3892	The function '1' is not valid for expressions used in data macros.	Access 2010+
3893	Invalid constant '1' in data macro expression.	Access 2010+
3894	Invalid text '1' in data macro expression.	Access 2010+
3895	You cannot record your changes because a value you entered violates the settings defined for field '1' (for example, a value is less than the minimum or greater than the maximum). Correct the error and try again.	Access 2010+
3896	The limit of 20 recursive events has been exceeded. This can be caused by an After Update event that changes data on the table that triggers it. You can use the Update() function to determine which fields were changed in the record.	Access 2010+
3897	The alias '1' could not be found.	Access 2010+

3898	There is no data context in which to perform the action. This error can be caused by using the RunDataMacro action to run a data macro that calls DeleteRecord or EditRecord with no alias specified.	Access 2010+
3899	The list item could not be inserted or updated because duplicate values were found for one or more fields in the list.	Access 2010+
3900	The delete operation is not allowed because a child record still exists.	Access 2010+
3901	At least one relationship lookup field points to non-existent items in this list.	Access 2010+
3902	Cached links cannot be added because the database ' ' cannot be opened in exclusive mode.	Access 2010+
3903	The database ' ' cannot be opened in exclusive mode because it contains links in cached mode.	Access 2010+
3904	A table cannot be updated because there is no connection to a SharePoint site. Try the update again when the connection to the server is restored.	Access 2010+
3905	The table ' ' cannot be updated because there is no connection to a SharePoint site. Try the update again when the connection to the server is restored.	Access 2010+
3906	Linked table is unavailable. Microsoft Access cannot contact the server. Check your network connection or contact the server administrator.	Access 2010+
3907	Linked table ' ' is unavailable. Microsoft Access cannot contact the server. Check your network connection or contact the server administrator.	Access 2010+
3908	Data cannot be added, updated or deleted until all related data has been fetched from the server.	Access 2010+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
3909	Data cannot be added, updated or deleted because data table ' ' has not been fetched from the server.	Access 2010+
3910	Your encryption settings are not valid. Re-install Microsoft Access or contact your administrator for more information.	Access 2010+
3911	Microsoft Access cannot open this file because the contents have been damaged.	Access 2010+
3912	A table is not synchronized with the SharePoint site. Close and reopen the table to retrieve the most recent data from the SharePoint site.	Access 2010+
3913	The table ' ' is not synchronized with the SharePoint site. Close and reopen the table to retrieve the most recent data from the SharePoint site.	Access 2010+
3914	Selected collating sequence not supported with the specified file format.	Access 2010+
3915	The expression   cannot be converted in a data macro.	Access 2010+
3916	The property ' ' can only be set or changed by the Microsoft Access database engine.	Access 2010+
3918	Microsoft Access does not support this operation for this IISAM type. To perform this action, you must use the 2007 Microsoft Office system or earlier.	Access 2010+
3919	The Microsoft Access database engine encountered an error while communicating with SharePoint. More detailed information: ' '	Access 2010+
3920	Unable to execute query. Invalid operation or syntax using multi-value field.	Access 2010+
3921	Cannot reference a table with a multi-valued field using a FROM clause that refers to another database.	Access 2010+
3922	The expression   cannot be converted in a form.	Access 2010+
3923	The inclusion of constant expressions in an outer join operation is not supported.	Access 2010+
3924	Access was unable to convert the query for use on the Web.	Access 2010+
3925	The definition of the query is invalid, so the query object cannot be created.	Access 2010+
3926	Access was unable to convert the query for use on the Web because it uses an unsupported query type, unsupported expressions, unsupported criteria, or other features that are not supported on the Web.	Access 2010+

3927	Access was unable to convert the query for use on the Web because it contains a sub-query.	Access 2010+
3928	Access was unable to convert the query for use on the Web because it relies on a different query that is not Web compatible.	Access 2010+
3929	Access was unable to convert the query for use on the Web because it doesn't include any fields in its results.	Access 2010+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
3930	Access was unable to convert the query for use on the Web because it displays too many fields in its results.	Access 2010+
3931	Access was unable to convert the query for use on the Web because it relies on an ORDER BY clause that is not supported on the Web.	Access 2010+
3932	Access was unable to convert the query for use on the Web because it specifies a JOIN type that is not supported on the Web.	Access 2010+
3933	Access was unable to convert the query for use on the Web because it is a cross-product query.	Access 2010+
3934	Access was unable to convert the query for use on the Web because it does not specify which table to SELECT FROM.	Access 2010+
3935	Access was unable to convert the query for use on the Web because the query results contain multiple fields with the same name.	Access 2010+
3936	Access was unable to convert the query for use on the Web because some of its parameters could not be converted for use on the Web.	Access 2010+
3937	Access was unable to convert the query for use on the Web because some of its parameters are displayed as result fields or used in ORDER BY statements.	Access 2010+
3938	The expression could not be saved because its result is an invalid type, such as NULL.	Access 2010+
3939	1	Access 2010+
3940	Could not coerce argument number  1 to an integer for the  2 action.	Access 2010+
3941	Could not coerce argument number  1 to a string for the  2 action.	Access 2010+
3942	Could not coerce argument number  1 to a Boolean for the  2 action.	Access 2010+
3943	Missing parameter '1' when attempting to run a named data macro.	Access 2010+
3944	The type of field ' ' cannot be used in a validation rule for Web tables. Invalid types include Memo, Binary and Lookup.	Access 2010+
3945	System tables cannot contain data macros.	Access 2010+
3946	The OnError action cannot be used with Go To set to Macro Name in before events.	Access 2010+
3947	The server does not support the type of field ' ' as part of a calculated column. Examples of unsupported types include multi-value, memo, hyperlink, binary, AutoNumber and lookup fields.	Access 2010+
3948	The expression could not be saved because its result type, such as binary or NULL, is not supported by the server.	Access 2010+
3949	The Microsoft Access database engine cannot compact the data in  1 because it contains objects from a newer version.	Access 2010+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
3950	Syntax error in expression.	Access 2010+
3951	The application has changed on the server. Your last entered row will not be saved. Copy and paste your last entered row to a temporary file and then synchronize the application with the server.	Access 2010+
3952	The data macro failed to run because its AXL definition was invalid.	Access 2010+
3953	The local var name '1' is invalid. Local variable names must be less than or equal to 64 characters in length, may not start with an equal sign or a space, and may not contain any of the following characters including CR, LF or TAB: .![]/:*?""<> 2#{}%&.	Access 2010+

3954	The parameter name '1' is invalid. Parameter names must be less than or equal to 64 characters in length, may not start with an equal sign or a space, and may not contain any of the following characters including CR, LF or TAB: .![]/*?'""<> 2#{}%&.	Access 2010+
3955	The data macro name '1' is invalid.	Access 2010+
3956	The database you are trying to open requires a newer version of Microsoft Access.	Access 2010+
3957	The field could not be added on the server. Synchronize with the server and remove any references to hidden, lookup, AutoNumber, hyperlink and memo fields.	Access 2010+
3958	The field could not be deleted on the server. Synchronize with the server and verify that no other field references this field.	Access 2010+
3959	Calculated columns are not allowed in SELECT INTO statements.	Access 2010+
3960	The expression   cannot be converted for the Apply Filter macro action.	Access 2010+
3961	The maximum number of parameters for named data macros, ForEachRecord, and LookupRecord is 255.	Access 2010+
3962	EditRecord failed due to repeated data conflicts when attempting to commit data.	Access 2010+
3963	The action '1' is not valid inside of CreateRecord or EditRecord.	Access 2010+
3964	The action '1' is not valid outside of CreateRecord and EditRecord.	Access 2010+
3965	The field '1' could not be changed because the record is not currently updatable. Use EditRecord to make the record updatable.	Access 2010+
3966	The field '1' could not be changed. In the BeforeChange event only the record being changed is updatable.	Access 2010+
3967	EditRecord failed because the alias '1' represents a record which is read only.	Access 2010+
3968	EditRecord failed because the default alias represents a record which is read only.	Access 2010+
3969	Attachments cannot be added to new rows until the rows have been committed to the server. Commit the row first, and then try attaching the document to it.	Access 2010+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
3970	The expression could not be saved because it would be longer than 255 characters when published.	Access 2010+
3971	Linked table cannot be opened. You do not have permission to view the entire list because it is larger than the list view threshold enforced by the server administrator.	Access 2010+
3972	Linked table ' ' cannot be opened. You do not have permission to view the entire list because it is larger than the list view threshold enforced by the server administrator.	Access 2010+
3973	Values stored in multi-value and attachment fields are not supported within data macro queries.	Access 2010+
3974	The field '1' could not be read because it is a multi-value or attachment field.	Access 2010+
3975	The field '1' could not be set because it is a multi-value or attachment field.	Access 2010+
3976	The column '1' could not be read because it is a calculated column in a record that was retrieved from ForEachRecord or LookupRecord and has been modified by EditRecord.	Access 2010+
3977	URL data '1' in field '2' could not be sent to the server. The URL may be invalid or longer than 255 characters.	Access 2010+
3978	The calculation of day or time difference with a + or - sign is not supported. Please use the DateAdd() function instead.	Access 2010+
3979	The linked table has been changed on the server. Your last entered row will not be saved. Copy and paste your last entered row to a temporary file, then	Access 2010+

synchronize the linked table with the server by right-clicking on the linked table, choosing More options and clicking Refresh List.

The linked table 'l' has been changed on the server. Your last entered row will not be saved. Copy and paste your last entered row to a temporary file, then synchronize the linked table with the server by right-clicking on the linked table, choosing More options and clicking Refresh List.

There were errors executing the bulk query or sending data to the server. Reconnect the tables to resolve the conflicts or discard the pending changes.

The field 'l1' could not be read because it is the primary key of the record being created. This field's value will be available in the LastCreateRecordIdentity variable after the CreateRecord block has completed.

An argument to the Updated function was invalid. The field name must be provided as a string value enclosed in quotation marks.

Access was unable to convert the query for use on the Web because it contains a cyclical join.

Within a ForEachRecord only the records of the outermost ForEachRecord may be edited or deleted.

CreateRecord cannot be used inside of a ForEachRecord.

Data cannot be inserted because there is no matching record.

The table is too large for this change to be saved.

You don't have permission to modify the design of this list.

## Error Code

A data macro on table 'l1' failed to execute, since it has not yet been synchronized with the server. Please synchronize this table with the server using the ""Sync All"" command and try again.

The query failed to execute because the identifier 'l1' could not be found.

The validation rule contains a syntax error and cannot be saved. A field or function may be misspelled or missing.

A timeout prevented the change from saving to the server.

The field 'l' cannot be modified because it contains invalid characters, invalid punctuation, or an existing field name. Correct the name on the server and refresh the table.

This table already has the maximum number of fields with the data type specified. For the purposes of this calculation, Number and Currency are considered the same data type.

Microsoft Access cannot reconnect one or more of the disconnected tables. Please check network connectivity and server availability.

Microsoft Access detected changes to an open object. Please close and reopen the object to get updates.

The Updated function is not supported for memo, rich text, hyperlink, OLE Object, multi-value, or attachment fields.

You cannot reference rows created when you are disconnected from the server because this violates the lookup settings defined for this table or list. Please reconnect all tables with the server and try again.

|

One or more values are prohibited by the validation rule set for 'l1'. Enter a value that the expression for this field can accept.

The 'l1' value is not available because the field is of type memo, rich text, hyperlink, or OLE Object.

The maximum number of return variables is 255.

The return variable name 'l1' is invalid. Return variable names must be less than or equal to 64 characters in length, may not start with an equal sign or a space,

Access 2010+

Access 2010+

Access 2010+

Access 2010+

Access 2010+

Access 2010+

Access 2010+

Access 2010+

Access 2010+

Access 2010+

## Supported Versions

Access 2010+

Access 2010+

Access 2010+

Access 2010+

Access 2010+

Access 2010+

Access 2010+

Access 2010+

Access 2010+

Access 2010+

Access 2010+

Access 2010+

Access 2010+

Access 2010+

Access 2010+

and may not contain any of the following characters, including CR, LF or TAB:  
 .![]/:\*?"'""<>|2#{ }%&.

4005	The return variable '1' is too long. The return variable string cannot exceed 2 characters.	Access 2010+
4006	Duplicate output names detected. Modify the name or alias of one of the outputs.	Access 2013+
4007	Access cannot sort a field or an expression as it does not appear in the output of the query.	Access 2013+
4008	Access was unable to save the query because it uses an unsupported query type, unsupported expressions, unsupported criteria, or other features that are not supported in this database.	Access 2013+
4009	Access was unable to save the query because it doesn't include any fields in its results.	Access 2013+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
4010	Access was unable to save the query because it displays too many fields in its results.	Access 2013+
4011	Access was unable to save the query because it does not specify which table to SELECT FROM.	Access 2013+
4012	Access was unable to save the query because the query results contain multiple fields with the same name.	Access 2013+
4013	Access was unable to save the query because some of its parameters could not be converted for use in this database.	Access 2013+
4014	Circular reference caused by ' '. ' ' has been removed from the query.	Access 2013+
4015	The query can't be saved because Access can't determine which join should be performed first. To force one of the joins to be performed first, create a separate query that performs the first join, and then include that query as a source object for this query.	Access 2013+
4016	The expression you entered has a function name or operator that cannot be found.	Access 2013+
4017	The current version of Microsoft Access does not support replicated databases. To use this database, open in a previous version of Microsoft Access.	Access 2013+
4018	The database you are trying to open can only be opened by Microsoft Access.	Access 2013+
4019	The database you are trying to open cannot be opened by the Microsoft Access database engine Data Access Object Library. It can only be opened directly through Microsoft Access.	Access 2013+
6000	Errors were encountered during the save operation.@@@1@@1 <b>Access 2007+ uses different description:</b> 'Errors were encountered during the save operation.@@@1@@@1'	Access 2003+
6001	A form or report cannot be the subdatasheet of a table or query.@@Only a table or query can be inserted into another table or query.@@1@@1 <b>Access 2007+ uses different description:</b> 'A form or report cannot be the subdatasheet of a table or query.@@Only a table or query can be inserted into another table or query.@@1@@@1'	Access 2003+
6002	Microsoft Office Access cannot expand this subdatasheet because all of the records are locked.@@The RecordLocks property of the form or report or the Default Record Locking option on the Advanced tab of the Options dialog box (Tools menu) is set to All Records.@@Reset the value to No Locks or Edited Record as appropriate.@@1@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access cannot expand this subdatasheet because all of the records are locked. @@Either the RecordLocks property of the form or report or the Default Record Locking option in the Advanced section of the Access Options dialog box (click the Microsoft Office Button, and then click Access Options) is set to All Records.@@Reset the value to No Locks or Edited Record, as appropriate.@@1@1@472@1' <b>Access 2010+ uses different description:</b>	Access 2003+



Microsoft Access cannot expand this subdatasheet because all of the records are locked. @Either the RecordLocks property of the form or report or the Default Record Locking option in the Advanced section of the Access Options dialog box (click the File tab, and then click Access Options) is set to All Records.@Reset the value to No Locks or Edited Record, as appropriate.@1@1@472@1'

The setting for the Precision property must be from 1 through 28.@@@1@@1  
**Access 2007+ uses different description:** 'The setting for the Precision property must be from 1 through 28.@@@1@@@1'

The setting for the Scale property must be from 0 through 28.@@@1@@1  
**Access 2007+ uses different description:** 'The setting for the Scale property must be from 0 through 28.@@@1@@@1'

The table or query name '|' you entered in either the property sheet or macro is misspelled or refers to a table or query that doesn't exist.@If the invalid name is in a macro, an Action Failed dialog box will display the macro name and the macro's arguments after you click OK. Open the Macro window, and enter the correct name.@@1@@1  
**Access 2007+ uses different description:** 'The table or query name '|' you entered in either the property sheet or macro is misspelled or refers to a table or query that doesn't exist.@If the invalid name is in a macro, an Action Failed dialog box will display the macro name and the macro's arguments after you click OK. Open the Macro window, and enter the correct name.@@1@@@1'

Filter by selection of a partial value is only supported for fields containing character data.@@@1@@1  
**Access 2007+ uses different description:** 'Filter by selection of a partial value is only supported for fields containing character data.@@@1@@@1'

Cannot open a form bound to a stored procedure in server filter by form mode.@@@1@@1  
**Access 2007+ uses different description:** 'Cannot open a form bound to a stored procedure in server filter by form mode.@@@1@@@1'

Microsoft Office Access encountered an error closing your connection. @Please close all of your application windows before trying again.@@1@@1  
**Access 2007+ uses different description:** 'Microsoft Office Access encountered an error closing your connection. @Please close all of your application windows before trying again.@@1@@@1'  
**Access 2010+ uses different description:** 'Microsoft Access encountered an error closing your connection. @Please close all of your application windows before trying again.@@1@@@1'

Invalid connection string.@You may need to specify a valid connection string and try it again.@@1@@1  
**Access 2007+ uses different description:** 'Invalid connection string.@You may need to specify a valid connection string and try it again.@@1@@@1'

**Error Code      Error Description      Supported Versions**

Invalid use of Move method.@The Move method is not applicable to subforms or subreports.@@1@@1  
**Access 2007+ uses different description:** 'Invalid use of Move method.@The Move method is not applicable to subforms or subreports.@@1@@@1'

Do you want to save the data changes on form '|'?@@@13@@4  
**Access 2007+ uses different description:** 'Do you want to save the data changes on form '|'?@@@13@@@4'

Microsoft Office Access can't set this property to No right now.@You cannot set the Allow Form View, Allow Datasheet View, Allow PivotTable View, and Allow PivotChart View properties to No at the same time.@Set one of the other properties to Yes before changing this one to No.@1@@1  
**Access 2007+ uses different description:** 'Microsoft Office Access can't set this property to No right now.@You cannot set the Allow Form View, Allow Datasheet View,

Allow PivotTable View, and Allow PivotChart View properties to No at the same time.@Set one of the other properties to Yes before changing this one to No.@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access can't set this property to No right now.@You cannot set the Allow Form View, Allow Datasheet View, Allow PivotTable View, and Allow PivotChart View properties to No at the same time.@Set one of the other properties to Yes before changing this one to No.@1@@@1'

Unable to remove item. '|' not found in list.@@@1@@@1 **Access 2007+ uses different description:** 'Unable to remove item. '|' not found in list.@@@1@@@1'

The RowSourceType property must be set to 'Value List' to use this method.@@@1@@@1 **Access 2007+ uses different description:** 'The RowSourceType property must be set to 'Value List' to use this method.@@@1@@@1'

Can't add this item. The index is too large.@@@1@@@1 **Access 2007+ uses different description:** 'Can't add this item. The index is too large.@@@1@@@1'

Microsoft Office Access is unable to switch to PivotTable or PivotChart view right now.@You must set the Record Source property of the form before attempting to PivotTable or PivotChart view.@@1@@@1 **Access 2007+ uses different description:** "

Microsoft Office Access doesn't support the requested property for this type of database object.@The DateCreated and DateModified properties are not supported for Tables, Queries, Stored Procedures, Database Diagrams, and Functions in a Client Server database.@@1@@@1 **Access 2007+ uses different description:** 'Microsoft Office Access doesn't support the requested property for this type of database object.@The DateCreated and DateModified properties are not supported for Tables, Queries, Stored Procedures, Database Diagrams, and Functions in a Client Server database.@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access doesn't support the requested property for this type of database object.@The DateCreated and DateModified properties are not supported for Tables, Queries, Stored Procedures, Database Diagrams, and Functions in a Client Server database.@@1@@@1'

The form or report template is open in Design view.Before creating a new form or report, close the corresponding template.@@@1@@@1 **Access 2007+ uses different description:** 'The form or report template is open in Design view.Before creating a new form or report, close the corresponding template.@@@1@@@1'

You must save new or dirty objects in the database before you can save them to this external format.@@@1@@@1 **Access 2007+ uses different description:** "

This format does not support objects named '|'. Rename the object and try again.@@@1@@@1 **Access 2007+ uses different description:** 'This format does not support objects named '|'. Rename the object and try again.@@@1@@@1'

You cannot create a form with AutoForm or a report with AutoReport by using a scalar function; you can use a table, view, stored procedure, inline function, or table function.@@@1@@@1 **Access 2007+ uses different description:** 'Microsoft Office Access cannot build a form or report based on the data returned by the function object that you have currently selected. @Select a table, query, form, or report, and try again.@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access cannot build a form or report based on the data returned by the function object that you have currently selected. @Select a table, query, form, or report, and try again.@@1@@@1'

This option cannot be changed in an Access Project file.@@@1@@@1 **Access 2007+ uses different description:** "

6023	The Maximum Record Count setting cannot be a negative number.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'The Maximum Record Count setting cannot be a negative number.@@@1@@@1'	Access 2003+
6024	The Maximum Record Count setting cannot contain text - please enter a number.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'The Maximum Record Count setting cannot contain text - please enter a number.@@@1@@@1'	Access 2003+
6025	The Requery action cannot be used on a control bound to a Recordset.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'The Requery action cannot be used on a control bound to a Recordset.@@@1@@@1'	Access 2003+
6026	The RowSourceType property must be set to 'Table/Query' to use this method.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'The RowSourceType property must be set to 'Table/Query' to use this method.@@@1@@@1'	Access 2003+
6027	You can't save or undo the record at this time. The form's BatchUpdates property is set to Yes, but the form is not bound to a record source. Either set the form's BatchUpdates property to No, or bind the form to a record source by setting a value in the RecordSource property.@@@1@@@1 <b>Access 2007+ uses different description:</b> "	Access 2003
6028	The OLE object failed to persist itself. You will not be able to undo this operation.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'The OLE object failed to persist itself. You will not be able to undo this operation.@@@1@@@1'	Access 2003+
6029	@@@1@@@1	Access 2007+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
6030	The current record in  1  2 must be saved before you can complete this operation.@Do you want to save the current record in  1  2?@@3@@@1	Access 2007+
6031	You can't modify the structure of table ' ', because it is already in use by another person or process.@@@1@@@1	Access 2007+
6032	The value you entered isn't valid for this field.@For example, you may have entered a null value.@@1@@@1	Access 2007+
6033	The ' 1' form does not exist.@Enter the name of an existing form in the List Items Edit Form property of the ' 2' control or leave the property empty.@@1@@@1	Access 2007+
6034	This property is only available for attachment controls bound to attachment fields.@@@1@@@1	Access 2007+
6035	Layout view is unavailable for this  .@@@1@@@1	Access 2007+
6036	You cannot add a form to another form that shows multiple items.@@@1@@@1	Access 2007+
6037	This object was saved in an invalid format and cannot be read.@@@1@@@1	Access 2007+
6038	Microsoft Office Access was not able to update the value list.@The table may be locked by another user, it may be read-only, or you may not have permission to modify the table.@@1@@@1 <b>Access 2010+ uses different description:</b> 'Microsoft Access was not able to update the value list.@The table may be locked by another user, it may be read-only, or you may not have permission to modify the table.@@1@@@1'	Access 2007+
6039	Do you want to save the datasheet so that it will be available for use by other forms and reports?@@@33@1@151798@4	Access 2007+
6040	Because dependency checking is not enabled on this database, Access cannot verify whether this datasheet is used on other forms or reports.@Do you want to save the datasheet so that it will be available for use by other forms and reports?@@33@1@151798@4	Access 2007+

6041	Grouping information can only be changed in Layout View and Design View.@@@1@2@5054@1	Access 2007+
6042	Deleting the  1 control will permanently remove filter, grouping, or sort order settings that are based on the control from the form or report. Are you sure you want to delete the  1 control?..@@@20@1@5833@4 <b>Access 2010+ uses different description:</b> 'Deleting the  1 control will permanently remove filter, grouping, or sort order settings that are based on the control from the form or report.@Are you sure you want to delete the  1 control?@@20@1@5833@4'	Access 2007+
6043	Deleting the selected controls will permanently remove filter, grouping, or sort order settings that are based on those controls from the form or report. Are you sure you want to delete the controls?..@@@20@1@5833@4 <b>Access 2010+ uses different description:</b> 'Deleting the selected controls will permanently remove filter, grouping, or sort order settings that are based on those controls from the form or report.@Are you sure you want to delete the controls?@@20@1@5833@4'	Access 2007+
6044	You will not be able to undo the creation or deletion of this object.@Do you still want to continue?@@20@1@@4	Access 2007+
6045	Microsoft Office Access cannot save the form or report, because it displays characters from a language that cannot be saved in your current system locale.@Switch your system locale to the language in the form or report, and then try again.@@1@2@5054@1 <b>Access 2010+ uses different description:</b> 'Microsoft Access cannot save the form or report, because it displays characters from a language that cannot be saved in your current system locale.@Switch your system locale to the language in the form or report, and then try again.@@1@2@5054@1'	Access 2007+
6046	Your changes cannot be saved because the field ' ' has been updated by another user.@@@1@@@1 <b>Access 2010+ uses different description:</b> 'Your changes cannot be saved because the field ' ' has been updated by another user.'	Access 2007+
6047	The number of fields from your currently selected table or query exceeds the maximum height in Microsoft Office Access forms.@Microsoft Office Access will create a new form with no fields and open the field list so you can individually select fields to add to this object.@@3@@@2 <b>Access 2010+ uses different description:</b> 'The number of fields from your currently selected table or query exceeds the maximum height in Microsoft Access forms.@Microsoft Access will create a new form with no fields and open the field list so you can individually select fields to add to this object.@@3@@@2'	Access 2007+
6048	The number of fields from your currently selected table or query exceeds the maximum width in Microsoft Office Access forms and reports.@Microsoft Office Access will create a new form or report with no fields and open the field list so you can individually select fields to add to this object.@@3@@@2 <b>Access 2010+ uses different description:</b> 'The number of fields from your currently selected table or query exceeds the maximum width in Microsoft Access forms and reports.@Microsoft Access will create a new form or report with no fields and open the field list so you can individually select fields to add to this object.@@3@@@2'	Access 2007+
6049	Because databases in the current format do not support the Attachment control, you will not be able to complete this operation.@@@1@@@1 <b>Access 2010+ uses different description:</b> 'Since databases in the current format do not support the Attachment control, you will not be able to complete this operation.'	Access 2007+
Error Code	Error Description	Supported Versions
6050	Microsoft Access could not instantiate the Web Browser Control.	Access 2010+
6051	Web Browser could not parse the transform	Access 2010+
6052	Web Browser cannot apply the transform.	Access 2010+
6053	To apply this change, close and reopen the form or report	Access 2010+

6054	The macro function BrowseTo requires a valid Path argument. A valid Path argument is of the form: MainForm1.Subform1>Form1.Subform1	Access 2010+
6055	This form already has a navigation control.@You will not be able to complete this operation.@@1@@@1	Access 2010+
6056	The Web browser control is not supported in a report or a continuous form.	Access 2010+
6057	Because databases in the current format do not support the Empty Cell control, you will not be able to complete this operation.	Access 2010+
6058	The Navigation control is not supported by the current database format.	Access 2010+
6059	Cannot create a Web   based on a source that is not Web compatible.	Access 2010+
6060	The navigation control is not supported on reports.	Access 2010+
6061	Some controls on this object shared the same name.@These controls have been given unique names.@@1@@@1	Access 2010+
6062	You must be in Design or Layout View to create or delete controls.@@@1@2@5054@1	Access 2010+
6063	The report position change was stopped	Access 2010+
6064	Invalid menu command.	Access 2010+
7700	Microsoft Office Access is unable to complete the operation.@Try the operation again. If the error persists, restart Microsoft Office Access.@@1@@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access is unable to complete the operation.@Try the operation again. If the error persists, restart Microsoft Office Access.@@1@@@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access is unable to complete the operation.@Try the operation again. If the error persists, restart Microsoft Access.@@1@@@1'	Access 2003+
7701	Microsoft Office Access can't synchronize with Synchronizer '1'.@A possible reason for the failure to synchronize with '1' is that both the Synchronizer and Microsoft Office Access were trying to write to the current database at the same time. Try synchronizing with '1' again.@Do you want to continue synchronizing with the remaining Synchronizers?@19@@@2 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access can't synchronize with Synchronizer '1'.@A possible reason for the failure to synchronize with '1' is that both the Synchronizer and Microsoft Office Access were trying to write to the current database at the same time. Try synchronizing with '1' again.@Do you want to continue synchronizing with the remaining Synchronizers?@19@@@2' <b>Access 2010+ uses different description:</b> 'Microsoft Access can't synchronize with Synchronizer '1'.@A possible reason for the failure to synchronize with '1' is that both the Synchronizer and Microsoft Access were trying to write to the current database at the same time. Try synchronizing with '1' again.@Do you want to continue synchronizing with the remaining Synchronizers?@19@@@2'	Access 2003+
7702	The user-supplied function named ' ', the program to assist you in resolving conflicts, could not be found.@Contact the author of this customized database application.@@1@@@3 <b>Access 2007+ uses different description:</b> 'The user-supplied function named ' ', the program to assist you in resolving conflicts, could not be found.@Contact the author of this customized database application.@@1@@@3'	Access 2003+
7703	There are no synchronization conflicts to resolve.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'There are no synchronization conflicts to resolve.@@@1@@@1'	Access 2003+
7704	You can't modify the design of ' ' at a replica.@Design changes to replicated objects can be made only at the Design Master. Do you want to open it as read-only?@@19@@@2 <b>Access 2007+ uses different description:</b> 'You can't modify the design of ' ' at a replica.@Design changes to replicated objects can be made only at the Design Master. Do you want to open it as read-only?@@19@@@2'	Access 2003+

Error Code	Error Description	Supported Versions
7705	This member of the replica set has conflicts from synchronizing changes with other members.@Do you want to resolve these conflicts now?@@19@@2 <b>Access 2007+ uses different description:</b> 'This member of the replica set has conflicts from synchronizing changes with other members.@Do you want to resolve these conflicts now?@@19@@2'	Access 2003+
7706	This member of the replica set has errors from synchronizing changes with another member.@Do you want to see the errors now?@@19@@2 <b>Access 2007+ uses different description:</b> "	Access 2003
7707	This member of the replica set has both errors and conflicts from synchronizing changes with another member.@Do you want to see the errors and resolve the conflicts now?@@19@@2 <b>Access 2007+ uses different description:</b> "	Access 2003
7708	'1' was the last designated Design Master for the replica set. Has '2' been moved, renamed, deleted, or corrupted?@You should never have more than one Design Master for each replica set. Having more than one Design Master in a replica set prevents the members of the set from synchronizing correctly.@Use Windows Explorer to determine whether the file has been moved or deleted. Open the file to determine whether it has been corrupted.@13@@2 <b>Access 2007+ uses different description:</b> "'1' was the last designated Design Master for the replica set. Has '2' been moved, renamed, deleted, or corrupted?@You should never have more than one Design Master for each replica set. Having more than one Design Master in a replica set prevents the members of the set from synchronizing correctly.@Use Windows Explorer to determine whether the file has been moved or deleted. Open the file to determine whether it has been corrupted.@13@@2'	Access 2003+
7709	To make this replica the Design Master for the replica set, point to Replication on the Tools menu, click Synchronize Now, enter the path to ' ' (the current Design Master), and select the Make ... The Design Master check box.@@@1@@1 <b>Access 2007+ uses different description:</b> 'To make this replica the Design Master for the replica set, on the Database Tools tab, in the Database Tools group, click Replication Options, click Synchronize Now, enter the path to ' ' (the current Design Master), and then select the Make ... The Design Master check box.@@@1@@@1'	Access 2003+
7710	To make this replica the Design Master for the replica set, first synchronize this replica with all other replicas in the set.@This ensures that this replica includes all design changes made at the previous Design Master. If you have already synchronized this replica, do you want to make it the Design Master? @@19@@2 <b>Access 2007+ uses different description:</b> 'To make this replica the Design Master for the replica set, first synchronize this replica with all other replicas in the set.@This ensures that this replica includes all design changes made at the previous Design Master. If you have already synchronized this replica, do you want to make it the Design Master?@@19@@@2'	Access 2003+
7711	This member of the replica set is now the Design Master. Microsoft Office Access will now close and reopen the database in order for the changes to take effect.@@@1@@1 <b>Access 2007+ uses different description:</b> 'This member of the replica set is now the Design Master. Microsoft Office Access will now close and reopen the database in order for the changes to take effect.@@@1@@@1' <b>Access 2010+ uses different description:</b> 'This member of the replica set is now the Design Master. Microsoft Access will now close and reopen the database in order for the changes to take effect.@@@1@@@1'	Access 2003+
7712	This member of the replica set has exceeded the maximum number of days allowed between synchronizations and can't be synchronized with any other member of the replica set.@Delete this replica set member and create a new replica.@@1@@1 <b>Access 2007+ uses different description:</b> 'This member of the replica set has exceeded the maximum number of days allowed between	Access 2003+

synchronizations and can't be synchronized with any other member of the replica set. @Delete this replica set member and create a new replica. @@1@@@1'

This member of the replica set will expire in | days because it hasn't been synchronized with another member of the replica set. @If the member is allowed to expire, it can no longer be synchronized with any other member of the replica set. @Synchronize with another member as soon as possible. To synchronize, point to Replication on the Tools menu, and click Synchronize Now. @1@@@1' **Access 2007+ uses different description:** 'This member of the replica set will expire in | days because it has not been synchronized with another member of the replica set. @If the member is allowed to expire, it can no longer be synchronized with any other member of the replica set. @You should synchronize this member with another member as soon as possible. To synchronize, on the the Database Tools tab, in the Database Tools group, click Replication Options, and then click Synchronize Now. @1@@@1'

Microsoft Office Access cannot close the database at this time. @Make sure there is no Visual Basic code executing in the current database. You may need to run Setup again to properly install Briefcase Replication. @@1@@@1' **Access 2007+ uses different description:** 'Microsoft Office Access cannot close the database at this time. @Make sure there is no Visual Basic code executing in the current database. You may need to run Setup again to properly install Briefcase Replication. @@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access cannot close the database at this time. @Make sure there is no Visual Basic code executing in the current database. You may need to run Setup again to properly install Briefcase Replication. @@1@@@1'

Microsoft Office Access cannot complete this operation because it can't find or initialize the dynamic-link library Msrclr40. @Rerun Microsoft Office Access or Microsoft Office Setup again to reinstall Microsoft Briefcase Replication. During Setup, click Add/Remove, and select Microsoft Briefcase Replication. If you want to preserve your security or custom settings, back up the Microsoft Office Access workgroup information file. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'. @1@@@3' **Access 2007+ uses different description:** 'Microsoft Office Access cannot complete this operation because it can't find or initialize the dynamic-link library AceRclr. @Rerun Microsoft Office Access or Microsoft Office Setup again to reinstall Microsoft Briefcase Replication. During Setup, click Add/Remove, and select Microsoft Briefcase Replication. If you want to preserve your security or custom settings, back up the Microsoft Office Access workgroup information file. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'. @@1@@@3' **Access 2010+ uses different description:** 'Microsoft Access cannot complete this operation because it can't find or initialize the dynamic-link library AceRclr. @Rerun Microsoft Access or Microsoft Office Setup again to reinstall Microsoft Briefcase Replication. During Setup, click Add/Remove, and select Microsoft Briefcase Replication. If you want to preserve your security or custom settings, back up the Microsoft Access workgroup information file. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'. @@1@@@3'

The database must be closed prior to synchronization. @Do you want Microsoft Office Access to close the database and synchronize with '|'? @@19@@@2' **Access 2007+ uses different description:** 'The database must be closed prior to synchronization. @Do you want Microsoft Office Access to close the database and synchronize with '|'? @@19@@@2' **Access 2010+ uses different description:** 'The database must be closed prior to synchronization. @Do you want Microsoft Access to close the database and synchronize with '|1'? @@19@@@2'

7717	<p>All open objects must be closed before synchronizing.@Do you want Microsoft Office Access to close the objects?@@19@@2 <b>Access 2007+ uses different description:</b> 'All open objects must be closed before synchronizing.@Do you want Microsoft Office Access to close the objects?@@19@@2' <b>Access 2010+ uses different description:</b> 'All open objects must be closed before synchronizing.@Do you want Microsoft Access to close the objects?@@19@@2'</p> <p>Microsoft Office Access can't synchronize this member of the replica set because one or more objects are open.@Because synchronizing may involve updating the data in or design of the database, all objects must be closed before you synchronize.@Close all objects and try again.@1@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access can't synchronize this member of the replica set because one or more objects are open.@Because synchronizing may involve updating the data in or design of the database, all objects must be closed before you synchronize.@Close all objects and try again.@1@@@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access can't synchronize this member of the replica set because one or more objects are open.@Because synchronizing may involve updating the data in or design of the database, all objects must be closed before you synchronize.@Close all objects and try again.@1@@@1'</p>	Access 2003+
7718	<p>You can't save design changes to ' ' at a replica.@Design changes to replicated objects can be made only at the Design Master.@@1@@1 <b>Access 2007+ uses different description:</b> 'You can't save design changes to ' ' at a replica.@Design changes to replicated objects can be made only at the Design Master.@@1@@@1'</p> <p>You can't save design changes to ' 1' at a replica.@Design changes to replicated objects can be made only at the Design Master. Do you want to save it as a new, local object?@@19@@2 <b>Access 2007+ uses different description:</b> 'You can't save design changes to ' 1' at a replica.@Design changes to replicated objects can be made only at the Design Master. Do you want to save it as a new, local object?@@19@@@2'</p>	Access 2003+
7719	<p>You can't delete or rename ' ' at a replica.@These operations can't be performed on a replica; they can be performed only at the Design Master.@@1@@1 <b>Access 2007+ uses different description:</b> 'You can't delete or rename ' ' at a replica.@These operations can't be performed on a replica; they can be performed only at the Design Master.@@1@@@1'</p>	Access 2003+
7720	<p>All open objects must be closed before creating a replica.@Do you want Microsoft Office Access to close the objects?@@19@@2 <b>Access 2007+ uses different description:</b> "</p>	Access 2003
7721	<p>Microsoft Office Access couldn't close one or more objects.@Close all objects manually and try again.@@1@@1 <b>Access 2007+ uses different description:</b> "</p>	Access 2003
7722	<p>Microsoft Office Access has converted ' 1' to the Design Master for the replica set.@Only the Design Master can accept changes to the database structure; however, data changes can be made at the Design Master or any replica.@@1@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access has converted ' 1' to the Design Master for the replica set.@Only the Design Master can accept changes to the database structure; however, data changes can be made at the Design Master or any replica.@@1@@@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access has converted ' 1' to the Design Master for the replica set.@Only the Design Master can accept changes to the database structure; however, data changes can be made at the Design Master or any replica.@@1@@@1'</p>	Access 2003+
7723	<p>Microsoft Office Access has converted ' 1' to the Design Master for the replica set and has created a replica at ' 2'.@Only the Design Master can accept changes to the database structure; however, data changes can be made at the</p>	Access 2003+
7724		
Error Code	Error Description	Supported Versions
7725	<p>Microsoft Office Access has converted ' 1' to the Design Master for the replica set and has created a replica at ' 2'.@Only the Design Master can accept changes to the database structure; however, data changes can be made at the</p>	Access 2003+



Design Master or any replica.@@1@@1 **Access 2007+ uses different description:** 'Microsoft Office Access has converted '1' to the Design Master for the replica set and has created a replica at '2'.@Only the Design Master can accept changes to the database structure; however, data changes can be made at the Design Master or any replica.@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access has converted '1' to the Design Master for the replica set and has created a replica at '2'.@Only the Design Master can accept changes to the database structure; however, data changes can be made at the Design Master or any replica.@@1@@@1'

Microsoft Office Access has created a replica at '2'.@@@1@@1 **Access 2007+ uses different description:** 'Microsoft Office Access has created a replica at '2'.@@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access has created a replica at '2'.@@@1@@@1'

Microsoft Office Access can't create a replica because this database is already open in exclusive mode.@Do you want Microsoft Office Access to close the database?@@19@@2 **Access 2007+ uses different description:** 'Microsoft Office Access can't create a replica because this database is already open in exclusive mode.@Do you want Microsoft Office Access to close the database?@@19@@@2' **Access 2010+ uses different description:** 'Microsoft Access can't create a replica because this database is already open in exclusive mode.@Do you want Microsoft Access to close the database?@@19@@@2'

Microsoft Office Access can't overwrite '|': the replica can't be created at this location.@The file you are trying to overwrite may be open.@Close any other applications that might be using this file.@1@@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't overwrite '|': the replica can't be created at this location.@The file you are trying to overwrite may be open.@Close any other applications that might be using this file.@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access can't overwrite '|': the replica can't be created at this location.@The file you are trying to overwrite may be open.@Close any other applications that might be using this file.@1@@@1'

Microsoft Office Access can't make a new replica at '|' because the source has the same path and file name.@Choose a different path or file name for the new replica.@@1@@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't make a new replica at '|' because the source has the same path and file name.@Choose a different path or file name for the new replica.@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access can't make a new replica at '|1' because the source has the same path and file name.@Choose a different path or file name for the new replica.@@1@@@1'

The synchronization was completed successfully.@@@1@@1 **Access 2007+ uses different description:** 'The synchronization was completed successfully.@@@1@@@1'

Microsoft Office Access can't synchronize this member of the replica set because it is open in exclusive mode. @To open the database in shared mode, close the database, click Open Database on the File menu, and clear the Exclusive check box. Then select the database.@@1@@1 **Access 2007+ uses different description:** 'Microsoft Office Access cannot synchronize this member of the replica set because it is open in Exclusive mode. @To open the database in Shared mode, close and reopen the database.@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access cannot synchronize this member of the replica set because it is open in Exclusive mode. @To open the database in Shared mode, close and reopen the database.@@1@@@1'

'|' is saved as a local table. Changes made to it won't be sent to the replicas in the set.@To make this table available to other members of the replica set, close the table, select it in the Database window, click Properties on the View menu, and then select the Replicated check box.@@1@@1 **Access 2007+ uses**

**different description:** '|' is saved as a local table. Changes made to the table will not be sent to the replicas in the set.@To make this table available to other members of the replica set, close the table, right-click it in the Navigation Pane, click Table Properties on the shortcut menu, and then select the Replicated check box.@@1@@@1'

The synchronization request has been received, and the Synchronizer will complete the process as resources become available.@Make sure that the Synchronizer for this member of the replica set is running. It may be several minutes before the synchronization will occur.@@1@@@1 **Access 2007+ uses different description:** 'The synchronization request has been received, and the Synchronizer will complete the process as resources become available.@Make sure that the Synchronizer for this member of the replica set is running. It may be several minutes before the synchronization will occur.@@1@@@1'

Microsoft Office Access has saved the design of table '|,' but it will not be made replicable until the Table window is closed.@@@1@@@1 **Access 2007+ uses different description:** 'Microsoft Office Access has saved the design of table '|,' but it will not be made replicable until the Table window is closed.@@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access has saved the design of table '|1,' but it will not be made replicable until the Table window is closed.@@@1@@@1'

Changes to this object can be made only at the Design Master.@Any changes you make will be discarded when the form is closed.@To save your changes, click Save As on the File menu and save the object under a different name.@1@@@1 **Access 2007+ uses different description:** 'Changes to this object can be made only at the Design Master.@Any changes you make will be discarded when the form is closed.@To save your changes, click the Microsoft Office Button, point to Save As, and then save the object under a different name.@1@@@1' **Access 2010+ uses different description:** 'Changes to this object can be made only at the Design Master.@Any changes you make will be discarded when the form is closed.@To save your changes, click the File tab, point to Save As, and then save the object under a different name.@1@@@0'

Microsoft Office Access has deleted '|' and removed it from the replica set.@This change isn't reflected until the database is closed and reopened.@Do you want Microsoft Office Access to close and reopen the database now?@19@@@2 **Access 2007+ uses different description:** "

Microsoft Office Access has converted '|1' to the Design Master for the replica set and has created a replica at '|2'.@The new replica will not appear in the list of potential synchronization partners until this database is closed and reopened.@Do you want Microsoft Office Access to close and reopen the database now?@19@@@2 **Access 2007+ uses different description:** 'Microsoft Office Access has converted '|1' to the Design Master for the replica set and has created a replica at '|2'.@The new replica will not appear in the list of potential synchronization partners until this database is closed and reopened.@Do you want Microsoft Access to close and reopen the database now?@19@@@2' **Access 2010+ uses different description:** 'Microsoft Access has converted '|1' to the Design Master for the replica set and has created a replica at '|2'.@The new replica will not appear in the list of potential synchronization partners until this database is closed and reopened.@Do you want Microsoft Access to close and reopen the database now?@19@@@2'

Microsoft Office Access has successfully created a replica at '|2'.@However, the new replica will not appear in the list of potential synchronization partners until this database is closed and reopened.@Do you want Microsoft Office Access to close and reopen the database now?@19@@@2 **Access 2007+ uses different description:** 'Microsoft Office Access has successfully created a replica at '|2'.@However, the new replica will not appear in the list of potential synchronization partners until this database is closed and reopened.@Do you want Microsoft Office Access to close and reopen the database now?@19@@@2'

@19@@@2' **Access 2010+ uses different description:** 'Microsoft Access has successfully created a replica at '|2'.@However, the new replica will not appear in the list of potential synchronization partners until this database is closed and reopened.@Do you want Microsoft Access to close and reopen the database now?@19@@@2'

Microsoft Office Access has deleted '|' and removed it from the replica set.@This change isn't reflected until the database is closed and reopened.@Please close and reopen the database when you are finished synchronizing replicas.@1@@1' **Access 2007+ uses different description:**

'Microsoft Office Access has deleted '|' and removed it from the replica set.@This change isn't reflected until the database is closed and reopened.@Please close and reopen the database when you are finished synchronizing replicas.@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access has deleted '|1' and removed it from the replica set.@This change isn't reflected until the database is closed and reopened.@Please close and reopen the database when you are finished synchronizing replicas.@1@@@1'

Microsoft Office Access cannot synchronize with a database from a previous version.@Convert the database you are trying to synchronize with, before synchronizing.@@1@@1' **Access 2007+ uses different description:**

'Microsoft Office Access cannot synchronize with a database from a previous version.@Convert the database you are trying to synchronize with, before synchronizing.@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access cannot synchronize with a database from a previous version.@Convert the database you are trying to synchronize with, before synchronizing.@@1@@@1'

Microsoft Office Access can't make a new replica at '|' because the value entered for priority is out of range.@Priority for new replicas should be in the range of 0-100.@@1@@1' **Access 2007+ uses different description:**

'Microsoft Office Access can't make a new replica at '|' because the value entered for priority is out of range.@Priority for new replicas should be in the range of 0-100.@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access can't make a new replica at '|1' because the value entered for priority is out of range.@Priority for new replicas should be in the range of 0-100.@@1@@@1'

Microsoft Office Access can't make a password-protected database replicable

**Access 2007+ uses different description:** 'Microsoft Office Access cannot replicate a password-protected database.' **Access 2010+ uses different description:** 'Microsoft Access cannot replicate a password-protected database.'

Backup, restore, and drop database operations are only available for Microsoft SQL Server version 7.0 or later running on your local computer. **Access 2007+ uses different description:** 'Backup, restore, and drop database operations are available only when you have at least Microsoft SQL Server 2000 installed on your local computer.' **Access 2010+ uses different description:** 'Backup, restore, and drop database operations are available only when you have a version of Microsoft SQL Server supported by Microsoft Access installed on your local computer. See the Microsoft Office Update Web site for the latest information and downloads.'

Microsoft Office Access can't make a new replica at '|' because the value entered for priority is out of range.@Priority for anonymous replicas should be 0.@@1@@1' **Access 2007+ uses different description:** 'Microsoft Office Access can't make a new replica at '|' because the value entered for priority is out of range.@Priority for anonymous replicas should be 0.@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access can't make a new replica at '|1' because the value entered for priority is out of range.@Priority for anonymous replicas should be 0.@@1@@@1'

Error Code	Error Description	Supported Versions
7745	You can't copy local objects in a replica. Design changes to replicated objects can be made only at the Design Master.	Access 2003+
7746	The Database administrative components failed to load or initialize. Verify that the components are installed and registered locally.	Access 2003+
7747	Database Replicas cannot be converted to prior versions of Microsoft Office Access. <b>Access 2010+ uses different description:</b> 'Database Replicas cannot be converted to prior versions of Microsoft Access.'	Access 2003+
7748	This stage of the conversion process is finished. To complete the conversion process, synchronize this replica to the (converted) Design Master.	Access 2003+
7749	Open the Design Master and sync to this replica before opening.	Access 2003+
7750	In Datasheet view, you can't set a control property if the control is part of an option group.@@@1@@1 <b>Access 2007+ uses different description:</b> 'In Datasheet view, you can't set a control property if the control is part of an option group.@@@1@@@1'	Access 2003+
7751	In Design view, you can't retrieve the value of the ObjectPalette property for an OLE object contained in a bound object frame.@Microsoft Office Access doesn't display the OLE object in the object frame in Design view.@Remove the reference to the ObjectPalette property, or switch to Form view before you run the macro or Visual Basic code that references the ObjectPalette property.@1@@1 <b>Access 2007+ uses different description:</b> 'In Design view, you can't retrieve the value of the ObjectPalette property for an OLE object contained in a bound object frame.@Microsoft Office Access doesn't display the OLE object in the object frame in Design view.@Remove the reference to the ObjectPalette property, or switch to Form view before you run the macro or Visual Basic code that references the ObjectPalette property.@1@@@1' <b>Access 2010+ uses different description:</b> 'In Design view, you can't retrieve the value of the ObjectPalette property for an OLE object contained in a bound object frame.@Microsoft Access doesn't display the OLE object in the object frame in Design view.@Remove the reference to the ObjectPalette property, or switch to Form view before you run the macro or Visual Basic code that references the ObjectPalette property.@1@@@1'	Access 2003+
7752	Microsoft Office Access can't apply the filter because all the records are locked.@The RecordLocks property of the form or report or the Default Record Locking option on the Advanced tab of the Options dialog box (Tools menu) is set to All Records.@Reset the value to No Locks or Edited Record as appropriate.@1@600472@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access cannot apply the filter because all of the records are locked.@Either the RecordLocks property of the form or report or the Default Record Locking option in the Advanced section of the Access Options dialog box (click the Microsoft Office Button, and then click Access Options) is set to All Records.@Reset the value to No Locks or Edited Record, as appropriate.@1@1@472@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access cannot apply the filter because all of the records are locked.@Either the RecordLocks property of the form or report or the Default Record Locking option in the Advanced section of the Access Options dialog box (click the File tab, and then click Access Options) is set to All Records.@Reset the value to No Locks or Edited Record, as appropriate.@1@1@472@1'	Access 2003+
7753	@@@1@7236@1 <b>Access 2007+ uses different description:</b> ' @@@1@2@7236@1'	Access 2003+
7754	You can't move columns between two frozen columns in a datasheet.@To unfreeze all columns, click Unfreeze All Columns on the Format menu.@@1@209174@1 <b>Access 2007+ uses different description:</b> 'You cannot position columns between two frozen columns in a datasheet.@To	Access 2003+

unfreeze all columns, on the Home tab, in the Records group, click More, and then click Unfreeze All Columns.@@1@1@9174@1'

Microsoft Office Access can't start the Chart Wizard.@The wizard may not be installed, or this wizard has been disabled.@To install the Chart Wizard, rerun the Microsoft Office Access or Microsoft Office Setup program, click Add/Remove, and then select the Wizards check box. To reenable this wizard, click About Microsoft Office Access on the Help menu, and then click the Disabled Items button to view a list of addins which you can enable.@1@@3  
**Access 2007+ uses different description:** 'Microsoft Office Access can't start the Chart Wizard.@The wizard may not be installed, or this wizard has been disabled.@To install the Chart Wizard, rerun the Microsoft Office Access or the Microsoft Office Setup program, click Add/Remove, and then select the Wizards check box. To reenable this wizard, click the Microsoft Office Button, and then click Access Options. Click Add-Ins, and then in the Manage list, click Disabled Items, and then click Go.@1@@@3'  
**Access 2010+ uses different description:** 'This feature isn't installed, or has been disabled.@To install this feature, rerun the Microsoft Access or the Microsoft Office Setup program or, if you're using a third-party add-in, reinstall the add-in. To reenable this wizard, click the File tab, and then click Access Options. Click Add-Ins, and then in the Manage list, click Disabled Items, and then click Go.@@1@@@3'

The form can't display the What's This button if the Minimize button or the Maximize button is displayed.@Set the WhatsThisButton property to No, or set the MinMaxButtons property to None.@@1@@1  
**Access 2007+ uses different description:** "

The form can't display the Minimize button or the Maximize button if the What's This button is displayed.@@@1@@1  
**Access 2007+ uses different description:** "

This ActiveX control isn't enabled in Form view.@You can't set the Enabled or TabStop properties to True.@@1@@1  
**Access 2007+ uses different description:** 'This ActiveX control isn't enabled in Form view.@You can't set the Enabled or TabStop properties to True.@@1@@@1'

This ActiveX control isn't visible in Form view.@You can't set the Visible or TabStop properties to True.@@1@@1  
**Access 2007+ uses different description:** 'This ActiveX control isn't visible in Form view.@You can't set the Visible or TabStop properties to True.@@1@@@1'

This property is locked and can't be changed.@@@1@@1  
**Access 2007+ uses different description:** 'This property is locked and can't be changed.@@@1@@@1'

An error occurred when you changed the control.@@@1@@1  
**Access 2007+ uses different description:** 'An error occurred when you changed the control.@@@1@@@1'

The pattern string is invalid.@@@2@210109@1  
**Access 2007+ uses different description:** 'The pattern string is invalid.@@@2@1@10109@1'

This feature isn't installed, or has been disabled.@To install this feature, rerun the Microsoft Office Access or Microsoft Office Setup program or, if you're using a third-party add-in, reinstall the add-in. To reenable this wizard, click About Microsoft Office Access on the Help menu, and then click the Disabled Items button to view a list of addins which you can enable.@@1@@3  
**Access 2007+ uses different description:** 'This feature isn't installed, or has been disabled.@To install this feature, rerun the Microsoft Office Access or the Microsoft Office Setup program or, if you're using a third-party add-in, reinstall the add-in. To reenable this wizard, click the Microsoft Office Button, and then click Access Options. Click Add-Ins, and then in the Manage list, click Disabled Items, and then click Go.@@1@@@3'  
**Access 2010+ uses different description:** 'This feature isn't installed, or has been disabled.@To install this feature, rerun the Microsoft Access or the Microsoft Office Setup program or, if

Access 2003+

Access 2003

Access 2003

Access 2003+

Access 2003+

Access 2003+

Access 2003+

Access 2003+

Access 2003+

you're using a third-party add-in, reinstall the add-in. To reenable this wizard, click the File tab, and then click Options. Click Add-Ins, and then in the Manage list, click Disabled Items, and then click Go.@@1@@@3'

This feature isn't installed, or has been disabled.@To install this feature, rerun the Microsoft Office Access or Microsoft Office Setup program, click Add/Remove, and then select the Wizards check box. To reenable this wizard, click About Microsoft Office Access on the Help menu, and then click the Disabled Items button to view a list of addins which you can enable.@@1@@3  
**Access 2007+ uses different description: "**

Access 2003

Error Code	Error Description	Supported Versions
7764	This feature isn't installed, or has been disabled.@To install this feature, rerun the Microsoft Office Access or Microsoft Office Setup program, click Add/Remove, and then click the Additional Wizards check box. To reenable this wizard, click About Microsoft Office Access on the Help menu, and then click the Disabled Items button to view a list of addins which you can enable.@@1@@3 <b>Access 2007+ uses different description: "</b>	Access 2003
7765	This control can't be changed to the type you requested.@@@1@@@1 <b>Access 2007+ uses different description: "</b>	Access 2003
7766	This control can't be changed to the type you requested.@@@1@@@1 <b>Access 2007+ uses different description: 'This control can't be changed to the type you requested.@@@1@@@1'</b>	Access 2003+
7767	An error occurred while Microsoft Office Access was creating a section.@@@1@@@1 <b>Access 2007+ uses different description: 'An error occurred while Microsoft Office Access was creating a section.@@@1@@@1'</b> <b>Access 2010+ uses different description: 'An error occurred while Microsoft Access was creating a section.@@@1@@@1'</b>	Access 2003+
7768	In order to change data through this form, the focus must be in a bound field that can be modified.@@@1@@@1 <b>Access 2007+ uses different description: 'In order to change data through this form, the focus must be in a bound field that can be modified.@@@1@@@1'</b>	Access 2003+
7769	The filter operation was canceled. The filter would be too long.@@@1@@@1 <b>Access 2007+ uses different description: 'The filter operation was canceled. The filter would be too long.@@@1@@@1'</b>	Access 2003+
7770	Microsoft Office Access didn't apply the filter.@Microsoft Office Access may not be able to apply the filter if you entered an invalid data type in one of the fields. Do you want to close the filter anyway?@If you click Yes, Microsoft Office Access will build the filter, but won't apply it to the recordset. Then it will close the Filter By Form window.@19@@@2 <b>Access 2007+ uses different description: 'Microsoft Office Access didn't apply the filter.@Microsoft Office Access may not be able to apply the filter if you entered an invalid data type in one of the fields. Do you want to close the filter anyway?@If you click Yes, Microsoft Office Access will build the filter, but won't apply it to the recordset. Then it will close the Filter By Form window.@19@@@2'</b> <b>Access 2010+ uses different description: 'Microsoft Access didn't apply the filter.@Microsoft Access may not be able to apply the filter if you entered an invalid data type in one of the fields. Do you want to close the filter anyway?@If you click Yes, Microsoft Access will build the filter, but won't apply it to the recordset. Then it will close the Filter By Form window.@19@@@2'</b>	Access 2003+
7771	You can't set the ColumnOrder property when you are in Form view or Print Preview.@@@1@@@1 <b>Access 2007+ uses different description: 'You can't set the ColumnOrder property when you are in Form view or Print Preview.@@@1@@@1'</b>	Access 2003+
7773	Microsoft Office Access can't set the LimitToList property to No right now.@The first visible column, which is determined by the ColumnWidths property, isn't equal to the bound column.@Adjust the ColumnWidths property first, and then set the LimitToList property.@1@600929@1 <b>Access 2007+ uses different description: 'Microsoft Office Access can't set the LimitToList property to No right now.@The first visible column, which is determined by the</b>	Access 2003+

ColumnWidths property, isn't equal to the bound column.@Adjust the ColumnWidths property first, and then set the LimitToList property.@1@1@929@1' **Access 2010+ uses different description:** 'Microsoft Access can't set the LimitToList property to No right now.@The first visible column, which is determined by the ColumnWidths property, isn't equal to the bound column.@Adjust the ColumnWidths property first, and then set the LimitToList property.@1@1@929@1'

You can't set the MenuBar property while an OLE object is in-place

active.@@@1@@@1 **Access 2007+ uses different description:** 'You can't set the MenuBar property while an OLE object is in-place active.@@@1@@@1'

There are too many controls on the form to allow Filter By Form.@@@1@@@1 **Access 2007+ uses different description:** 'There are too many controls on the form to allow Filter By Form.@@@1@@@1'

You've used the ListIndex property incorrectly.@@@2@606997@1 **Access 2007+ uses different description:** 'You've used the ListIndex property incorrectly.@@@2@1@6997@1'

You can't save an object when you are in the Filter By Form window.@Switch to Form view, and then save the object.@@1@@@1 **Access 2007+ uses different description:** 'You can't save an object when you are in the Filter By Form window.@Switch to Form view, and then save the object.@@1@@@1'

You can't set a form's MenuBar property from its menu bar macro.@Right-click the Form selector button (located to the left of the horizontal ruler) on the form in Design view.Click Properties, click the Other tab, and then set the MenuBar property.@@1@@@1 **Access 2007+ uses different description:** 'You cannot set a form's MenuBar property from its menu bar macro.@@1@@@1'

You're trying to insert into a section that can't grow enough for the control you're trying to add.@The maximum total height for all sections in a report, including the section headers, is 200 inches (508 cm).@Remove, or reduce the height of, at least one section. Then try to add the control again.@1@@@1 **Access 2007+ uses different description:** 'You're trying to insert into a section that can't grow enough for the control you're trying to add.@The maximum total height for all sections in a report, including the section headers, is 200 inches (508 cm).@Remove, or reduce the height of, at least one section. Then try to add the control again.@1@@@1'

You can't create a new instance of this form or report while it is in Design view.@@@1@@@1 **Access 2007+ uses different description:** 'You can't create a new instance of this form or report while it is in Design view.@@@1@@@1'

This form or report is already being designed as a subform or subreport. To open this form in Design view, select the subform or subreport and click Subform in New Window on the View menu. **Access 2007+ uses different description:** 'The object you have selected is already open for design as a subform or subreport. To open this object in Design view, select the subform or subreport in the object in which it is already open, and then on the Design tab, in the Tools group, click Subform in New Window.'

Microsoft Office Access didn't build the filter.@There is an error in the current field. Do you want to close the filter anyway?@If you click Yes, Microsoft Office Access will undo the changes to the filter, and then close the Filter By Form window.@19@@@2 **Access 2007+ uses different description:** 'Microsoft Office Access didn't build the filter.@There is an error in the current field. Do you want to close the filter anyway?@If you click Yes, Microsoft Office Access will undo the changes to the filter, and then close the Filter By Form window.@19@@@2' **Access 2010+ uses different description:** 'Microsoft Access didn't build the filter.@There is an error in the current field. Do you want to close the filter anyway?@If you click Yes, Microsoft Access will undo the changes to the filter, and then close the Filter By Form window.@19@@@2'

7788	Compile error.@@@1@@@1 <b>Access 2007+ uses different description:</b> "	Access 2003
7789	Type mismatch.@@@1@@@1 <b>Access 2007+ uses different description:</b> "Type mismatch.@@@1@@@1"	Access 2003+
7790	Microsoft Office Access can't create the  1. @Either there was an error getting information from the table or query you selected, or a new  2 could not be created.@@@1@@@1 <b>Access 2007+ uses different description:</b> "Microsoft Office Access can't create the  1. @Either there was an error getting information from the table or query you selected, or a new  2 could not be created.@@@1@@@1" <b>Access 2010+ uses different description:</b> "Microsoft Access can't create the  1. @Either there was an error getting information from the table or query you selected, or a new  2 could not be created.@@@1@@@1"	Access 2003+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
7791	There was an error creating your  1. @Some fields may have been skipped because there was an error getting information about them or because they didn't fit on the  2. @@@1@@@1 <b>Access 2007+ uses different description:</b> "There was an error creating your  1. @Some fields may have been skipped because there was an error getting information about them or because they didn't fit on the  2. @@@1@@@1"	Access 2003+
7792	You can't open a subform when it is also open in Design view.@@@1@@@1 <b>Access 2007+ uses different description:</b> "You can't open a subform or subreport when it is also open in Design view.@@@1@@@1"	Access 2003+
7793	You must save the form ' ' before you can embed it.@@@1@@@1 <b>Access 2007+ uses different description:</b> "You must save the form ' ' before you can embed it.@@@1@@@1"	Access 2003+
7794	Microsoft Office Access couldn't find the toolbar ' '. @@@1@@@1 <b>Access 2007+ uses different description:</b> "Microsoft Office Access couldn't find the toolbar ' '. @@@1@@@1" <b>Access 2010+ uses different description:</b> "Microsoft Access could not find the toolbar ' 1'. @@@1@@@1"	Access 2003+
7795	The custom toolbar ' ' is the wrong type (menu, shortcut menu, or toolbar) for the property it's being used in. @@@1@@@1 <b>Access 2007+ uses different description:</b> "The custom toolbar ' ' is the wrong type (menu, shortcut menu, or toolbar) for the property it's being used in. @@@1@@@1"	Access 2003+
7796	The process failed because there is no printer installed. @Because Microsoft Office Access saves the printer settings with each form or report, a printer is needed to convert, enable, copy and paste, import, or export your forms or reports. To install a printer, point to Settings on the Windows Start menu, click Printers, and then double-click Add Printer. Follow the instructions in the wizard. @@@1@@@1 <b>Access 2007+ uses different description:</b> "The process failed because there is no printer installed. @Because Microsoft Office Access saves the printer settings with each form or report, a printer is needed to convert, enable, copy and paste, import, or export your forms or reports. To install a printer: In Microsoft Windows XP, click Start, and then click Printers and Faxes. Under Printer Tasks, click Add a printer. In Microsoft Windows 2000, click Start, point to Settings, and then click Printers. Double-click Add Printer. Follow the instructions in the wizard. @@@1@@@1" <b>Access 2010+ uses different description:</b> "The process failed because there is no printer installed. @Because Microsoft Access saves the printer settings with each form or report, a printer is needed to convert, enable, copy and paste, import, or export your forms or reports. To install a printer: In Microsoft Windows XP, click Start, and then click Printers and Faxes. Under Printer Tasks, click Add a printer. In Microsoft Windows 2000, click Start, point to Settings, and then click Printers. Double-click Add Printer. Follow the instructions in the wizard. @@@1@@@1"	Access 2003+
7797	You must save new objects in the database before you can save them to this external format. @@@1@@@1 <b>Access 2007+ uses different description:</b> "You	Access 2003+



must save new objects in the database before you can save them to this external format.@@@1@@@1'

You can only save select, crosstab, and union queries to this

format.@@@1@@@1 **Access 2007+ uses different description:** 'You can only save select, crosstab, and union queries to this format.@@@1@@@1' Access 2003+

This form or report is based on a query that exceeds the limit for data in a single record.@Exclude any unnecessary fields from the query, or change some of the field types to Memo in the original tables.@@1@@@1 **Access 2007+ uses different description:** 'This form or report is based on a query that exceeds the limit for data in a single record.@Exclude any unnecessary fields from the query, or change some of the field types to Memo in the original tables.@@1@@@1' Access 2003+

You can't create a Microsoft Office Access MDE database from a database in an old format.@Close the database and convert it to the current version of Microsoft Office Access. Then create the MDE database.@@1@@@1 **Access 2007+ uses different description:** 'You can't create a Microsoft Office Access MDE database from a database in an old format.@Close the database and convert it to the current version of Microsoft Office Access. Then create the MDE database.@@1@@@1' **Access 2010+ uses different description:** 'You can't create a Microsoft Access MDE database from a database in an old format.@Close the database and convert it to the current version of Microsoft Access. Then create the MDE database.@@1@@@1' Access 2003+

This database is in an unrecognized format.@The database may have been created with a later version of Microsoft Office Access than the one you are using. Upgrade your version of Microsoft Office Access to the current one, then open this database.@@1@@@1 **Access 2007+ uses different description:** 'This database is in an unrecognized format.@The database may have been created with a later version of Microsoft Office Access than the one you are using. Upgrade your version of Microsoft Office Access to the current one, then open this database.@@1@@@1' **Access 2010+ uses different description:** 'This database is in an unrecognized format.@The database may have been created with a later version of Microsoft Access than the one you are using. Upgrade your version of Microsoft Access to the current one, then open this database.@@1@@@1' Access 2003+

That command isn't available in an MDE/ADE database.@@@1@@@1 **Access 2007+ uses different description:** 'The command you specified is not available in an .mde, .accde, or .ade database.@@@1@@@1' Access 2003+

Microsoft Office Access can't rename |1 to |2. The convert operation failed.@@@1@@@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't rename |1 to |2. The convert operation failed.@@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access can't rename |1 to |2. The convert operation failed.@@@1@@@1' Access 2003+

This is already an MDE database.@@@1@@@1 **Access 2007+ uses different description:** 'This is already an MDE database.@@@1@@@1' Access 2003+

This database does not have a Visual Basic project, so it can't be made into an MDE file.@Open the database in Microsoft Office Access to create the Visual Basic project.@@1@@@1 **Access 2007+ uses different description:** 'This database does not have a Visual Basic project, so it can't be made into an MDE file.@Open the database in Microsoft Office Access to create the Visual Basic project.@@1@@@1' **Access 2010+ uses different description:** 'This database does not have a Visual Basic project, so it can't be made into an MDE file.@Open the database in Microsoft Access to create the Visual Basic project.@@1@@@1' Access 2003+

You can't make the open database into an MDE file while running a macro or Visual Basic code.@Instead of using a macro or code, on the Tools menu, point to Database Utilities, and then click Make MDE File.@@1@@@1 **Access 2007+**

**uses different description:** 'You cannot convert the open database to an MDE file by running a macro or Visual Basic code.@Instead of using a macro or code, on the Database Tools tab, in the Database Tools group, click Make MDE.@@1@@@1'

Microsoft Office Access can't replace an existing file as a result of converting the Microsoft Office Access database.You must select a new file

name.@@@1@@@1 **Access 2007+ uses different description:** 'Microsoft

Office Access can't replace an existing file as a result of converting the Microsoft Office Access database.You must select a new file

name.@@@1@@@1' **Access 2010+ uses different description:** 'Microsoft

Access can't replace an existing file as a result of converting the Microsoft Access database.You must select a new file name.@@@1@@@1'

You can't rename a | object in the client/server version of Microsoft Office Access.@@@1@@@1 **Access 2007+ uses different description:** 'You can't

rename a | object in the client/server version of Microsoft Office

Access.@@@1@@@1' **Access 2010+ uses different description:** 'You cannot rename a |1 object in the client/server version of Microsoft

Access.@@@1@@@1'

You can't compact the open database while running a macro or Visual Basic code.@Instead of using a macro or code, on the Tools menu, point to Database Utilities, and then click Compact/Repair Database.@@1@@@1 **Access 2007+**

**uses different description:** 'You cannot compact the open database by running

a macro or Visual Basic code.@Instead of using a macro or code, click the

Microsoft Office Button, point to Manage, and then click Compact and Repair Database.@@1@@@1' **Access 2010+ uses different description:** 'You cannot

compact the open database by running a macro or Visual Basic code.@Instead of using a macro or code, click the File tab and then click Compact and Repair

Database.@@1@@@0'

Microsoft Office Accessrequires Microsoft SQL Server 6.5 or later for Access projects.You need to upgrade the selected SQL database to Microsoft SQL

Server 6.5 or later.@@@1@@@1 **Access 2007+ uses different description:**

'Microsoft Office Accessrequires Microsoft SQL Server 6.5 or later for Access projects.You need to upgrade the selected SQL database to Microsoft SQL

Server 6.5 or later.@@@1@@@1' **Access 2010+ uses different description:**

'Microsoft Accessrequires Microsoft SQL Server 6.5 or later for Access projects.You need to upgrade the selected SQL database to Microsoft SQL

Server 6.5 or later.@@@1@@@1'

## **Error Code      Error Description**

## **Supported Versions**

Microsoft Office Access projects can only be connected to Microsoft SQL

Server **Access 2010+ uses different description:** 'Microsoft Access projects can only be connected to Microsoft SQL Server'

Restoring a database requires that no one is currently using the database.@Do you want to close all objects, select a backup file, and restore the database from backup?@@1@@@1 **Access 2007+ uses different description:** "

Dropping a database requires that no one is currently using the database.@Do you want to close all open objects and drop the database?@@1@@@1 **Access 2007+ uses different description:** "

Microsoft Office Access was unable to create an ADE database.@@@1@@@1

**Access 2007+ uses different description:** 'Microsoft Office Access was unable

to create an ADE database.@@@1@@@1' **Access 2010+ uses different**

**description:** 'Microsoft Access was unable to create an ADE

database.@@@1@@@1'

Microsoft Office Access requires this Microsoft SQL Server 6.5 installation to be upgraded to service pack 5 in order to successfully connect to this server.

@@@1@@@1 **Access 2007+ uses different description:** 'Microsoft Office

Access requires this Microsoft SQL Server 6.5 installation to be upgraded to

service pack 5 in order to successfully connect to this server. @@@1@@@1'  
**Access 2010+ uses different description:** 'Microsoft Access requires this Microsoft SQL Server 6.5 installation to be upgraded to service pack 5 in order to successfully connect to this server. @@@1@@@1'

The database file '|' is already open. You cannot encode to an open file.@@@1@@@1 **Access 2007+ uses different description:** 'The database file '|' is already open. You cannot encode to an open file.@@@1@@@1' Access 2003+

Microsoft Office Access was unable to create the Database window.@Please upgrade to a newer version of Microsoft Internet Explorer.@@1@@@1 **Access 2007+ uses different description:** " Access 2003

You have chosen a database template file that is not supported in the current version of Microsoft Office Access.@To create a database using the Database Wizard, click the Databases tab in the New dialog box and then double-click a database icon.@@1@@@1 **Access 2007+ uses different description:** 'You have chosen a database template file that is not supported in the current version of Microsoft Office Access.@To create a database using the Database Wizard, click the Databases tab in the New dialog box and then double-click a database icon.@@1@@@1' **Access 2010+ uses different description:** 'You have chosen a database template file that is not supported in the current version of Microsoft Access.@To create a database using the Database Wizard, click the Databases tab in the New dialog box and then double-click a database icon.@@1@@@1' Access 2003+

Microsoft Office Access no longer supports Pages as startup documents. **Access 2007+ uses different description:** " Access 2003

The TEMP environment variable isn't defined.Microsoft Office Access can't find the temporary file directory.@@@1@@@1 **Access 2007+ uses different description:** 'The TEMP environment variable isn't defined.Microsoft Office Access can't find the temporary file directory.@@@1@@@1' **Access 2010+ uses different description:** 'The TEMP environment variable isn't defined.Microsoft Access can't find the temporary file directory.@@@1@@@1' Access 2003+

Microsoft Office Access can't initialize the transfer object.Make sure you have Microsoft SQL Server or the Microsoft SQL Server Desktop Engine installed on the local machine.@@@1@@@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't initialize the transfer object.Make sure you have Microsoft SQL Server or the Microsoft SQL Server Desktop Engine installed on the local machine.@@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access can't initialize the transfer object.Make sure you have Microsoft SQL Server or the Microsoft SQL Server Desktop Engine installed on the local machine.@@@1@@@1' Access 2003+

The source or destination database name is missing.The transfer operation can't continue.@@@1@@@1 **Access 2007+ uses different description:** 'The source or destination database name is missing.The transfer operation can't continue.@@@1@@@1' Access 2003+

The source or destination server name is missing.The transfer operation can't continue.@@@1@@@1 **Access 2007+ uses different description:** 'The source or destination server name is missing.The transfer operation can't continue.@@@1@@@1' Access 2003+

Microsoft Office Access can't find the server '|'.@@@1@@@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't find the server '|'.@@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access cannot find the server '|'.@@@1@@@1' Access 2003+

The database object type isn't supported by the Microsoft Office Access transfer operation.@@@1@@@1 **Access 2007+ uses different description:** 'The database object type isn't supported by the Microsoft Office Access transfer operation.@@@1@@@1' **Access 2010+ uses different description:** 'The

database object type isn't supported by the Microsoft Access transfer operation.@@@1@@@1'

The current database '1' has 2 active connections. Microsoft Office Access must disconnect all applications before you can copy the database file. What do you want to do to all the active connections? &Disconnect Cancel@@@35@@@  
**Access 2007+ uses different description:** 'The current database '1' has 2 active connections. Microsoft Office Access must disconnect all applications before you can copy the database file. What do you want to do to all the active connections? &Disconnect Cancel@@@35@@@'  
**Access 2010+ uses different description:** 'The current database '1' has 2 active connections. Microsoft Access must disconnect all applications before you can copy the database file. What do you want to do to all the active connections? &Disconnect Cancel@@@35@@@'

The object '|' is not a valid Microsoft SQL Server database object. Microsoft Office Access can't transfer this object.@@@1@@@1  
**Access 2007+ uses different description:** 'The object '|' is not a valid Microsoft SQL Server database object. Microsoft Office Access can't transfer this object.@@@1@@@1'  
**Access 2010+ uses different description:** 'The object '|' is not a valid Microsoft SQL Server database object. Microsoft Access can't transfer this object.@@@1@@@1'

The SQL script used to create database objects is corrupted. Microsoft Office Access can't create the new objects.@@@1@@@1  
**Access 2007+ uses different description:** 'The SQL script used to create database objects is corrupted. Microsoft Office Access can't create the new objects.@@@1@@@1'  
**Access 2010+ uses different description:** 'The SQL script used to create database objects is corrupted. Microsoft Access can't create the new objects.@@@1@@@1'

The SQL script used to create database object '|' is corrupted. Microsoft Office Access can't create the new object.@@@1@@@1  
**Access 2007+ uses different description:** 'The SQL script used to create database object '|' is corrupted. Microsoft Office Access can't create the new object.@@@1@@@1'  
**Access 2010+ uses different description:** 'The SQL script used to create database object '|' is corrupted. Microsoft Access can't create the new object.@@@1@@@1'

Microsoft Office Access can't create the file '|'.@@@1@@@1  
**Access 2007+ uses different description:** 'Microsoft Office Access can't create the file '|'.@@@1@@@1'  
**Access 2010+ uses different description:** 'Microsoft Access cannot create the file '|'.@@@1@@@1'

**Error Code      Error Description      Supported Versions**

The current database '|' is replicated and can't be copied until you disable replication. Use Microsoft SQL Server Enterprise Manager to remove publications and subscriptions before copying the database file.@@@1@@@1  
**Access 2007+ uses different description:** 'The current database '|' is replicated and can't be copied until you disable replication. Use Microsoft SQL Server Enterprise Manager to remove publications and subscriptions before copying the database file.@@@1@@@1'

The current database '|' has more than one data file and can't be copied.@@@1@@@1  
**Access 2007+ uses different description:** 'The current database '|' has more than one data file and can't be copied.@@@1@@@1'

The Transfer Database Wizard didn't provide enough information to perform the transfer operation.@@@1@@@1  
**Access 2007+ uses different description:** 'The Transfer Database Wizard didn't provide enough information to perform the transfer operation.@@@1@@@1'

Microsoft Office Access can't copy the database file because one or more objects are open. Do you want to close all the objects?@@@1@@@1  
**Access 2007+ uses different description:** 'Microsoft Office Access can't copy the

database file because one or more objects are open. Do you want to close all the objects?@@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access can't copy the database file because one or more objects are open. Do you want to close all the objects?@@@1@@@1'

Microsoft Office Access can't copy the database file because one or more objects are open. Close all objects and try again.@@@1@@@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't copy the database file because one or more objects are open. Close all objects and try again.@@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access can't copy the database file because one or more objects are open. Close all objects and try again.@@@1@@@1'

Invalid argument in script.@@@1@@@1 **Access 2007+ uses different description:** 'Invalid argument in script.@@@1@@@1'

There were errors during the database transfer operation.Open the transfer log file for details.@@@1@@@1 **Access 2007+ uses different description:** 'There were errors during the database transfer operation.Open the transfer log file for details.@@@1@@@1'

Errors occurred during the database transfer operation.@@@1@@@1 **Access 2007+ uses different description:** 'Errors occurred during the database transfer operation.@@@1@@@1'

The database transfer operation failed. The destination database '|' was created and is in an unknown state.What would you like to do with the destination database?&Keep&Delete@@@35@@@ **Access 2007+ uses different description:** 'The database transfer operation failed. The destination database '|' was created and is in an unknown state.What would you like to do with the destination database?&Keep&Delete@@@35@@@'

The destination file '|' already exists. Set the Overwrite flag to TRUE if you want to replace the existing file.@@@1@@@1 **Access 2007+ uses different description:** 'The destination file '|' already exists. Set the Overwrite flag to TRUE if you want to replace the existing file.@@@1@@@1'

This operation requires Microsoft SQL Server version 7.0 or later on your local computer. You can install Microsoft SQL Server 2000 Desktop Engine from the MSDE2000 folder on the Microsoft Office CD-ROM.@@@1@@@1 **Access 2007+ uses different description:** 'This operation requires at least Microsoft SQL Server 2000 to be installed on your local computer.@@@1@@@1' **Access 2010+ uses different description:** 'This database operation is available only when you have a version of Microsoft SQL Server supported by Microsoft Access installed on your local computer. See the Microsoft Office Update Web site for the latest information and downloads.@@@1@@@1'

You can only copy the database file when the current database is on your local computer. If you want to make a copy of a database on a remote server point to Database Utilities on the Tools menu, and then click Transfer Database.@@@1@@@1 **Access 2007+ uses different description:** 'You can only copy a database that is on your local computer. To make a copy of a database on a remote computer, click the Microsoft Office Button, point to Server Tasks, and then click Transfer Database.@@@1@@@1' **Access 2010+ uses different description:** 'You can only copy a database that is on your local computer. To make a copy of a database on a remote computer, click the File tab, point to Server Tasks, and then click Transfer Database.@@@1@@@0'

Microsoft Office Access can't copy the database file because there are active connections to the current database.@@@1@@@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't copy the database file because there are active connections to the current database.@@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access can't copy the database file because there are active connections to the current database.@@@1@@@1'

|@@@1@@@1 **Access 2007+ uses different description:** '|@@@1@@@1'

7846	Microsoft Office Access can't compact and repair the current database.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access can't compact and repair the current database.@@@1@@@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access can't compact and repair the current database.@@@1@@@1'	Access 2003+
7847	' ' already exists.Microsoft Office Access must create a backup of your file before performing the repair operation. Enter a name for the backup file.@@@1@@@1 <b>Access 2007+ uses different description:</b> ' ' already exists.Microsoft Office Access must create a backup of your file before performing the repair operation. Enter a name for the backup file.@@@1@@@1' <b>Access 2010+ uses different description:</b> ' 1' already exists.Microsoft Access must create a backup of your file before you perform the repair operation. Enter a name for the backup file.@@@1@@@1'	Access 2003+
7848	The transfer operation has been cancelled. The destination database ' ' was created and is in an unknown state.What would you like to do with the destination database? &Keep &Delete@@@35@@ <b>Access 2007+ uses different description:</b> 'The transfer operation has been cancelled. The destination database ' ' was created and is in an unknown state.What would you like to do with the destination database? &Keep &Delete@@@35@@@'	Access 2003+
7849	The repair operation has been cancelled because Microsoft Office Access couldn't create a backup of the file.You might not have adequate permissions or enough disk space to create the backup file. To repair the file manually, point to Database Utilities on the Tools menu, and then click Compact and Repair Database.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'The repair operation has been canceled because Microsoft Office Access could not create a backup of the file. You might not have adequate permissions or enough disk space to create the backup file. To repair the file manually, click the Microsoft Office Button, point to Manage, and then click Compact and Repair Database.@@@1@@@1' <b>Access 2010+ uses different description:</b> 'The repair operation has been canceled because Microsoft Access could not create a backup of the file. You might not have adequate permissions or enough disk space to create the backup file. To repair the file manually, click the File tab, point to Manage, and then click Compact and Repair Database.@@@1@@@1'	Access 2003+
7850	Microsoft Office Access can't find the wizard, or the wizard has not been installed, or there is a syntax error in the Declarations section of a Visual Basic module.@ The wizard you need may be missing from the Libraries key of the Microsoft Office Access section of the Windows Registry, or the wizard has been disabled.@To make sure that the wizard is in the Windows Registry, run Setup to reinstall Microsoft Office Access, and then compile all Visual Basic modules in the database. To reenable this wizard, click About Microsoft Office Access on the Help menu, and then click the Disabled Items button to view a list of addins which you can enable. @1@@@3 <b>Access 2007+ uses different description:</b> 'The wizard you've requested is not installed or is in a bad state. Please install or reinstall the wizard.If you do not have permission to do this on your computer, please contact your help desk representative.@@@1@1@153723@1'	Access 2003+
7851	The toolbar name ' ' you entered already exists.@Enter a unique name for this toolbar.@@1@@@1 <b>Access 2007+ uses different description:</b> 'The toolbar name ' ' you entered already exists.@Enter a unique name for this toolbar.@@1@@@1'	Access 2003+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
7852	The toolbar name ' ' you entered doesn't follow Microsoft Office Access object-naming rules.@For more information about naming objects, click Help.@@@2@611734@1 <b>Access 2007+ uses different description:</b> 'The toolbar name ' ' you entered doesn't follow Microsoft Office Access object-naming rules.@For more information about naming objects, click	Access 2003+

Help.@@2@1@11734@1' **Access 2010+ uses different description:** 'The toolbar name '1' you entered doesn't follow Microsoft Access object-naming rules.@For more information about naming objects, click Help.@@2@1@11734@1'

The default column width must be at least 0.1 inch.@@@1@@1 **Access 2007+ uses different description:** 'The default column width must be at least 0.1 inch.@@@1@@@1'

You can't export database objects (except tables) from the current version of Microsoft Office Access to earlier versions of Microsoft Office

Access.@@@1@@1 **Access 2007+ uses different description:** 'You can't export database objects (except tables) from the current version of Microsoft Office Access to earlier versions of Microsoft Office Access.@@@1@@@1' **Access 2010+ uses different description:** 'You can't export database objects (except tables) from the current version of Microsoft Access to earlier versions of Microsoft Access.@@@1@@@1'

You must have a database open to create custom toolbars, and the database can't be read-only.@@@1@@1 **Access 2007+ uses different description:** 'You must have a database open to create custom toolbars, and the database can't be read-only.@@@1@@@1'

'|' cannot be imported, exported, or copied to Access project files.@@@1@@1 **Access 2007+ uses different description:** '|' cannot be imported, exported, or copied to Access project files.@@@1@@@1'

The Tab Width setting in the Options dialog box (Tools menu) for the Module or Debug window must be from 1 through 32.@@@1@@1 **Access 2007+ uses different description:** 'The Tab Width setting in the Options dialog box (Tools menu) for the Module or Debug window must be from 1 through 32.@@@1@@@1'

Microsoft Office Access can't start because there is no license for it on this machine. **Access 2010+ uses different description:** 'Microsoft Access can't start because there is no license for it on this machine.'

The profile '|' that you specified on the command line doesn't exist in the Windows Registry.@@@1@@1 **Access 2007+ uses different description:** 'The profile '|' that you specified on the command line doesn't exist in the Windows Registry.@@@1@@@1'

'|' cannot be imported, exported, or copied to Access database files.@@@1@@1 **Access 2007+ uses different description:** '|' cannot be imported, exported, or copied to Access database files.@@@1@@@1'

Microsoft Office Access can't find the wizard.This wizard has not been installed, or there is an incorrect setting in the Windows Registry, or this wizard has been disabled. @To reenable this wizard, click About Microsoft Office Access on the Help menu, and then click the Disabled Items button to view a list of addins which you can enable. Rerun Microsoft Office Access or Microsoft Office Setup to reinstall the wizards. If the missing wizard is not a Microsoft Office Access wizard, reinstall it using the Add-in Manager.@@1@@3 **Access 2007+ uses different description:** 'Microsoft Office Access can't find the wizard. This wizard has not been installed, or there is an incorrect setting in the Windows Registry, or this wizard has been disabled. @To reenable this wizard, click the Microsoft Office Button, and click Access Options. Click Add-Ins, and then in the Manage list, click Disabled Items, and then click Go. Rerun Microsoft Office Access or Microsoft Office Setup program to reinstall the wizards. If the missing wizard is not a Microsoft Office Access wizard, reinstall it using the Add-in Manager.@@1@@@3' **Access 2010+ uses different description:** 'Microsoft Access can't find the wizard. This wizard has not been installed, or there is an incorrect setting in the Windows Registry, or this wizard has been disabled. @To reenable this wizard, click the File tab, and click Access Options. Click

Add-Ins, and then in the Manage list, click Disabled Items, and then click Go. Rerun Microsoft Access or Microsoft Office Setup program to reinstall the wizards. If the missing wizard is not a Microsoft Access wizard, reinstall it using the Add-in Manager.@@1@@@3'

Links can only be created between Microsoft Office Access database files.

**Access 2010+ uses different description:** 'Links can only be created between Microsoft Access database files.' **Access 2013+ uses different description:** "

Microsoft Office Access doesn't allow empty strings.@@@1@@1 **Access**

**2013 uses different description:** 'There is already an existing database with the name you entered. Give the new database a unique name.'

There is already an existing database with the name you entered. Give the new database a unique name. **Access 2013 uses different description:** 'Microsoft Access can't open the database because it is missing, or opened exclusively by another user, or it is not an ADP file.'

Microsoft Office Access can't open the database because it is missing, or opened exclusively by another user. **Access 2007 uses different description:** 'Microsoft Office Access can't open the database because it is missing, or opened exclusively by another user, or it is not an ADP file.' **Access 2010 uses different description:** 'Microsoft Access can't open the database because it is missing, or opened exclusively by another user, or it is not an ADP file.' **Access 2013 uses different description:** 'You already have the database open.' **Access 2016 uses different description:** 'Microsoft Access can't open the database because it is missing, or opened exclusively by another user, or it is not an ADP file.'

You already have the database open. **Access 2013 uses different description:** 'You can't use a SetMenuItem macro action on a default menu.@SetMenuItem is for custom menus only.@@1@@@1'

You can't use a SetMenuItem macro action on a default menu.@SetMenuItem is for custom menus only.@@1@@@1 **Access 2007 uses different description:** 'You can't use a SetMenuItem macro action on a default menu.@SetMenuItem is for custom menus only.@@1@@@1' **Access 2010 uses different description:** 'You can't use a SetMenuItem macro action on a default menu.@SetMenuItem is for custom menus only.@@1@@@1' **Access 2013 uses different description:** 'The SetMenuItem action does not have enough information to be carried out.@An argument is invalid, or there are not enough arguments.@@1@@@1' **Access 2016 uses different description:** 'You can't use a SetMenuItem macro action on a default menu.@SetMenuItem is for custom menus only.@@1@@@1'

The SetMenuItem action does not have enough information to be carried out.@An argument is invalid, or there are not enough arguments.@@1@@@1 **Access 2007 uses different description:** 'The SetMenuItem action does not have enough information to be carried out.@An argument is invalid, or there are not enough arguments.@@1@@@1' **Access 2010 uses different description:** 'The SetMenuItem action does not have enough information to be carried out.@An argument is invalid, or there are not enough arguments.@@1@@@1' **Access 2013 uses different description:** 'Microsoft Access can't find the database '|1.'@Check the database name (and path, if specified) to make sure you entered it correctly.@@1@@@1' **Access 2016 uses different description:** 'The SetMenuItem action does not have enough information to be carried out.@An argument is invalid, or there are not enough arguments.@@1@@@1'

Microsoft Office Access can't find the database '|.'@Check the database name (and path, if specified) to make sure you entered it correctly.@@1@@@1 **Access 2007 uses different description:** 'Microsoft Office Access can't find the database '|.'@Check the database name (and path, if specified) to make sure you entered it correctly.@@1@@@1' **Access 2010 uses different description:**



Microsoft Access can't find the database '1'.@Check the database name (and path, if specified) to make sure you entered it correctly.@@1@@@1' **Access 2013 uses different description:** 'The table name you entered doesn't follow Microsoft Access object-naming rules.@For more information about naming objects, click Help.@@2@1@11734@1' **Access 2016 uses different description:** 'Microsoft Access can't find the database '1.'@Check the database name (and path, if specified) to make sure you entered it correctly.@@1@@@1'

The table name you entered doesn't follow Microsoft Office Access object-naming rules.@For more information about naming objects, click Help.@@2@611734@1 **Access 2007 uses different description:** 'The table name you entered doesn't follow Microsoft Office Access object-naming rules.@For more information about naming objects, click Help.@@2@1@11734@1' **Access 2010 uses different description:** 'The table name you entered doesn't follow Microsoft Access object-naming rules.@For more information about naming objects, click Help.@@2@1@11734@1' **Access 2013 uses different description:** 'This recordset is not updatable.' **Access 2016 uses different description:** 'The table name you entered doesn't follow Microsoft Access object-naming rules.@For more information about naming objects, click Help.@@2@1@11734@1'

This recordset is not updatable. **Access 2013 uses different description:** "' cannot be imported, exported, or copied to another database or project file.@@@1@@@1'

Error Code	Error Description	Supported Versions
------------	-------------------	--------------------

' cannot be imported, exported, or copied to another database or project file.@@@1@@@1 **Access 2007 uses different description:** "' cannot be imported, exported, or copied to another database or project file.@@@1@@@1' **Access 2010 uses different description:** "' cannot be imported, exported, or copied to another database or project file.@@@1@@@1' **Access 2013 uses different description:** 'Microsoft Access can't find the object '1'.@\* You misspelled the object name. Check for missing underscores ( \_ ) or other punctuation, and make sure you didn't enter leading spaces. \* You tried to open a linked table, but the file containing the table isn't on the path you specified. Use the Linked Table Manager to update the link and point to the correct path.@@1@@@1' **Access 2016 uses different description:** "' cannot be imported, exported, or copied to another database or project file.@@@1@@@1'

Microsoft Office Access can't find the object '1'.@\* You misspelled the object name. Check for missing underscores ( \_ ) or other punctuation, and make sure you didn't enter leading spaces. \* You tried to open a linked table, but the file containing the table isn't on the path you specified. Use the Linked Table Manager to update the link and point to the correct path.@@1@@@1 **Access 2007 uses different description:** 'Microsoft Office Access can't find the object '1'.@\* You misspelled the object name. Check for missing underscores ( \_ ) or other punctuation, and make sure you didn't enter leading spaces. \* You tried to open a linked table, but the file containing the table isn't on the path you specified. Use the Linked Table Manager to update the link and point to the correct path.@@1@@@1' **Access 2010 uses different description:** 'Microsoft Access can't find the object '1'.@\* You misspelled the object name. Check for missing underscores ( \_ ) or other punctuation, and make sure you didn't enter leading spaces. \* You tried to open a linked table, but the file containing the table isn't on the path you specified. Use the Linked Table Manager to update the link and point to the correct path.@@1@@@1' **Access 2013 uses different description:** 'The table '1' already exists.@You created or renamed a table, and then tried to save it. Before Microsoft Access could save the table, another user created or renamed one using the same name.@@1@@@1' **Access 2016 uses different description:** 'Microsoft Access can't find the object '1'.@\* You

7871

Access 2003+

7872

Access 2003+

7873

Access 2003+

7874

Access 2003+

misspelled the object name. Check for missing underscores ( \_ ) or other punctuation, and make sure you didn't enter leading spaces. \* You tried to open a linked table, but the file containing the table isn't on the path you specified. Use the Linked Table Manager to update the link and point to the correct path.@@1@@@1'

The table '|' already exists. @You created or renamed a table, and then tried to save it. Before Microsoft Office Access could save the table, another user created or renamed one using the same name.@@1@@1 **Access 2007 uses different description:** 'The table '|' already exists. @You created or renamed a table, and then tried to save it. Before Microsoft Office Access could save the table, another user created or renamed one using the same name.@@1@@@1' **Access 2010 uses different description:** 'The table '|1' already exists. @You created or renamed a table, and then tried to save it. Before Microsoft Access could save the table, another user created or renamed one using the same name.@@1@@@1' **Access 2013 uses different description:** 'There isn't enough temporary disk space to complete the operation. @Free disk space, and then try the operation again. For more information on freeing temporary disk space, search the Microsoft Windows Help index for 'disk space, freeing'. For information on compacting a database to free disk space, click Help.@@2@1@9009@3' **Access 2016 uses different description:** 'The table '|1' already exists. @You created or renamed a table, and then tried to save it. Before Microsoft Access could save the table, another user created or renamed one using the same name.@@1@@@1'

There isn't enough temporary disk space to complete the operation. @Free disk space, and then try the operation again. For more information on freeing temporary disk space, search the Microsoft Windows Help index for 'disk space, freeing'. For information on compacting a database to free disk space, click Help.@@2@209009@3 **Access 2007 uses different description:** 'There isn't enough temporary disk space to complete the operation. @Free disk space, and then try the operation again. For more information on freeing temporary disk space, search the Microsoft Windows Help index for 'disk space, freeing'. For information on compacting a database to free disk space, click Help.@@2@1@9009@3' **Access 2010 uses different description:** 'There isn't enough temporary disk space to complete the operation. @Free disk space, and then try the operation again. For more information on freeing temporary disk space, search the Microsoft Windows Help index for 'disk space, freeing'. For information on compacting a database to free disk space, click Help.@@2@1@9009@3' **Access 2013 uses different description:** 'Microsoft Access can't sort on the Memo, OLE Object, or Hyperlink '|1'. @The ORDER BY clause of an SQL statement can't include any Memo, OLE Object, or Hyperlink fields.@@1@@@1' **Access 2016 uses different description:** 'There isn't enough temporary disk space to complete the operation. @Free disk space, and then try the operation again. For more information on freeing temporary disk space, search the Microsoft Windows Help index for 'disk space, freeing'. For information on compacting a database to free disk space, click Help.@@2@1@9009@3'

Microsoft Office Access can't sort on the Memo, OLE Object, or Hyperlink '|'. @The ORDER BY clause of an SQL statement can't include any Memo, OLE Object, or Hyperlink fields.@@1@@1 **Access 2007 uses different description:** 'Microsoft Office Access can't sort on the Memo, OLE Object, or Hyperlink '|'. @The ORDER BY clause of an SQL statement can't include any Memo, OLE Object, or Hyperlink fields.@@1@@@1' **Access 2010 uses different description:** 'Microsoft Access can't sort on the Memo, OLE Object, or Hyperlink '|1'. @The ORDER BY clause of an SQL statement can't include any Memo, OLE Object, or Hyperlink fields.@@1@@@1' **Access 2013 uses different description:** 'The data has been changed. @Another user edited this record and saved the changes before you attempted to save your changes. @Re-edit the record. @1@@@1' **Access 2016 uses different description:** 'Microsoft

Access 2003+

Access 2003+

Access 2003+

Access can't sort on the Memo, OLE Object, or Hyperlink '1'.@The ORDER BY clause of an SQL statement can't include any Memo, OLE Object, or Hyperlink fields.@@1@@@1'

The data has been changed.@Another user edited this record and saved the changes before you attempted to save your changes.@Re-edit the record.@1@@@1 **Access 2007 uses different description:** 'The data has been changed.@Another user edited this record and saved the changes before you attempted to save your changes.@Re-edit the record.@1@@@1' **Access 2010 uses different description:** 'The data has been changed.@Another user edited this record and saved the changes before you attempted to save your changes.@Re-edit the record.@1@@@1' **Access 2013 uses different description:** 'An invalid IDA has been passed to Microsoft Access error handling.@Please report this error and the steps that caused it.@@1@@@1' **Access 2016 uses different description:** 'The data has been changed.@Another user edited this record and saved the changes before you attempted to save your changes.@Re-edit the record.@1@@@1'

An invalid IDA has been passed to Microsoft Office Access error handling.@Please report this error and the steps that caused it.@@1@@@1 **Access 2007 uses different description:** 'An invalid IDA has been passed to Microsoft Office Access error handling.@Please report this error and the steps that caused it.@@1@@@1' **Access 2010 uses different description:** 'An invalid IDA has been passed to Microsoft Access error handling.@Please report this error and the steps that caused it.@@1@@@1' **Access 2013 uses different description:** 'The value you entered is the wrong data type for this field.@Enter an integer.@@1@@@1' **Access 2016 uses different description:** 'An invalid IDA has been passed to Microsoft Access error handling.@Please report this error and the steps that caused it.@@1@@@1'

The value you entered is the wrong data type for this field.@Enter an integer.@@1@@@1 **Access 2007 uses different description:** 'The value you entered is the wrong data type for this field.@Enter an integer.@@1@@@1' **Access 2010 uses different description:** 'The value you entered is the wrong data type for this field.@Enter an integer.@@1@@@1' **Access 2013 uses different description:** 'The Macro Conversion Wizard can't be started.@This wizard may not be installed, or this wizard has been disabled.@To reenale this wizard, click the File tab, and then click Access Options. Click Add-Ins, and then in the Manage list, click Disabled Items, and then click Go. Rerun Microsoft Access or the Microsoft Office Setup program to reinstall this wizard. If you want to preserve your security or custom settings, back up the Microsoft Access workgroup information file. For more information on backing up files, search for 'backing up files' in Microsoft Windows Help.@1@@@2' **Access 2016 uses different description:** 'The value you entered is the wrong data type for this field.@Enter an integer.@@1@@@1'

The Macro Conversion Wizard can't be started.@This wizard may not be installed, or this wizard has been disabled.@To reenale this wizard, click About Microsoft Office Access on the Help menu, and then click the Disabled Items button to view a list of addins which you can enable. Rerun Microsoft Office Access or Microsoft Office Setup to reinstall this wizard. If you want to preserve your security or custom settings, back up the Microsoft Office Access workgroup information file. For more information on backing up files, search the Microsoft Windows Help index for 'backing up files'.@1@@@3 **Access 2007 uses different description:** 'The Macro Conversion Wizard can't be started.@This wizard may not be installed, or this wizard has been disabled.@To reenale this wizard, click the Microsoft Office Button, and then click Access Options. Click Add-Ins, and then in the Manage list, click Disabled Items, and then click Go. Rerun Microsoft Office Access or the Microsoft Office Setup program to reinstall this wizard. If you want to preserve your security or custom settings, back up the Microsoft Office Access

workgroup information file. For more information on backing up files, search for 'backing up files' in Microsoft Windows Help.@1@@@3' **Access 2010 uses different description:** 'The Macro Conversion Wizard can't be started.@This wizard may not be installed, or this wizard has been disabled.@To reenable this wizard, click the File tab, and then click Access Options. Click Add-Ins, and then in the Manage list, click Disabled Items, and then click Go. Rerun Microsoft Access or the Microsoft Office Setup program to reinstall this wizard. If you want to preserve your security or custom settings, back up the Microsoft Access workgroup information file. For more information on backing up files, search for 'backing up files' in Microsoft Windows Help.@1@@@2' **Access 2013 uses different description:** 'You can't convert, enable, or encode an Access Project file.@@@1@@@1' **Access 2016 uses different description:** 'The Macro Conversion Wizard can't be started.@This wizard may not be installed, or this wizard has been disabled.@To reenable this wizard, click the File tab, and then click Access Options. Click Add-Ins, and then in the Manage list, click Disabled Items, and then click Go. Rerun Microsoft Access or the Microsoft Office Setup program to reinstall this wizard. If you want to preserve your security or custom settings, back up the Microsoft Access workgroup information file. For more information on backing up files, search for 'backing up files' in Microsoft Windows Help.@1@@@2'

You can't convert, enable, or encode an Access Project file.@@@1@@@1

**Access 2007 uses different description:** 'You can't convert, enable, or encode an Access Project file.@@@1@@@1' **Access 2010 uses different**

**description:** 'You can't convert, enable, or encode an Access Project

file.@@@1@@@1' **Access 2013 uses different description:** 'You can't set the MenuBar property unless a database is open.@@@1@@@1' **Access 2016 uses different description:** 'You can't convert, enable, or encode an Access Project file.@@@1@@@1'

You can't set the MenuBar property unless a database is open.@@@1@@@1

**Access 2007 uses different description:** 'You can't set the MenuBar property unless a database is open.@@@1@@@1' **Access 2010 uses different**

**description:** 'You can't set the MenuBar property unless a database is

open.@@@1@@@1' **Access 2013 uses different description:** 'You can't export an object to itself.@Select a different database to export to, or give the object a new name.@@1@@@1' **Access 2016 uses different description:** 'You can't set the MenuBar property unless a database is open.@@@1@@@1'

You can't export an object to itself.@Select a different database to export to, or give the object a new name.@@1@@@1 **Access 2007 uses different**

**description:** 'You can't export an object to itself.@Select a different database to

export to, or give the object a new name.@@1@@@1' **Access 2010 uses**

**different description:** 'You can't export an object to itself.@Select a different

database to export to, or give the object a new name.@@1@@@1' **Access 2016 uses different description:** 'You can't export an object to itself.@Select a different database to export to, or give the object a new name.@@1@@@1'

The source database has no import/export specifications to copy.@@@1@@@1

**Access 2013 uses different description:** 'Microsoft Access can't find the dynamic-link library (DLL) Mso.@Rerun the Microsoft Access or Microsoft Office Setup program.@@1@@@3'

Microsoft Office Access can't find the dynamic-link library (DLL)

Mso.@Rerun the Microsoft Office Access or Microsoft Office Setup program.@@1@@@3 **Access 2007 uses different description:** 'Microsoft Office Access can't find the dynamic-link library (DLL) Mso.@Rerun the Microsoft Office Access or Microsoft Office Setup program.@@1@@@3'

**Access 2010 uses different description:** 'Microsoft Access can't find the dynamic-link library (DLL) Mso.@Rerun the Microsoft Access or Microsoft Office Setup program.@@1@@@3' **Access 2013 uses different description:**

Access 2003+

Access 2003+

Access 2016+

Access 2003,2013

Access 2003+

'A unique record identifier can't consist of more than 10 fields.@@@1@@@1'  
**Access 2016 uses different description:** 'Microsoft Access can't find the dynamic-link library (DLL) Mso.@Rerun the Microsoft Access or Microsoft Office Setup program.@@1@@@3'

A unique record identifier can't consist of more than 10 fields.@@@1@@@1

**Access 2007 uses different description:** 'A unique record identifier can't consist of more than 10 fields.@@@1@@@1' **Access 2010 uses different description:** 'A unique record identifier can't consist of more than 10

fields.@@@1@@@1' **Access 2013 uses different description:** 'You must set the default font size to a number from |1 through |2.@For more information on the FontSize property, click Help.@@2@2@5477@1' **Access 2016 uses different description:** 'A unique record identifier can't consist of more than 10 fields.@@@1@@@1'

You must set the default font size to a number from |1 through |2.@For more information on the FontSize property, click Help.@@2@5477@1 **Access 2007 uses different description:** 'You must set the default font size to a number from |1 through |2.@For more information on the FontSize property, click Help.@@2@2@5477@1' **Access 2010 uses different description:** 'You must

set the default font size to a number from |1 through |2.@For more information on the FontSize property, click Help.@@2@2@5477@1' **Access 2013 uses different description:** 'The file '|' does not exist.@@@1@@@1' **Access 2016 uses different description:** 'You must set the default font size to a number from |1 through |2.@For more information on the FontSize property, click Help.@@2@2@5477@1'

The file '|' does not exist.@@@1@@@1 **Access 2007 uses different description:** 'The file '|' does not exist.@@@1@@@1' **Access 2010 uses different description:** 'The file '|' does not exist.@@@1@@@1' **Access 2013 uses different description:** 'The file '|' doesn't contain any data.@You can't import from, or link to, an empty spreadsheet.@@1@@@1' **Access 2016 uses different description:** 'The file '|' does not exist.@@@1@@@1'

The file '|' doesn't contain any data.@You can't import from, or link to, an empty spreadsheet.@@1@@@1 **Access 2007 uses different description:** 'The file '|' doesn't contain any data.@You can't import from, or link to, an empty spreadsheet.@@1@@@1' **Access 2010 uses different description:** 'The file '|' doesn't contain any data.@You can't import from, or link to, an empty spreadsheet.@@1@@@1' **Access 2016 uses different description:** 'The file '|' doesn't contain any data.@You can't import from, or link to, an empty spreadsheet.@@1@@@1'

This database is read-only.@The conditional compilation argument option can't be saved.@@1@@@1 **Access 2013 uses different description:** 'An error occurred while saving module options.@You may be running Visual Basic in break mode.@Reset the running code before changing the module options.@1@@@1'

An error occurred while saving module options.@You may be running Visual Basic in break mode.@Reset the running code before changing the module options.@1@@@1 **Access 2007 uses different description:** 'An error occurred while saving module options.@You may be running Visual Basic in break mode.@Reset the running code before changing the module options.@1@@@1' **Access 2010 uses different description:** 'An error occurred while saving module options.@You may be running Visual Basic in break mode.@Reset the running code before changing the module options.@1@@@1' **Access 2013 uses different description:** 'You cannot import objects into a database created in an earlier version of Microsoft Access.@To convert the database to the current version of Microsoft Access, click the File tab, and then click Convert@@1@1@9029@0' **Access 2016 uses different description:** 'An error occurred while saving module options.@You

may be running Visual Basic in break mode. @Reset the running code before changing the module options. @1@@@1'

Error Code	Error Description	Supported Versions
7893	<p>You can't import objects into a database created in an earlier version of Microsoft Office Access. @Convert the database to the current version of Microsoft Office Access using the Convert Database command (Tools menu, Database Utilities submenu). @1@209029@1 <b>Access 2007 uses different description:</b> 'You cannot import objects into a database created in an earlier version of Microsoft Office Access. @To convert the database to the current version of Microsoft Office Access, click the Microsoft Office Button, and then click Convert@@1@1@9029@1' <b>Access 2010 uses different description:</b> 'You cannot import objects into a database created in an earlier version of Microsoft Access. @To convert the database to the current version of Microsoft Access, click the File tab, and then click Convert@@1@1@9029@0' <b>Access 2016 uses different description:</b> 'You cannot import objects into a database created in an earlier version of Microsoft Access. @To convert the database to the current version of Microsoft Access, click the File tab, and then click Convert@@1@1@9029@0'</p>	Access 2016+
7894	<p>Microsoft Access was unable to create a window. @The system is out of resources or memory. @Close unneeded programs and try again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'. @1@@@@3 <b>Access 2016+ uses different description:</b> "</p> <p>Microsoft Office Access was unable to create a window. @The system is out of resources or memory. @Close unneeded programs and try again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'. @1@@@@3 <b>Access 2007 uses different description:</b> 'Microsoft Office Access was unable to create a window. @The system is out of resources or memory. @Close unneeded programs and try again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'. @1@@@@3' <b>Access 2010 uses different</b></p>	Access 2013
7895	<p><b>description:</b> 'Microsoft Access was unable to create a window. @The system is out of resources or memory. @Close unneeded programs and try again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'. @1@@@@3' <b>Access 2013 uses different description:</b> 'Error ' ' in the validation rule. @@@2@1@687@1' <b>Access 2016 uses different description:</b> 'Microsoft Access was unable to create a window. @The system is out of resources or memory. @Close unneeded programs and try again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'. @1@@@@3'</p>	Access 2003+
7896	<p>Error ' ' in the validation rule. @@@2@600687@1 <b>Access 2007 uses different description:</b> 'Error ' ' in the validation rule. @@@2@1@687@1' <b>Access 2010 uses different description:</b> 'Error ' ' in the validation rule. @@@2@1@687@1' <b>Access 2013 uses different description:</b> 'Error ' ' in the default value. @@@2@1@2264@1' <b>Access 2016 uses different description:</b> 'Error ' ' in the validation rule. @@@2@1@687@1'</p>	Access 2003+
7897	<p>Error ' ' in the default value. @@@2@602264@1 <b>Access 2007 uses different description:</b> 'Error ' ' in the default value. @@@2@1@2264@1' <b>Access 2010 uses different description:</b> 'Error ' ' in the default value. @@@2@1@2264@1' <b>Access 2013 uses different description:</b> 'Execution of this application has stopped due to a run-time error. @The application can't continue and will be shut down. @1@@@@3' <b>Access 2016 uses different description:</b> 'Error ' ' in the default value. @@@2@1@2264@1'</p>	Access 2003+
7898	<p>Execution of this application has stopped due to a run-time error. @The application can't continue and will be shut down. @1@@@@3 <b>Access 2007 uses different description:</b> 'Execution of this application has stopped due to a run-time error. @The application can't continue and will be shut</p>	Access 2003+

down.@@1@@@3' **Access 2010 uses different description:** 'Execution of this application has stopped due to a run-time error.@The application can't continue and will be shut down.@@1@@@3' **Access 2013 uses different description:** 'Microsoft Access can't be started.@Microsoft Access was unable to initialize the Windows Registry.@Rerun Microsoft Access or Microsoft Office Setup to reinstall Microsoft Access.@1@@185309@3' **Access 2016 uses different description:** 'Execution of this application has stopped due to a run-time error.@The application can't continue and will be shut down.@@1@@@3'

Microsoft Office Access can't be started.@Microsoft Office Access was unable to initialize the Windows Registry.@Rerun Microsoft Office Access or Microsoft Office Setup to reinstall Microsoft Office Access.@1@@3 **Access 2007 uses different description:** 'Microsoft Office Access can't be started.@Microsoft Office Access was unable to initialize the Windows Registry.@Rerun Microsoft Office Access or Microsoft Office Setup to reinstall Microsoft Office Access.@1@@185309@3' **Access 2010 uses different description:** 'Microsoft Access can't be started.@Microsoft Access was unable to initialize the Windows Registry.@Rerun Microsoft Access or Microsoft Office Setup to reinstall Microsoft Access.@1@@185309@3' **Access 2016 uses different description:** 'Microsoft Access can't be started.@Microsoft Access was unable to initialize the Windows Registry.@Rerun Microsoft Access or Microsoft Office Setup to reinstall Microsoft Access.@1@@185309@3'

Microsoft Office Access can't convert the database because it can't create an error table.@@@1@@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't convert the database because it can't create an error table.@@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access can't convert the database because it can't create an error table.@@@1@@@1'

Microsoft Office Access can't convert the database because it can't write to the error table.@@@1@@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't convert the database because it can't write to the error table.@@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access can't convert the database because it can't write to the error table.@@@1@@@1'

Errors occurred converting |1 validation rules and default values.@See error table '|2' for a list of errors.@@1@@1 **Access 2007+ uses different description:** 'Errors occurred converting |1 validation rules and default values.@See error table '|2' for a list of errors.@@1@@@1'

Microsoft Office Access can't insert this field.@There are too many fields in the table. The limit is 255.@@1@@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't insert this field.@There are too many fields in the table. The limit is 255.@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access can't insert this field.@There are too many fields in the table. The limit is 255.@@1@@@1'

An error occurred in the Field Builder.@You've replaced or modified the default Field Builder, and Microsoft Office Access is unable to run the new version. Reinstall Microsoft Office Access to correct the error.@@1@@1 **Access 2007+ uses different description:** 'An error occurred in the Field Builder.@You've replaced or modified the default Field Builder, and Microsoft Office Access is unable to run the new version. Reinstall Microsoft Office Access to correct the error.@@1@@185309@1' **Access 2010+ uses different description:** 'An error occurred in the Field Builder.@You've replaced or modified the default Field Builder, and Microsoft Access is unable to run the new version. Reinstall Microsoft Access to correct the error.@@1@@185309@1'

Access 2016+

Access 2003+

Access 2003+

Access 2003+

Access 2003+

Access 2003+

7905	<p>Microsoft Office Access can't change these field data types.@Some data in this table violates the record validation rule.@Before any data types can be changed, remove the record validation rule or correct the data.@1@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access can't change these field data types.@Some data in this table violates the record validation rule.@Before any data types can be changed, remove the record validation rule or correct the data.@1@@@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access can't change these field data types.@Some data in this table violates the record validation rule.@Before any data types can be changed, remove the record validation rule or correct the data.@1@@@1'</p> <p>Microsoft Office Access couldn't launch the Lookup Wizard, or this wizard has been disabled.@Rerun the Microsoft Office Access or Microsoft Office Setup program, click Add/Remove, and select the Wizards check box. To reenable this wizard, click About Microsoft Office Access on the Help menu, and then click the Disabled Items button to view a list of addins which you can enable.@@1@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access couldn't launch the Lookup Wizard, or this wizard has been disabled.@Rerun the Microsoft Office Access or the Microsoft Office Setup program, click Add/Remove, and select the Wizards check box. To reenable this wizard, click the Microsoft Office Button, and then click Access Options. Click Add-Ins, and then in the Manage list, click Disabled Items, and then click Go.@@1@@@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access couldn't launch the Lookup Wizard, or this wizard has been disabled.@Rerun the Microsoft Access or the Microsoft Office Setup program, click Add/Remove, and select the Wizards check box. To reenable this wizard, click the File tab, and then click Access Options. Click Add-Ins, and then in the Manage list, click Disabled Items, and then click Go.@@1@@@1'</p>	Access 2003+
7906	<p>You don't have permission to modify the design of this table.@For more information on permissions and who can set them, click Help.@@2@410222@1 <b>Access 2007+ uses different description:</b> 'You don't have permission to modify the design of this table.@For more information on permissions and who can set them, click Help.@@2@1@10222@1'</p>	Access 2003+
7907	<p>You can't modify this table now because someone else is using it.@@@1@@1 <b>Access 2007+ uses different description:</b> 'You can't modify this table now because someone else is using it.@@@1@@@1'</p>	Access 2003+
7908	<p>Microsoft Office Access can't add another column to this table.@You can have up to 255 columns in your table.@@1@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access can't add another column to this table.@You can have up to 255 columns in your table.@@1@@@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access can't add another column to this table.@You can have up to 255 columns in your table.@@1@@@1'</p>	Access 2003+
7909	<p>Microsoft Office Access can't delete this column.@Tables must have at least one column.@@1@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access can't delete this column.@Tables must have at least one column.@@1@@@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access can't delete this column.@Tables must have at least one column.@@1@@@1'</p>	Access 2003+
7910	<p>Microsoft Office Access can't delete this index.@This table participates in one or more relationships.@Delete its relationships in the Relationships window first.@1@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access can't delete this index.@This table participates in one or more relationships.@Delete its relationships in the Relationships window first.@1@@@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access can't delete this index.@This table participates in one or more relationships.@Delete its relationships in the Relationships window first.@1@@@1'</p>	Access 2003+
7911	<p>Microsoft Office Access can't delete this index.@This table participates in one or more relationships.@Delete its relationships in the Relationships window first.@1@@@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access can't delete this index.@This table participates in one or more relationships.@Delete its relationships in the Relationships window first.@1@@@1'</p>	Access 2003+



Once you change the change to the data type of this column, you will not be able to change back to the previous data type.@Are you sure you want change the data type?@@20@@2 **Access 2007+ uses different description:** 'Once you save the change to the data type of this column, you will not be able to change back to the previous data type.@Are you sure you want change the data type?@@20@@@2'

7912

Access 2003+

**Error Code**

**Error Description**

**Supported Versions**

You can't change a random-valued AutoNumber field to an incremental AutoNumber field.@The values of random-valued AutoNumber fields aren't continuous.@@1@@1 **Access 2007+ uses different description:** 'You can't change a random-valued AutoNumber field to an incremental AutoNumber field.@The values of random-valued AutoNumber fields aren't continuous.@@1@@@1'

7913

Access 2003+

You can't convert ReplicationID values to other data types.@@@1@@1 **Access 2007+ uses different description:** 'You can't convert ReplicationID values to other data types.@@@1@@@1'

7914

Access 2003+

You can't delete the field '|'; it is a replication system field.@Use a make-table query to create a new table that contains all the fields in the table except system fields. For information on make-table queries, click Help.@@2@209993@1 **Access 2007+ uses different description:** 'You can't delete the field '|'; it is a replication system field.@Use a make-table query to create a new table that contains all the fields in the table except system fields. For information on make-table queries, click Help.@@2@1@9993@1'

7915

Access 2003+

Microsoft Office Access is unable to start the Lookup Wizard.@The Lookup Wizard doesn't apply to fields of this data type.@@1@@1 **Access 2007+ uses different description:** 'Microsoft Office Access is unable to start the Lookup Wizard.@The Lookup Wizard doesn't apply to fields of this data type.@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access is unable to start the Lookup Wizard.@The Lookup Wizard doesn't apply to fields of this data type.@@1@@@1'

7916

Access 2003+

'|' cannot be created due to the project being disconnected.@Use the Connection... command under the File menu to connect the project to a database.@@1@@1 **Access 2007+ uses different description:** '|' cannot be created because the project is disconnected.@To connect the project to a database, click Connection under Server Tasks on the File menu.@@1@@@1'

7917

Access 2003+

The Object Name argument for the 'Save' macro action is not supported within an Access Project for Table or Query objects.@You cannot save these objects with a new name in an Access Project.@@1@@1 **Access 2007+ uses different description:** "

7918

Access 2003

The default data type you selected is not supported in all versions of Microsoft SQL Server.@If the server doesn't support the data type you have chosen, the varchar data type will be used in its place.@@1@@1 **Access 2007+ uses different description:** 'The default data type you selected is not supported in all versions of Microsoft SQL Server.@If the server doesn't support the data type you have chosen, the varchar data type will be used in its place.@@1@@@1'

7919

Access 2003+

The '|' lookup column was changed to store multiple values. You cannot reverse this setting.@@@1@@@1

7920

Access 2007+

You have changed the '|' lookup column to store multiple values. You will not be able to undo this change once you save the table.@Do you want to change '|' to store multiple values?@@19@@@2

7921

Access 2007+

You have changed the '|' lookup column to be displayed by a text box. After you save the table, this change will make the column read-only and lose the lookup properties.@Do you want to change '|' to be displayed by a text box?@@19@@@2

7922

Access 2007+

7923	<p>The data type for field ' ' is of type Attachment and cannot be changed.@@@1@@@1 <b>Access 2010+ uses different description:</b> 'The data type of field ' ' is  2. This data type cannot be changed once the field has been saved.'</p>	Access 2007+
7924	<p>You cannot set ' ' to the Attachment data type. You can only set a column to the Attachment data type when that column is first created.@@@1@@@1 <b>Access 2010+ uses different description:</b> 'You cannot set ' ' to the  2 data type.@Use Add Field in the Modify Fields ribbon to add a field with the  2 data type.@@1@@@1' <b>Access 2013+ uses different description:</b> 'You cannot set ' ' to the  2 data type.@You can add a new field instead.@@1@@@1'</p>	Access 2007+
7925	<p>The table or query you are exporting contains more than one attachment column. Microsoft Windows SharePoint Services only supports one attachment column. Remove all but one attachment column, and then retry exporting the table or query. <b>Access 2010+ uses different description:</b> 'The table or query you are exporting contains more than one attachment column. Microsoft SharePoint Foundation only supports one attachment column. Remove all but one attachment column, and then retry exporting the table or query.'</p>	Access 2007+
7926	<p>You can't change the column ' ' to store multiple values; it is part of a multiple column relationship.@If you want to change the column to store multiple values, first delete the relationship in the Relationships window.@@1@@@1</p>	Access 2007+
7927	<p>You can't change the column ' ' to store multiple values; it is part of an enforced relationship.@If you want to change the column to store multiple values, first delete the relationship in the Relationships window.@@1@@@1</p>	Access 2007+
7928	<p>The calculated field cannot be created.@Verify that expression ' ' includes fields that exist in the current table.@@1@@@1</p>	Access 2010+
7929	<p>There are calculated columns in this table that depend on the column ' '.@Changing or deleting this column may cause errors in one or more of the dependent calculated columns.@Do you want to continue?@19@@@2</p>	Access 2010+
7930	<p>' ' cannot be removed from the list definition.</p>	Access 2010+
7931	<p>The data type of ' ' cannot be changed.</p>	Access 2010+
7932	<p>Microsoft SharePoint Foundation does not support this data type change.</p>	Access 2010+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
7933	<p>An error prevents the data type change of field ' '.</p>	Access 2010+
7934	<p>The Web does not support multiple attachment columns.</p>	Access 2010+
7935	<p>An error has occurred trying to save the formula for the calculated column.@There may be an error in the formula, or a disallowed field type might have been used. Memo fields, hyperlink fields, and fields with a table or query lookup cannot be used in a calculation.@@1@@@1</p>	Access 2010+
7950	<p>You can't refer to the RecordsetClone property of a form when the form is open in Design view.@@@1@607393@1 <b>Access 2007+ uses different description:</b> "</p>	Access 2003
7951	<p>You entered an expression that has an invalid reference to the RecordsetClone property.@For example, you may have used the RecordsetClone property with a form or report that isn't based on a table or query.@@1@607393@1 <b>Access 2007+ uses different description:</b> 'You entered an expression that has an invalid reference to the RecordsetClone property.@For example, you may have used the RecordsetClone property with a form or report that isn't based on a table or query.@@1@1@7393@1'</p>	Access 2003+
7952	<p>You made an illegal function call.@Check the syntax of the function you are trying to use.@@1@@@1 <b>Access 2007+ uses different description:</b> 'You made an illegal function call.@Check the syntax of the function you are trying to use.@@1@@@1'</p>	Access 2003+
7953	<p>The value you entered doesn't match the type required.@* The variable, property, or object may not be of the correct type. * You may have used an If</p>	Access 2003+

TypeOf construct with something other than a control.@@1@@@1 **Access 2007+ uses different description:** 'The value you entered doesn't match the type required.\* The variable, property, or object may not be of the correct type. \* You may have used an If TypeOf construct with something other than a control.@@1@@@1'

The expression you entered requires the control to be in the active window.@Try one of the following: \* Open or select a form or report containing the control. \* Create a new control in the active window, and try the operation again.@@1@@@1 **Access 2007+ uses different description:** 'The expression you entered requires the control to be in the active window.@Try one of the following: \* Open or select a form or report containing the control. \* Create a new control in the active window, and try the operation again.@@1@@@1'

There is no current code context object.@@@1@@@1 **Access 2007+ uses different description:** 'There is no current code context object.@@@1@@@1'

The syntax of the subquery in this expression is incorrect.@Check the subquery's syntax and enclose the subquery in parentheses.@@2@209989@1 **Access 2007+ uses different description:** 'The syntax of the subquery in this expression is incorrect.@Check the subquery's syntax and enclose the subquery in parentheses.@@2@1@9989@1'

You used a Like operator with an incorrect pattern.@Make sure the comparison value is enclosed in quotation marks.@@1@1008961@1 **Access 2007+ uses different description:** " **Access 2010+ uses different description:** 'The LIKE syntax in the expression is not valid.'

The Replication ID you entered is invalid.@Make sure the Replication ID you enter contains only digits or letters for hexadecimal numbers, that the Replication ID is the correct length, and that it is in a canonical SQL form.@@1@@@1 **Access 2007+ uses different description:** " **Access 2010+ uses different description:** 'The expression contains a malformed GUID constant.'

The expression contains an ambiguous name.@You may have two or more functions with the same name in different modules.@Rename the functions so that each one has a unique name.@1@@@1 **Access 2007+ uses different description:** " **Access 2010+ uses different description:** 'The expression contains an ambiguous name. Verify that each name in the expression refers to a unique object.'

There was an error compiling this function.@The Visual Basic module contains a syntax error.@Check the code, and then recompile it.@1@@@1 **Access 2007+ uses different description:** 'There was an error compiling this function.@The Visual Basic module contains a syntax error.@Check the code, and then recompile it.@1@@@1'

Microsoft Office Access can't find the module '|' referred to in a macro expression or Visual Basic code.@The module you referenced may be closed or may not exist in this database, or the name may be misspelled.@@1@@@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't find the module '|' referred to in a macro expression or Visual Basic code.@The module you referenced may be closed or may not exist in this database, or the name may be misspelled.@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access can't find the module '|1' referred to in a macro expression or Visual Basic code.@The module you referenced may be closed or may not exist in this database, or the name may be misspelled.@@1@@@1'

The index number you used to refer to the module is invalid.@Use the Count property to count the open modules and make sure that the module number is not greater than the number of open modules minus 1.@@1@@@1 **Access 2007+ uses different description:** 'The index number you used to refer to the

module is invalid.@Use the Count property to count the open modules and make sure that the module number is not greater than the number of open modules minus 1.@@1@@@1'

Microsoft Office Access can't run the macro or callback function '|'.@Make sure the macro or function exists and takes the correct parameters.@@1@@@1  
**Access 2007+ uses different description:** 'Microsoft Office Access can't run the macro or callback function '|'.@Make sure the macro or function exists and takes the correct parameters.@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access cannot run the macro or callback function '|1'.@Make sure the macro or function exists and takes the correct parameters.@@1@@@1'

You entered an expression that has an invalid reference to the Recordset property.@You can only use a dynaset or snapshot recordset to set this property.@@1@607393@1 **Access 2007+ uses different description:** 'You entered an expression that has an invalid reference to the Recordset property.@You can only use a dynaset or snapshot recordset to set this property.@@1@1@7393@1'

The object you entered is not a valid Recordset property.@For example, you may have used a forward-only recordset, or tried to set it to null.@@1@607393@1 **Access 2007+ uses different description:** 'The object you entered is not a valid Recordset property.@For example, you may have used a forward-only recordset, or tried to set it to null.@@1@1@7393@1'

The format condition number you specified is greater than the number of format conditions.@Use the Count property to count the format conditions for the control and then check that the format condition number you cite is within the range of existing format conditions.@@1@@@1 **Access 2007+ uses different description:** 'The format condition number you specified is greater than the number of format conditions.@Use the Count property to count the format conditions for the control and then check that the format condition number you cite is within the range of existing format conditions.@@1@@@1'

## Error Code

A required minimum or maximum value is missing.@@@1@@@1 **Access 2007+ uses different description:** 'A required minimum or maximum value is missing.@@@1@@@1'

The format condition Type you specified is invalid.@Valid values for the Type property are 0 to 2 for the first condition, and 0 to 1 for all other format conditions.@@1@@@1 **Access 2007+ uses different description:** 'The format condition Type you specified is invalid.@Valid values for the Type property are 0 to 2 for the first condition, and 0 to 1 for all other format conditions.@@1@@@1'

The format condition Operator you specified is invalid.@Valid values for the Operator property are 0 to 7.@@1@@@1 **Access 2007+ uses different description:** 'The format condition Operator you specified is invalid.@Valid values for the Operator property are 0 to 7.@@1@@@1'

Microsoft Office Access can't open the file '|'.@It may not be a database, or it may be a database you are unable to open.@@1@@@1 **Access 2007+ uses different description:** "

Microsoft Office Access can't follow the hyperlink to '|'.@Please verify the destination.@@1@@@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't follow the hyperlink to '|'.@Please verify the destination.@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access cannot follow the hyperlink to '|1'.@Please verify the destination.@@1@@@1'

Microsoft Office Access encountered an error while trying to show the Hyperlink dialog.@@@1@@@1 **Access 2007+ uses different description:** 'Microsoft Office Access encountered an error while trying to show the

Access 2003+

Access 2003+

Access 2003+

Access 2003+

Supported Versions

Access 2003+

Access 2003+

Access 2003+

Access 2003

Access 2003+

Access 2003+

Hyperlink dialog.@@@1@@@1' **Access 2010+ uses different description:**

'Microsoft Access encountered an error while trying to show the Hyperlink dialog.@@@1@@@1'

The hyperlink address or subaddress text you entered was too long for Microsoft Office Access to store.@The text was truncated to fit in the available space, so the link may not work as expected.@@1@@1 **Access 2007+ uses different description: "**

Microsoft Office Access failed to insert a hyperlink at the current

location.@@@1@@@1 **Access 2007+ uses different description:** 'Microsoft

Office Access failed to insert a hyperlink at the current

location.@@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access failed to insert a hyperlink at the current location.@@@1@@@1'

You chose an invalid control type for use with hyperlinks.@You can only use hyperlinks with labels, images, command buttons, or bound text

boxes.@@1@@1 **Access 2007+ uses different description:** 'You chose an invalid control type for use with hyperlinks.@You can only use hyperlinks with labels, images, command buttons, or bound text boxes.@@1@@@1'

There is no stored hyperlink in this control.@@@1@@@1 **Access 2007+ uses different description:** 'There is no stored hyperlink in this control.@@@1@@@1'

Microsoft Office Access is unable to paste the data on the clipboard as a hyperlink.@@@1@@@1 **Access 2007+ uses different description:** 'Microsoft Office Access is unable to paste the data on the clipboard as a hyperlink.@@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access is unable to paste the data on the clipboard as a hyperlink.@@@1@@@1'

Microsoft Office Access is unable to add the current hyperlink to the favorites folder.@@@1@@@1 **Access 2007+ uses different description:** 'Microsoft Office Access is unable to add the current hyperlink to the favorites folder.@@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access is unable to add the current hyperlink to the favorites folder.@@@1@@@1'

You can't use the hyperlink property builder with more than one control selected.@@@1@@@1 **Access 2007+ uses different description:** 'You can't use the hyperlink property builder with more than one control selected.@@@1@@@1'

The HyperlinkAddress or HyperlinkSubAddress property is read-only for this hyperlink.@@@1@@@1 **Access 2007+ uses different description:** 'The HyperlinkAddress or HyperlinkSubAddress property is read-only for this hyperlink.@@@1@@@1'

The values for 'File or web page name' and/or 'Text to Display' are too long.@The values will be truncated. To keep your original values, click Cancel in the Edit Hyperlink dialog.@@1@@@1 **Access 2007+ uses different description:** 'The values for 'File or web page name' and/or 'Text to Display' are too long.@The values will be truncated. To keep your original values, click Cancel in the Edit Hyperlink dialog.@@1@@@1' **Access 2010+ uses different description:** 'The values for 'File or Web page name' and/or 'Text to Display' are too long.@The values will be truncated. To keep your original values, click Cancel in the Edit Hyperlink dialog.@@1@@@1'

Microsoft Office Access can't follow the hyperlink because it couldn't create the hyperlink object.@@@1@@@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't follow the hyperlink.@@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access can't follow the hyperlink.@@@1@@@1'

You entered an invalid project name.@You may have deleted the default project name and forgotten to specify a new one.@@1@@3 **Access 2007+ uses**

	<p><b>different description:</b> 'You entered an invalid project name.@You may have deleted the default project name and forgotten to specify a new one.@@1@@@3'</p> <p>The Microsoft Office Access Source Code Control Add-in is not available; this object will be opened read-only.@@@1@@3 <b>Access 2007+ uses different description:</b> 'The Microsoft Office Access Source Code Control Add-in is not available; this object will be opened read-only.@@@1@@@3' <b>Access 2010+ uses different description:</b> 'The Microsoft Access Source Code Control Add-in is not available; this object will be opened read-only.@@@1@@@3'</p>	
7991		Access 2003+
7992	<p>The Microsoft Office Access Source Code Control Add-in could not be started.@@@1@@3 <b>Access 2007+ uses different description:</b> 'The Microsoft Office Access Source Code Control Add-in could not be started.@@@1@@@3' <b>Access 2010+ uses different description:</b> 'The Microsoft Access Source Code Control Add-in could not be started.@@@1@@@3'</p>	Access 2003+
7993	<p>The object   is currently checked in and is therefore read-only.@To modify the object, close it first, then check it out and reopen it.@@1@@1 <b>Access 2007+ uses different description:</b> 'The object   is currently checked in and is therefore read-only.@To modify the object, close it first, then check it out and reopen it.@@1@@@1'</p>	Access 2003+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
7994	<p>There was a problem communicating with the Source Code Control Add-in.@@@1@@3 <b>Access 2007+ uses different description:</b> 'There was a problem communicating with the Source Code Control Add-in.@@@1@@@3'</p>	Access 2003+
7995	<p>The menus on your form or report that are based on Microsoft Office Access macros will not be visible while the Customize dialog box is open.@To have the full power of menu or toolbar customization, convert your macro-based menus to menus or toolbars. With the macro selected in the Database window, point to Macro on the Tools menu, and create a menu, a toolbar, or a shortcut menu from that macro.@@1@@1 <b>Access 2007+ uses different description:</b> 'The menus on your form or report that are based on Microsoft Office Access macros will not be visible while the Customize dialog box is open.@To have the full power of menu or toolbar customization, convert your macro-based menus to menus or toolbars. With the macro selected in the Navigation Pane, point to Macro on the Tools menu, and create a menu, a toolbar, or a shortcut menu from that macro.@@1@@@1' <b>Access 2010+ uses different description:</b> 'The menus on your form or report that are based on Microsoft Access macros will not be visible while the Customize dialog box is open.@To have the full power of menu or toolbar customization, convert your macro-based menus to menus or toolbars. With the macro selected in the Navigation Pane, point to Macro on the Tools menu, and create a menu, a toolbar, or a shortcut menu from that macro.@@1@@@1'</p>	Access 2003+

	Microsoft Office Access couldn't create the Data and Misc. Objects because the linked table 'I' could not be found.@To create the Data and Misc. Objects, use the Linked Table Manager (Tools menu, Add-ins submenu) to update the link to the source table or file, or delete the link from your current database.@@1@@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access could not create the Data and Misc. objects because the linked table 'I' could not be found.@To create the data and miscellaneous objects, use the Linked Table Manager (on the Database Tools tab, in the Database Tools group) to update the link to the source table or file, or delete the link from your current database.@@1@@@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access could not create the Data and Misc. objects because the linked table 'I' could not be found.@To create the data and miscellaneous objects, use the Linked Table Manager (on the Database Tools tab, in the Database Tools group) to update the link to the source table or file, or delete the link from your current database.@@1@@@1'	
7996		Access 2003+
7997	You can't save the standard module 'I' over a class module with the same name.@Save the standard module to a different name, or delete the class module first.@@1@@@1 <b>Access 2007+ uses different description:</b> 'You can't save the standard module 'I' over a class module with the same name.@Save the standard module to a different name, or delete the class module first.@@1@@@1'	Access 2003+
7998	You can't save the class module 'I' over a standard module with the same name.@Save the class module to a different name, or delete the standard module first.@@1@@@1 <b>Access 2007+ uses different description:</b> 'You can't save the class module 'I' over a standard module with the same name.@Save the class module to a different name, or delete the standard module first.@@1@@@1'	Access 2003+
7999	Microsoft Office Access can't delete this relationship because you don't have the Data and Misc. Objects checked out.@Check out the Data and Misc. Objects and then delete the relationship.@@1@@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access can't delete this relationship because you don't have the Data and Misc. Objects checked out.@Check out the Data and Misc. Objects and then delete the relationship.@@1@@@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access can't delete this relationship because you don't have the Data and Misc. Objects checked out.@Check out the Data and Misc. Objects and then delete the relationship.@@1@@@1'	Access 2003+
8000	The name you entered already exists for another object of the same type in this database.@Do you want to replace the existing I?@@20@@@2 <b>Access 2007+ uses different description:</b> 'The name you entered already exists for another object of the same type in this database.@Do you want to replace the existing I?@@20@@@2'	Access 2003+
8001	'I' has been changed since the last time you opened it, either by another user or because another instance of it was opened on your own machine.@Do you want to replace the changes that you or another user made?@* To save your most recent changes and discard the other user's changes or your previous changes, click Yes. * To save this version of the object with another name, click No.@19@@@2 <b>Access 2007+ uses different description:</b> "'I' has been changed since the last time you opened it, either by another user or because another instance of it was opened on your own machine.@Do you want to replace the changes that you or another user made?@* To save your most recent changes and discard the other user's changes or your previous changes, click Yes. * To save this version of the object with another name, click No.@19@@@2'	Access 2003+
8002	'I' has been changed since the last time you opened it, either by another user or because another instance of it was opened on your own machine.@Do you want to replace the changes that you or another user made?@* To save your most recent changes and discard the other user's changes or your previous changes,	Access 2003

click Yes. \* To cancel saving this version of the object, click No.@19@@2  
**Access 2007+ uses different description:** "

You must save a table or query before you can create a new object based on it.@Do you want to save and use the table or query to create a new object?

8003 @@13@@2 **Access 2007+ uses different description:** 'You must save the | before you can create a new object based on it.@Do you want to save the | and create a new object?@@13@@@2' Access 2003+

The layout of '|' has been changed since the last time you opened it, either by another user or because another instance of it was opened on your own machine.@Do you want to replace the changes that you or another user made?

8004 @\* To save your most recent changes and discard the other user's changes or your previous changes, click Yes. \* To cancel saving this version of the object, click No.@19@@@2 **Access 2007+ uses different description:** 'The layout of '|' has been changed since the last time you opened it, either by another user or because another instance of it was opened on your own machine.@Do you want to replace the changes that you or another user made?@\* To save your most recent changes and discard the other user's changes or your previous changes, click Yes. \* To cancel saving this version of the object, click No.@19@@@2' Access 2003+

You can't save this object.@You must have Administer permission for the Database object in order to save modules, forms, or reports in a Design Master.@@1@@1 **Access 2007+ uses different description:** "

8005 Access 2003

The name you entered already exists for another object of the same type in this database.@Do you want to replace the existing |?You will not be able to undo this operation.@@20@@2 **Access 2007+ uses different description:** 'The name you entered already exists for another object of the same type in this database.@Do you want to replace the existing |?You will not be able to undo this operation.@@20@@@2'

8006 Access 2003+

You cannot get into Exclusive Mode right now because this database is opened by other users or because you do not have permissions to open exclusively.@@@1@@@1 **Access 2007+ uses different description:** 'You cannot get into Exclusive Mode right now because this database is opened by other users or because you do not have permissions to open exclusively.@@@1@@@1'

8007 Access 2003+

The stored procedure executed successfully but did not return records.

8008 Access 2003+

Do you want to save changes to the design of |?@@@13@@@2 **Access 2007+ uses different description:** 'Do you want to save changes to the design of |?@@@13@@@2'

8050 Access 2003+

Do you want to save changes to |?@@@19@@@2 **Access 2007+ uses different description:** "

8051 Access 2003

Do you want to delete the | and empty the Clipboard?@You tried to delete a database object that is currently on the Microsoft Office Access Clipboard. If you delete it from your database, you won't be able to paste it later.@@20@@@2 **Access 2007+ uses different description:** 'Do you want to delete the | and empty the Clipboard?@You tried to delete a database object that is currently on the Microsoft Office Access Clipboard. If you delete it from your database, you won't be able to paste it later.@@20@@@2' **Access 2010+ uses different description:** 'Do you want to delete the |1 and empty the Clipboard?@You tried to delete a database object that is currently on the Microsoft Access Clipboard. If you delete it from your database, you won't be able to paste it later.@@20@@@2'

8052 Access 2003+

Do you want to delete the |?@For more information on how to prevent this message from displaying every time you delete an object, click

8053 Help.@@21@209058@@2 **Access 2007+ uses different description:** 'Do you want to delete the |? Deleting this object will remove it from all groups.@For more information on how to prevent this message from displaying every time you delete an object, click Help.@@21@1@9058@@2' Access 2003+



8054	Do you want to exit Microsoft Office Access and empty the Clipboard? @@@19@@2 <b>Access 2007+ uses different description:</b> 'Do you want to exit Microsoft Office Access and empty the Clipboard?@@@19@@@2' <b>Access 2010+ uses different description:</b> 'This action will cause Microsoft Access to empty the Clipboard. Do you want to continue?@@@19@@@2'	Access 2003+
Error Code	Error Description	Supported Versions
8055	Microsoft Office Access can't change the working directory to ' '.@Verify that the drive is valid and the path is 260 characters or less in length.@@1@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access can't change the working directory to ' '.@Verify that the drive is valid and the path is 260 characters or less in length.@@1@@@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access can't change the working directory to ' 1'.@Verify that the drive is valid and the path is 260 characters or less in length.@@1@@@1'	Access 2003+
8057		Access 2003+
8058	Do you want to save changes to the layout of  ?@@@13@@2 <b>Access 2007+ uses different description:</b> 'Do you want to save changes to the layout of  ?@@@13@@@2'	Access 2003+
8059	Do you want to remove the link to the  ?@If you delete the link, you delete only the information Microsoft Office Access uses to open the table, not the table itself.@@19@@@2 <b>Access 2007+ uses different description:</b> 'Do you want to remove the link to the  ?@If you delete the link, you delete only the information Microsoft Office Access uses to open the table, not the table itself.@@19@@@2' <b>Access 2010+ uses different description:</b> 'Do you want to remove the link to the  1?@If you delete the link, you delete only the information Microsoft Access uses to open the table, not the table itself.@@19@@@2'	Access 2003+
8060	The toolbar ' ' is partly unreadable.@ Microsoft Office Access can't display all the toolbar buttons. The specified toolbar may be in a different format than the toolbars in the current version of Microsoft Office Access.@Click OK to close the dialog box, and then add the buttons missing from the toolbar. Microsoft Office Access will then update the toolbar to the latest format.@1@210064@1 <b>Access 2007+ uses different description:</b> 'The toolbar ' ' is partly unreadable.@ Microsoft Office Access can't display all the toolbar buttons. The specified toolbar may be in a different format than the toolbars in the current version of Microsoft Office Access.@Click OK to close the dialog box, and then add the buttons missing from the toolbar. Microsoft Office Access will then update the toolbar to the latest format.@1@1@10064@1' <b>Access 2010+ uses different description:</b> 'The toolbar ' 1' is partly unreadable.@ Microsoft Access can't display all the toolbar buttons. The specified toolbar may be in a different format than the toolbars in the current version of Microsoft Access.@Click OK to close the dialog box, and then add the buttons missing from the toolbar. Microsoft Access will then update the toolbar to the latest format.@1@1@10064@1'	Access 2003+
8061	Are you sure you want to restore the default settings to the built-in toolbar or menu bar  ?@If you previously customized, moved, changed the visibility, or otherwise altered the toolbar or menu bar, or any of the menus that cascade from it, Microsoft Office Access removes your changes, returns the original buttons to their original order, and shows or hides the toolbar based on the original setting. To return the built-in toolbar or menu bar to its original state, click Yes.@@19@@@2 <b>Access 2007+ uses different description:</b> 'Are you sure you want to restore the default settings to the built-in toolbar or menu bar  ?@If you previously customized, moved, changed the visibility, or otherwise altered the toolbar or menu bar, or any of the menus that cascade from it, Microsoft Office Access removes your changes, returns the original buttons to their original order, and shows or hides the toolbar based on the original setting. To	Access 2003+

return the built-in toolbar or menu bar to its original state, click Yes.@@19@@@2' **Access 2010+ uses different description:** 'Are you sure that you want to restore the default settings to the built-in toolbar or menu bar |1?@If you previously customized, moved, changed the visibility, or otherwise changed the toolbar or menu bar, or any of the menus that cascade from it, Microsoft Access removes your changes, returns the original buttons to their original order, and shows or hides the toolbar based on the original setting. To return the built-in toolbar or menu bar to its original state, click Yes.@@19@@@2'

The source application isn't responding. Do you want to continue waiting?  
@The DDE channel is established, but the data exchange wasn't completed in the amount of time specified in the OLE/DDE Timeout setting in the Options dialog box (Tools menu).@\* To continue waiting for the data exchange to be completed, click Yes. \*To cancel the data exchange and try again later, click No .@20@@@2 **Access 2007+ uses different description:** 'The source application is not responding. Do you want to continue waiting?@The DDE channel has been established, but the data exchange was not completed in the amount of time specified in the OLE/DDE Timeout setting in the Access Options dialog box (click the Microsoft Office Button and then click Access Options).@\* To continue waiting for the data exchange to be completed, click Yes. \*To cancel the data exchange and try again later, click No .@20@@@2' **Access 2010+ uses different description:** 'The source application is not responding. Do you want to continue waiting?@The DDE channel has been established, but the data exchange was not completed in the amount of time specified in the OLE/DDE Timeout setting in the Access Options dialog box (click the File tab and then click Access Options).@\* To continue waiting for the data exchange to be completed, click Yes. \* ?To cancel the data exchange and try again later, click No .@20@@@1'

This linked table has indexes that use an unsupported sort order.@If you modify this table, the Microsoft Jet database engine can't correctly maintain the table's indexes. As a result, your data may appear in the wrong order, and functions that use the table's indexes may have unexpected results.@Try one of the following: \* Cancel this operation. Use the application in which the table was created to re-create the indexes, making sure to specify an ASCII or International sort order. Then try again to link the tables. \* Use this table on a read-only basis.@1@209057@1 **Access 2007+ uses different description:** 'This linked table has indexes that use an unsupported sort order.@If you modify this table, the Microsoft Office Access database engine can't correctly maintain the table's indexes. As a result, your data may appear in the wrong order, and functions that use the table's indexes may have unexpected results.@Try one of the following: \* Cancel this operation. Use the application in which the table was created to re-create the indexes, making sure to specify an ASCII or International sort order. Then try again to link the tables. \* Use this table on a read-only basis.@1@1@9057@1' **Access 2010+ uses different description:** 'This linked table has indexes that use an unsupported sort order.@If you modify this table, the Microsoft Access database engine can't correctly maintain the table's indexes. As a result, your data may appear in the wrong order, and functions that use the table's indexes may have unexpected results.@Try one of the following: \* Cancel this operation. Use the application in which the table was created to re-create the indexes, making sure to specify an ASCII or International sort order. Then try again to link the tables. \* Use this table on a read-only basis.@1@1@9057@1'

You can't delete the table 'l' until its relationships to other tables have been deleted.@Do you want Microsoft Office Access to delete the relationships now?@@19@@@2 **Access 2007+ uses different description:** 'You can't delete the table 'l' until its relationships to other tables have been deleted.@Do you want Microsoft Office Access to delete the relationships now?@@19@@@2' **Access 2010+ uses different description:** 'You can't delete the table 'l' until its

8063

Access 2003+

8064

Access 2003+

8065

Access 2003+

relationships to other tables have been deleted.@Do you want Microsoft Access to delete the relationships now?@@19@@@2'

Do you want to permanently delete the |?@If you click Yes, you won't be able to undo the deletion.@@19@@2 **Access 2007+ uses different description:** 'Do you want to permanently delete the |?@If you click Yes, you won't be able to undo the deletion.@@19@@@2'

Microsoft Office Access couldn't create the custom toolbar '|.'@@@1@@3 **Access 2007+ uses different description:** 'Microsoft Office Access couldn't create the custom toolbar '|.'@@@1@@@3' **Access 2010+ uses different description:** 'Microsoft Access couldn't create the custom toolbar '|1.'@@@1@@@3'

Would you like to remove the compacted database from Source Code Control?@@@19@@@2 **Access 2007+ uses different description:** 'Would you like to remove the compacted database from Source Code Control?@@@19@@@2'

Microsoft Office Access must close the | in order to complete this operation.@Would you like Microsoft Office Access to close it now?

@@19@@@1 **Access 2007+ uses different description:** 'Microsoft Office Access must close the | in order to complete this operation.@Would you like Microsoft Office Access to close it now?@@19@@@1' **Access 2010+ uses different description:** 'Microsoft Access must close the |1 in order to complete this operation.@Would you like Microsoft Access to close it now?@@19@@@1'

You do not have the | checked out.@Microsoft Office Access can't check out an object while it is open, and you can't make design changes until you check it out.@If you want to make design changes to this object, first close it, check it out, and then reopen it.@1@@@1 **Access 2007+ uses different description:** 'You do not have the | checked out.@Microsoft Office Access can't check out an object while it is open, and you can't make design changes until you check it out.@If you want to make design changes to this object, first close it, check it out, and then reopen it.@1@@@1' **Access 2010+ uses different description:** 'You do not have the |1 checked out.@Microsoft Access can't check out an object while it is open, and you can't make design changes until you check it out.@If you want to make design changes to this object, first close it, check it out, and then reopen it.@1@@@1'

Microsoft Office Access must save the | in order to complete this operation.@Would you like Microsoft Office Access to save it now?

@@19@@@1 **Access 2007+ uses different description:** 'Microsoft Office Access must save the | in order to complete this operation.@Would you like Microsoft Office Access to save it now?@@19@@@1' **Access 2010+ uses different description:** 'Microsoft Access must save the |1 in order to complete this operation.@Would you like Microsoft Access to save it now?@@19@@@1'

You do not have the Data and Misc. Objects checked out.You can't create a new table or save changes to a data access page.@@@1@@@1 **Access 2007+ uses different description:** 'You do not have the Data and Misc. Objects checked out.You can't create a new table or save changes to a data access page.@@@1@@@1' **Access 2010+ uses different description:** 'You do not have the Data and Misc. Objects checked out. You can't create a new table or save changes to a data access page.@@@1@@@1'

To import tables, relationships, menus, toolbars, import/export specs or data access pages you must have the Data and Misc. Objects checked

out.@@@1@@@2 **Access 2007+ uses different description:** 'To import tables, relationships, menus, toolbars, import/export specs or data access pages you must have the Data and Misc. Objects checked out.@@@1@@@2'

Are you sure you want to cut the |?@@@19@@@2 **Access 2007+ uses different description:** 'Are you sure you want to cut the |?@@@19@@@2'

8078	<p>This object will be removed from your local database, but not from source code control.@The next time you get this database from source code control, the object will reappear.Are you sure that you want to delete the local object?@@20@@2 <b>Access 2007+ uses different description:</b> 'This object will be removed from your local database, but not from source code control.@The next time you get this database from source code control, the object will reappear. Are you sure that you want to delete the local object?@@20@@2'</p> <p>Microsoft Office Access was not able to add a reference to the type library for this control because Data and Misc. Objects is not checked out.@Check out the Data and Misc. Objects and add a reference to the library ' '.@@1@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access was not able to add a reference to the type library for this control because Data and Misc. Objects is not checked out.@Check out the Data and Misc. Objects and add a reference to the library ' '.@@1@@1'</p>	Access 2003+
8079	<p>Objects is not checked out.@Check out the Data and Misc. Objects and add a reference to the library ' '.@@1@@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access was not able to add a reference to the type library for this control because Data and Misc. Objects is not checked out.@Check out the Data and Misc. Objects and add a reference to the library ' '.@@1@@1'</p>	Access 2003+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
8080	<p>An error occurred while trying to create the linked table ' '.@Check to make sure that the source table or file is available, and then retry the operation on the Data and Misc. Objects.@@1@@1 <b>Access 2007+ uses different description:</b> 'An error occurred while trying to create the linked table ' '.@Check to make sure that the source table or file is available, and then retry the operation on the Data and Misc. Objects.@@1@@1'</p> <p>You have set  1's Type property to Popup, which changes the toolbar to a shortcut menu.@The shortcut menu disappears because Microsoft Office Access adds  2 to the Shortcut Menus toolbar. To complete the shortcut menu, close the Toolbar Properties sheet, display the Shortcut Menus toolbar, click the Custom category, and then add the commands you want.@@1@@1 <b>Access 2007+ uses different description:</b> 'You have set  1's Type property to Popup, which changes the toolbar to a shortcut menu.@The shortcut menu disappears because Microsoft Office Access adds  2 to the Shortcut Menus toolbar. To complete the shortcut menu, close the Toolbar Properties sheet, display the Shortcut Menus toolbar, click the Custom category, and then add the commands you want.@@1@@1'</p>	Access 2003+
8081	<p>because Microsoft Office Access adds  2 to the Shortcut Menus toolbar. To complete the shortcut menu, close the Toolbar Properties sheet, display the Shortcut Menus toolbar, click the Custom category, and then add the commands you want.@@1@@1' <b>Access 2010+ uses different description:</b> 'You have set  1's Type property to Popup, which changes the toolbar to a shortcut menu.@The shortcut menu disappears because Microsoft Access adds  2 to the Shortcut Menus toolbar. To complete the shortcut menu, close the Toolbar Properties sheet, display the Shortcut Menus toolbar, click the Custom category, and then add the commands you want.@@1@@1'</p> <p>Microsoft Office Access must save the   to the current database in order to complete this operation.@Would you like Microsoft Office Access to save it now?@@19@@2 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access must save the   to the current database in order to complete this operation.@Would you like Microsoft Office Access to save it now?@@19@@2'</p>	Access 2003+
8082	<p>operation.@Would you like Microsoft Office Access to save it now?@@19@@2' <b>Access 2010+ uses different description:</b> 'Microsoft Access must save the  1 to the current database in order to complete this operation.@Would you like Microsoft Access to save it now?@@19@@2'</p>	Access 2003+
8086	<p>An error occurred trying to add one or more references from the source code control project.@The library may not be registered on your computer.Check your project references and add any missing references after registering the missing components that this database requires.@@1@@1 <b>Access 2007+ uses</b></p>	Access 2003+

**different description:** 'An error occurred trying to add one or more references from the source code control project.@The library may not be registered on your computer.Check your project references and add any missing references after registering the missing components that this database requires.@@1@@@1' **Access 2010+ uses different description:** 'An error occurred trying to add one or more references from the source code control project.@The library may not be registered on your computer. Check your project references and add any missing references after registering the missing components that this database requires.@@1@@@1'

Restoring a database requires that no one is currently using the database.@Do you want to close all objects, select a backup file, and restore the database from backup?@@19@@@2 **Access 2007+ uses different description:** 'Restoring a database requires that no one is currently using the database.@Do you want to close all objects, select a backup file, and restore the database from backup?@@19@@@2'

Dropping a database requires that no one is currently using the database.@Do you want to close all open objects, and drop the database?@@19@@@2 **Access 2007+ uses different description:** 'Dropping a database requires that no one is currently using the database.@Do you want to close all open objects, and drop the database?@@19@@@2'

Are you sure you want to delete the conflict table |?@You will not be able to undo this operation.@@19@@@2 **Access 2007+ uses different description:** 'Are you sure you want to delete the conflict table |?@You will not be able to undo this operation.@@19@@@2'

This database is enabled for publication.@Do you want to delete existing publications and drop the database?@@19@@@2 **Access 2007+ uses different description:** 'This database is enabled for publication.@Do you want to delete existing publications and drop the database?@@19@@@2'

Access could not save your project.@Do you want to cancel the close operation? \*To cancel the close operation, click Yes. \*To close without saving, click No. @@19@@@2 **Access 2007+ uses different description:** 'Access could not save your project.@Do you want to cancel the close operation? \*To cancel the close operation, click Yes. \*To close without saving, click No. @@19@@@2'

Send a pointer to the data access page?@To send an e-mail message that contains a pointer to your data access page, click Send Pointer.This is the recommended method. The e-mail recipient must have access to the server or public share to view the page. To send a copy of the page, click Send Copy. To cancel sending the page, click Cancel.For more information, click Help. Send Pointer Send Copy Cancel@@28@613792@4 **Access 2007+ uses different description:** "

Send a copy of the data access page?@The contents of the page will be copied into the body of the email message, however the page will connect to the data source when the recipient views the message.If this is correct, click OK. Otherwise, click Cancel, save the page to a server or public share, and resend a pointer to the page.It is generally more secure to send a pointer to the page than to send a copy of the page. For more information, click Help.@@6@613791@4 **Access 2007+ uses different description:** "

You tried to create a group filter based on a column type which cannot be used in a filter. **Access 2007+ uses different description:** "

Microsoft Office Access can't change the working directory to '|'.@Please enter a non-Internet location.@@1@@@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't change the working directory to '|'.@Please enter a non-Internet location.@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access can't change the working directory to '|1'.@Please enter a non-Internet location.@@1@@@1'

	<p>The connection string of this page specifies an absolute path. The page might not be able to connect to data through the network. To connect through a network, edit the connection string to specify a network (UNC) path. @&amp;Don't show this warning again@553714119@@@1' <b>Access 2007+ uses different description:</b> 'The connection string of this page specifies an absolute path. The page might not be able to connect to data through the network. To connect through a network, edit the connection string to specify a network (UNC) path. @&amp;Don't show this warning again@553714119@@@1' <b>Access 2010+ uses different description:</b> 'The connection string of this page specifies an absolute path. The page might not be able to connect to data through the network. To connect through a network, edit the connection string to specify a network (UNC) path. @&amp;Don't show this warning again@553714119@@@1'</p> <p>Your computer has resumed operation after Critical Suspend mode. Any unsaved changes might have been lost. To ensure proper operation, close and reopen any files. Restarting Microsoft Office Access is recommended. @@@1@@@1' <b>Access 2007+ uses different description:</b> 'Your computer has resumed operation after Critical Suspend mode. Any unsaved changes might have been lost. To ensure proper operation, close and reopen any files. Restarting Microsoft Office Access is recommended. @@@1@@@1' <b>Access 2010+ uses different description:</b> 'Your computer has resumed operation after Critical Suspend mode. Any unsaved changes might have been lost. To ensure proper operation, close and reopen any files. Restarting Microsoft Access is recommended. @@@1@@@1'</p> <p>The report is still more than one page wide. @To fit the report on one page decrease the report width or increase the page width. @You can decrease the report width by selecting each control that is farthest to the right, moving it to the left, and removing the extra report space. You may need to repeat this multiple times. You can increase the page width by adjusting the page setup options. @1@@@1' <b>Access 2007+ uses different description:</b> 'The report is still more than one page wide. @To fit the report on one page decrease the report width or increase the page width. @You can decrease the report width by selecting each control that is farthest to the right, moving it to the left, and removing the extra report space. You may need to repeat this multiple times. You can increase the page width by adjusting the page setup options. @1@@@1'</p> <p>The report is still more than one page wide. @To fit the report on one page decrease the report width or increase the page width. @You can decrease the report width by selecting each control that is farthest to the left, moving it to the right, and removing the extra report space. You may need to repeat this multiple times. You can increase the page width by adjusting the page setup options. @1@@@1' <b>Access 2007+ uses different description:</b> 'The report is still more than one page wide. @To fit the report on one page decrease the report width or increase the page width. @You can decrease the report width by selecting each control that is farthest to the left, moving it to the right, and removing the extra report space. You may need to repeat this multiple times. You can increase the page width by adjusting the page setup options. @1@@@1'</p> <p>Do you want to discard the pending changes and delete the link to the list  ? @The linked list you are attempting to delete has changes that have not been saved to the server. Do you still want to delete the linked list and lose these pending changes? @@19@@@2</p> <p>The name you supplied is a reserved word. Reserved words have a specific meaning to Microsoft Office Access or to the Microsoft Office Access database engine. @If you use a reserved word, you may receive an error when referring to this field. @@5@1@141675@1' <b>Access 2010+ uses different description:</b> 'The name you supplied is a reserved word. Reserved words have a specific</p>	
8097		Access 2003+
8098		Access 2003+
8100		Access 2003+
8101		Access 2003+
8103		Access 2007+
8104		Access 2007+

meaning to Microsoft Access or to the Microsoft Access database engine. @If you use a reserved word, you may receive an error when referring to this field.@@5@1@141675@1'

8105	You must close and reopen the current database for the specified option to take effect.	Access 2007+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
8106	Encrypting with a block cipher is incompatible with row level locking. Row level locking will be ignored.	Access 2010+
8107	Microsoft Access cannot save the database to the  1 file format.@The specified database sort order,  2, is not supported for the target database format.@@1@@@1	Access 2010+
8108	You must save changes to the table before opening an Event Data Macro.@Do you want to save changes to the table?@@19@@@2	Access 2013+
8109	If you delete  , you will also delete all data and views that use it.@You can't undo this action.@Are you sure you want to delete  ?@19@@@2	Access 2013+
8110	If you delete  , you will also delete all data and views that use it.@You can't undo this action.@Are you sure you want to delete  ?&Delete&Cancel@36@@@2	Access 2013+
8111	Disabling all connectivity will prevent external programs or reports from accessing the app and may cause other applications to break. @Are you sure you want to disable all connectivity?@@19@@@2	Access 2013+
8112	Microsoft Access can't connect you to the database right now. This might be a result of missing drivers or a more general problem contacting the server. We recommend that you install the SQL Server 2012 Native Client drivers if they are not already installed.@Would you like to us to open a page where you can download these drivers now?@@19@@@2	Access 2013+
8400	The database ' ' is read-only.@You won't be able to save changes made to data or object definitions in this database.@@1@209033@1 <b>Access 2007+ uses different description:</b> 'The database ' ' is read-only.@You won't be able to save changes made to data or object definitions in this database.@@3@1@9033@1'	Access 2003+
8401	You can't make changes to the database objects in the database ' '.@This database was created in an earlier version of Microsoft Office Access.@To convert this database to the current version of Microsoft Office Access, close the database, point to Database Utilities on the Tools menu, and then click Convert Database.@1@209029@1 <b>Access 2007+ uses different description:</b> 'You cannot make changes to the database objects in the database ' '.@This database was created in an earlier version of Microsoft Office Access.@To convert this database to the current version of Microsoft Office Access, click the Microsoft Office Button, and then click Convert.@3@1@9029@1' <b>Access 2010+ uses different description:</b> 'You cannot make changes to the database objects in the database ' '.@This database was created in an earlier version of Microsoft Access.@To convert this database to the current version of Microsoft Access, click the File tab, and then click Convert.@3@1@9029@0'	Access 2003+
8402	The file ' ' already exists.@Do you want to replace the existing file? If you want to compact or convert to a different file name, click No. Enter the new file name after the /compact or /convert option in the command line, and run the command again.@@20@@@2 <b>Access 2007+ uses different description:</b> 'The file ' ' already exists.@Do you want to replace the existing file? If you want to compact or convert to a different file name, click No. Enter the new file name after the /compact or /convert option in the command line, and run the command again.@@20@@@2'	Access 2003+
8403	The setting you entered is invalid.@The database's sort order can't be updated. The setting you entered in the New Database Sort Order option of the Options dialog box (Tools menu) isn't a valid sort order for the version of the database you are compacting.@@1@@@1 <b>Access 2007+ uses different description:</b> 'The	Access 2003+

setting you entered is invalid.@The database's sort order cannot be updated.  
The setting you entered for the New database sort order option (Personalize category) of the Access Options dialog box (click the Microsoft Office Button and then click Access Options) is not a valid sort order for the version of the database you are compacting.@@1@@@1' **Access 2010+ uses different description:** 'The setting you entered is invalid.@The database's sort order cannot be updated. The setting you entered for the New database sort order option (Personalize category) of the Access Options dialog box (click the File tab and then click Access Options) is not a valid sort order for the version of the database you are compacting.@@1@@@1'

You can't open 'I' for exclusive use because another user has the database open or because you do not have permissions to open exclusively.@Microsoft Office Access will open the database for shared access.@@1@@@1 **Access 2007+ uses different description:** 'You can't open 'I' for exclusive use because another user has the database open or because you do not have permissions to open exclusively.@Microsoft Office Access will open the database for shared access.@@3@@@1' **Access 2010+ uses different description:** 'You can't open 'I' for exclusive use because another user has the database open or because you do not have permissions to open exclusively.@Microsoft Access will open the database for shared access.@@3@@@1'

You can't make changes to the database objects in the database 'I'.'@This database was created in an earlier version of Microsoft Office Access.@To convert this database to the current version of Microsoft Office Access, close the database, point to Database Utilities on the Tools menu, and then click Convert Database.@1@@@1 **Access 2007+ uses different description:** 'This database was created using a previous version of Microsoft Office Access.@- You can share the database with users of previous versions of Microsoft Office Access, however some enhancements will be unavailable. - You can open the database, view objects and modify records using this release of Microsoft Office Access, but design changes will be disabled. - To make design changes you must use an earlier version of Microsoft Office Access that supports the old database format, or upgrade the database.@@1@@@1' **Access 2010+ uses different description:** 'This database was created using a previous version of Microsoft Access.@- You can share the database with users of previous versions of Microsoft Access, however some enhancements will be unavailable. - You can open the database, view objects and modify records using this release of Microsoft Access, but design changes will be disabled. - To make design changes you must use an earlier version of Microsoft Access that supports the old database format, or upgrade the database.@@1@@@1'

Does the first row of your data contain column headings?@@@20@@@1 **Access 2007+ uses different description:** 'Does the first row of your data contain column headings?@@@20@@@1'

This database is a replica created in a previous version of Microsoft Office Access.@You can view objects in this database, but you can't modify their design. If you want to modify objects in this database, convert the Design Master for this replica set to the current version of Microsoft Office Access and synchronize this replica.@Do you want to open the database anyway? @19@@@1 **Access 2007+ uses different description:** "

The name you entered already exists for another custom group in this database.@Do you want to replace the existing custom group I?You will not be able to undo this operation.@@20@@@2 **Access 2007+ uses different description:** "

Microsoft Office Access has made a backup of database I1 at I2. Note: Only server-related objects have been backed up. To back up your project, click Back Up Project on the File menu **Access 2010+ uses different description:** 'Microsoft Access has made a backup of database I1 at I2. Note: Only server-

8404

Access 2003+

8405

Access 2003+

8406

Access 2003+

8407

Access 2003

8408

Access 2003

8409

Access 2003+



related objects have been backed up. To back up your project, click Back Up Project on the File menu'

Microsoft Office Access successfully restored database |1 from its backup at |2  
**Access 2010+ uses different description:** 'Microsoft Access successfully restored database |1 from its backup at |2'

Do you want to permanently delete the custom group '|'?@If you click Yes, all shortcuts in the custom group will be deleted as well, and you won't be able to undo the deletion.@@20@@2 **Access 2007+ uses different description:** "

The name you entered already exists for another shortcut in this group.@Do you want to replace the existing shortcut '|'?@@20@@2 **Access 2007+ uses different description:** 'The name you entered already exists for another shortcut in this group.@Do you want to replace the existing shortcut '|'?@@20@@2'

## Error Code Error Description

## Supported Versions

The project '|' is read-only.@You won't be able to save changes made to object definitions in this project.@@1@209033@1 **Access 2007+ uses different description:** "

Microsoft Office Access encountered one or more errors during conversion. To view a summary of these errors, open the '|' table.@@@2@553714191@1 **Access 2007+ uses different description:** 'Microsoft Office Access encountered one or more errors during conversion. To view a summary of these errors, open the '|' table.@@@2@1@553714191@1' **Access 2010+ uses different description:** 'Microsoft Access encountered one or more errors during conversion. To view a summary of these errors, open the '|1' table.@@@2@1@553714191@1'

The HTML file associated with this link has been moved, renamed, or deleted.@File: '|&Update Link...|Cancel@@35@@2 **Access 2007+ uses different description:** 'The HTML file associated with this link has been moved, renamed, or deleted.@File: '|&Update Link...|Cancel@@35@@@2'

Renaming this user-defined function removes any existing permissions and extended properties.@Do you want to complete the rename action?

@@20@@2 **Access 2007+ uses different description:** 'Renaming this user-defined function removes any existing permissions and extended properties.@Do you want to complete the rename action?@@20@@@2'

The file '|' cannot be opened because it has been locked by another user.@Try again when the file is available.@@3@@@1

A form with a subform object can't have its DefaultView property set to Continuous Forms.@You tried to add a subform to a form in Design view. Microsoft Office Access will reset the property to Single Form.@@1@@@1 **Access 2007+ uses different description:** 'A form with a subform object can't have its DefaultView property set to Continuous Forms.@You tried to add a subform to a form in Design view. Microsoft Office Access will reset the property to Single Form.@@1@@@1' **Access 2010+ uses different description:** 'A form with a subform object can't have its DefaultView property set to Continuous Forms.@You tried to add a subform to a form in Design view. Microsoft Access will reset the property to Single Form.@@1@@@1'

You can't modify this field because it is read-only.@Some fields, such as a calculated field, are read-only by design. However, any field can be read-only if its Locked property is set to Yes.@@1@600865@1 **Access 2007+ uses different description:** 'You can't modify this field because it is read-only.@Some fields, such as a calculated field, are read-only by design. However, any field can be read-only if its Locked property is set to Yes.@@1@1@865@1'

Microsoft Office Access has reached the end of the records.@Do you want to continue searching from the beginning?@@19@@2 **Access 2007+ uses**

**different description:** 'Microsoft Office Access has reached the end of the records.@Do you want to continue searching from the beginning?

@@19@@@2' **Access 2010+ uses different description:** 'Microsoft Access has reached the end of the records.@Do you want to continue searching from the beginning?@@19@@@2'

Microsoft Office Access has reached the beginning of the records.@Do you want to continue searching from the end?@@19@@2 **Access 2007+ uses different description:** 'Microsoft Office Access has reached the beginning of the records.@Do you want to continue searching from the end?@@19@@@2' **Access 2010+ uses different description:** 'Microsoft Access has reached the beginning of the records.@Do you want to continue searching from the end?@@19@@@2'

Microsoft Office Access finished searching the records. The search item was not found.@@@1@@1 **Access 2007+ uses different description:** 'Microsoft Office Access finished searching the records. The search item was not found.@@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access finished searching the records. The search item was not found.@@@1@@@1'

Do you want to continue to search or replace?@@@19@@2 **Access 2007+ uses different description:** 'Do you want to continue to search or replace?@@@19@@@2'

There isn't enough memory to save the current filter.@Close unneeded programs. Return to the form or datasheet, and then redefine and reapply the filter. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@@1@@3 **Access 2007+ uses different description:** "

There isn't enough memory to execute the macro that updates the active filter.@Microsoft Office Access is closing the Filter window. Close unneeded programs. Then try again to open the Filter window. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@@1@@3 **Access 2007+ uses different description:** 'There isn't enough memory to execute the macro that updates the active filter.@Microsoft Office Access is closing the Filter window. Close unneeded programs. Then try again to open the Filter window. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@@1@@@3' **Access 2010+ uses different description:** 'There isn't enough memory to execute the macro that updates the active filter.@Microsoft Access is closing the Filter window. Close unneeded programs. Then try again to open the Filter window. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@@1@@@3'

Microsoft Office Access can't find '|'.@The text string you entered in the Find What box can't be evaluated against the current field.@Reenter the text string so that it conforms to the data type of the field.@1@@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't find '|'.@The text string you entered in the Find What box can't be evaluated against the current field.@Reenter the text string so that it conforms to the data type of the field.@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access can't find '|1'.@The text string you entered in the Find What box can't be evaluated against the current field.@Reenter the text string so that it conforms to the data type of the field.@1@@@1'

You won't be able to undo this Replace operation.@There isn't enough free memory to use the Undo command. Do you want to continue?@@19@@2 **Access 2007+ uses different description:** 'You won't be able to undo this Replace operation.@There isn't enough free memory to use the Undo command. Do you want to continue?@@19@@@2'

8510	<p>Microsoft Office Access can't save the current record.@Do you want to undo the changes to the record and continue the Paste operation?@@19@@2 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access can't save the current record.@Do you want to undo the changes to the record and continue the Paste operation?@@19@@@2' <b>Access 2010+ uses different description:</b> 'Microsoft Access can't save the current record.@Do you want to undo the changes to the record and continue the Paste operation?@@19@@@2'</p>	Access 2003+
8511	<p>Records that Microsoft Office Access was unable to paste have been inserted into a new table called 'l'.@In the Database window, open the new table to see the unpasted records. After you fix the problems that resulted in the paste errors, copy and paste the records from the new table.@@1@@1 <b>Access 2007+ uses different description:</b> 'Records that Microsoft Office Access was unable to paste have been inserted into a new table called 'l'.@In the Navigation Pane, open the new table to see the unpasted records. After you fix the problems that resulted in the paste errors, copy and paste the records from the new table.@@1@@@1' <b>Access 2010+ uses different description:</b> 'Records that Microsoft Access was unable to paste have been inserted into a new table called 'l'.@In the Navigation Pane, open the new table to see the unpasted records. After you fix the problems that resulted in the paste errors, copy and paste the records from the new table.@@1@@@1'</p>	Access 2003+
8512	<p>None of the field names you pasted onto the Clipboard match the field names on the form.@Microsoft Office Access treats the data in the first row on the Clipboard as field names. If you copied the data from another application, the first row of data may have taken the place of the field names. Do you want to paste the field names in the order you defined with the Tab Order command?@@21@311022@2 <b>Access 2007+ uses different description:</b> 'None of the field names you pasted onto the Clipboard match the field names on the form.@Microsoft Office Access treats the data in the first row on the Clipboard as field names. If you copied the data from another application, the first row of data may have taken the place of the field names. Do you want to paste the field names in the order you defined with the Tab Order command?@@21@1@11022@2' <b>Access 2010+ uses different description:</b> 'None of the field names you pasted onto the Clipboard match the field names on the form.@Microsoft Access treats the data in the first row on the Clipboard as field names. If you copied the data from another application, the first row of data may have taken the place of the field names. Do you want to paste the field names in the order you defined with the Tab Order command?@@21@1@11022@2'</p>	Access 2003+
8513	<p>Some of the field names for the data you tried to paste don't match field names on the form.@Microsoft Office Access treats data in the first row on the Clipboard as field names. In this case, some of those field names don't match the field names on the form. Do you want to paste only that data whose names match the field names on the Clipboard?@@19@311022@2 <b>Access 2007+ uses different description:</b> 'Some of the field names for the data you tried to paste don't match field names on the form.@Microsoft Office Access treats data in the first row on the Clipboard as field names. In this case, some of those field names don't match the field names on the form. Do you want to paste only that data whose names match the field names on the Clipboard?@@19@1@11022@2' <b>Access 2010+ uses different description:</b> 'Some of the field names for the data you tried to paste don't match field names on the form.@Microsoft Access treats data in the first row on the Clipboard as field names. In this case, some of those field names don't match the field names on the form. Do you want to paste only that data whose names match the field names on the Clipboard?@@19@1@11022@2'</p>	Access 2003+
8514	<p>Do you want to suppress further error messages telling you why records can't be pasted?@If you click No, a message will appear for every record that can't be pasted.@@13@@2 <b>Access 2007+ uses different description:</b> 'Do you want</p>	Access 2003+

to suppress further error messages telling you why records can't be pasted?@If you click No, a message will appear for every record that can't be pasted.@@13@@@2'

Error Code	Error Description	Supported Versions
8515	<p>You copied a large amount of data onto the Clipboard.@When you copy data onto the Clipboard, only the reference to the object is copied. If you close the source document, however, Microsoft Office Access must paste all the data from its source. Depending on the amount of data, this can take some time. Do you want to save this data on the Clipboard?@@19@@2 <b>Access 2007+ uses different description:</b> 'You copied a large amount of data onto the Clipboard.@When you copy data onto the Clipboard, only the reference to the object is copied. If you close the source document, however, Microsoft Office Access must paste all the data from its source. Depending on the amount of data, this can take some time. Do you want to save this data on the Clipboard?@@19@@@2' <b>Access 2010+ uses different description:</b> 'You copied a large amount of data onto the Clipboard.@When you copy data onto the Clipboard, only the reference to the object is copied. If you close the source document, however, Microsoft Access must paste all the data from its source. Depending on the amount of data, this can take some time. Do you want to save this data on the Clipboard?@@19@@@2'</p>	Access 2003+
8516	<p>You selected more records than can be copied onto the Clipboard at one time.@Divide the records into two or more groups, and then copy and paste one group at a time. The maximum number of records you can paste at one time is approximately 65,000.@@1@@1 <b>Access 2007+ uses different description:</b> 'You selected more records than can be copied onto the Clipboard at one time.@Divide the records into two or more groups, and then copy and paste one group at a time. The maximum number of records you can paste at one time is approximately 65,000.@@1@@@1'</p>	Access 2003+
8517	<p>Do you want to suppress further error messages telling you why records can't be deleted?@If you click No, a message will appear for every record that can't be deleted.@@13@@2 <b>Access 2007+ uses different description:</b> 'Do you want to suppress further error messages telling you why records can't be deleted?@If you click No, a message will appear for every record that can't be deleted.@@13@@@2'</p>	Access 2003+
8518	<p>You won't be able to undo this Replace operation.@Do you want to continue?@@19@@2 <b>Access 2007+ uses different description:</b> 'You won't be able to undo this Replace operation.@Do you want to continue?@@19@@@2'</p>	Access 2003+
8519	<p>You are about to delete   record(s).@If you click Yes, you won't be able to undo this Delete operation. Are you sure you want to delete these records?@@19@@2 <b>Access 2007+ uses different description:</b> 'You are about to delete   record(s).@If you click Yes, you won't be able to undo this Delete operation. Are you sure you want to delete these records?@@19@@@2'</p>	Access 2003+
8520	<p>You are about to paste   record(s).@Are you sure you want to paste these records?@@19@@2 <b>Access 2007+ uses different description:</b> 'You are about to paste   record(s).@Are you sure you want to paste these records?@@19@@@2'</p>	Access 2003+
8521	<p>You won't be able to undo this Delete operation.@The Undo command won't be available because this operation is too large, or there isn't enough free memory. Do you want to delete these items?@@19@@2 <b>Access 2007+ uses different description:</b> 'You won't be able to undo this Delete operation.@The Undo command won't be available because this operation is too large, or there isn't enough free memory. Do you want to delete these items?@@19@@@2'</p>	Access 2003+
8522	<p>All timers are in use.@Set the TimerInterval property back to zero so that you can start another timer.@@2@606342@1 <b>Access 2007+ uses different description:</b> 'All timers are in use.@Set the TimerInterval property back to zero so that you can start another timer.@@2@1@6342@1'</p>	Access 2003+

8523	Do you want to delete the custom palette information from this form or report and revert to the default palette?@@@20@@@2 <b>Access 2007+ uses different description:</b> 'Do you want to delete the custom palette information from this form or report and revert to the default palette?@@@20@@@2'	Access 2003+
8524	Do you want to delete the graphic from this button?@@@20@@@2 <b>Access 2007+ uses different description:</b> 'Do you want to remove this picture from this control?@@@20@@@2'	Access 2003+
8525	The remote data isn't accessible.@You tried to open a form or report that includes a DDE or DDESend function in a calculated control that specifies an OLE server application. Do you want to start the application  ?@@19@@@2 <b>Access 2007+ uses different description:</b> 'The remote data isn't accessible.@You tried to open a form or report that includes a DDE or DDESend function in a calculated control that specifies an OLE server application. Do you want to start the application  ?@@19@@@2'	Access 2003+
8526	Microsoft Office Access encountered a problem while trying to switch views and must close this window.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access encountered a problem while trying to switch views and must close this window.@@@1@@@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access encountered a problem while trying to switch views and must close this window.@@@1@@@1'	Access 2003+
8527	Do you want to delete the group section for the database object ' ' and its contents? You will not be able to undo this action.@The group header or footer you want to delete contains controls and will be deleted along with the section.@@20@@@2 <b>Access 2007+ uses different description:</b> 'Do you want to delete the group section for the database object ' ' and its contents?@The group header or footer you want to delete contains controls which will be deleted along with the section.@@20@@@2'	Access 2003+
8528	Deleting these sections will also delete all controls in them. You will not be able to undo this action.@Do you want to delete these sections anyway?@@20@@@2 <b>Access 2007+ uses different description:</b> 'Deleting these sections will also delete all controls in them. You will not be able to undo this action.@Do you want to delete these sections anyway?@@20@@@2'	Access 2003+
8529	Do you want to delete the selected group level(s) and all associated sections and their controls?@The field or expression you're deleting from the Sorting and Grouping box has an associated section (a header or footer) containing controls that will be deleted along with the section.@@20@@@2 <b>Access 2007+ uses different description:</b> 'The grouping level that you are trying to delete has a group header or group footer section. The section contains controls that will also be deleted.@Do you want to continue?@@20@@@2'	Access 2003+
8530	Relationships that specify cascading deletes are about to cause   record(s) in this table and in related tables to be deleted.@Are you sure you want to delete these records?@@21@409096@2 <b>Access 2007+ uses different description:</b> 'Relationships that specify cascading deletes are about to cause   record(s) in this table and in related tables to be deleted.@Are you sure you want to delete these records?@@21@1@9096@2' <b>Access 2010+ uses different description:</b> 'Relationships that specify cascading deletes are about to cause   record(s) in this table, along with related records in related tables, to be deleted.@Are you sure you want to delete these records?@@21@1@9096@2'	Access 2003+
8531	The section width is greater than the page width, and there are no items in the additional space, so some pages may be blank.@For example, the report width may be wider than the page width.@@3@@@1 <b>Access 2007+ uses different description:</b> 'The section width is greater than the page width, and there are no items in the additional space, so some pages may be blank.@For example, the report width may be wider than the page width.@@3@@@1'	Access 2003+
8532	Do you want to remove this picture from the form?@@@20@@@2 <b>Access 2007+ uses different description:</b> 'Do you want to remove this picture from	Access 2003+

8533	<p>the form?@20@@@2'</p> <p>Some data may not be displayed.@There is not enough horizontal space on the page for the number of columns and column spacing you specified.@Click Page Setup on the File menu, click the Columns tab, and then reduce the number of columns or the size of the columns.@3@@@1' <b>Access 2007+ uses different description:</b> 'Some data may not be displayed.@There is not enough horizontal space on the page for the number of columns and column spacing you specified.@Click Page Setup on the File menu, click the Columns tab, and then reduce the number of columns or the size of the columns.@3@@@1'</p> <p>When you save this form or report, any code behind it will be deleted.@You have set the HasModule property to No, creating a form or report that opens more quickly. Any macros associated with this form or report will not be affected, nor will code in separate modules that is called from this property sheet.@Are you sure you want to do this?@20@@@2' <b>Access 2007+ uses different description:</b> 'When you save this form or report, any code behind it will be deleted.@You have set the HasModule property to No, creating a form or report that opens more quickly. Any macros associated with this form or report will not be affected, nor will code in separate modules that is called from this property sheet.@Are you sure you want to do this?@20@@@2'</p>	Access 2003+
8534	<p>When you save this form or report, any code behind it will be deleted.@You have set the HasModule property to No, creating a form or report that opens more quickly. Any macros associated with this form or report will not be affected, nor will code in separate modules that is called from this property sheet.@Are you sure you want to do this?@20@@@2' <b>Access 2007+ uses different description:</b> 'When you save this form or report, any code behind it will be deleted.@You have set the HasModule property to No, creating a form or report that opens more quickly. Any macros associated with this form or report will not be affected, nor will code in separate modules that is called from this property sheet.@Are you sure you want to do this?@20@@@2'</p>	Access 2003+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
8538	<p>You are about to delete this section. @If you click Yes, the controls you placed in this section will be deleted. Are you sure you want to delete these controls? @@20@@@2' <b>Access 2007+ uses different description:</b> "</p>	Access 2003
8539	<p>Relationships that specify cascading deletes are about to cause record(s) in this table and in related tables to be deleted.@Are you sure you want to delete these records?@@21@409096@2' <b>Access 2007+ uses different description:</b> 'Relationships that specify cascading deletes are about to cause record(s) in this table and in related tables to be deleted.@Are you sure you want to delete these records?@@21@1@9096@2'</p>	Access 2003+
8540	<p>You are about to delete one or more records.@If you click Yes, you won't be able to undo this Delete operation. Are you sure you want to delete these records?@@19@@@2' <b>Access 2007+ uses different description:</b> 'You are about to delete one or more records.@If you click Yes, you won't be able to undo this Delete operation. Are you sure you want to delete these records?@@19@@@2'</p>	Access 2003+
8541	<p>Microsoft Office Access could not perform the delete operation. An error occurred during the delete operation, no records were deleted. <b>Access 2010+ uses different description:</b> 'Microsoft Access could not perform the delete operation. An error occurred during the delete operation, no records were deleted.'</p>	Access 2003+
8542	<p>Microsoft Office Access did not detect a relationship between the fields you have chosen.@Do you want a relationship to be created for you now? @@19@@@3' <b>Access 2007+ uses different description:</b> 'Microsoft Office Access did not detect a relationship between the fields you have chosen.@Do you want a relationship to be created for you now?@@19@@@3' <b>Access 2010+ uses different description:</b> 'Microsoft Access did not detect a relationship between the fields you have chosen.@Do you want a relationship to be created for you now?@@19@@@3'</p>	Access 2003+
8543	<p>You are about to delete this section and all related sections. @If you click Yes, the controls you placed in these sections will be deleted. Are you sure you want to delete these controls?@@20@@@2' <b>Access 2007+ uses different description:</b> "</p>	Access 2003
8544	<p>You won't be able to undo this paste operation.@Do you want to continue? @@19@@@2' <b>Access 2007+ uses different description:</b> 'You won't be able to undo this paste operation.@Do you want to continue?@@19@@@2'</p>	Access 2003+

8545	Microsoft Office Access can't save the filter criteria you entered in the Insert Hyperlink dialog box. Make sure that the data access page is bound to a record source before you set the filter criteria. Also make sure that the criteria is in the form of a WHERE clause; for example, EmployeeID=[EmployeeID]. <b>Access 2007+ uses different description:</b> "	Access 2003
8546	Current object must first be saved before exporting data to XML. @Would you like to save ' ' and then continue?@@19@@2 <b>Access 2007+ uses different description:</b> 'Current object must first be saved before exporting data to XML. @Would you like to save ' ' and then continue?@@19@@@2'	Access 2003+
8547	Do you want to save the changes made to the macro and update the property?@@@13@1@4309@2	Access 2007+
8548	To complete this operation, Access must modify the RecordSource property of the current form or report.@Access will create a new query and embed it directly into the form's or report's RecordSource property. The form or report will no longer be based on the ' ' query.@Do you want to accept this change?@19@@@2	Access 2007+
8549	This table contains one or more Lookup fields. Display values for Lookup fields cannot be changed by using the Replace operation.@@@1@1@865@1	Access 2007+
8550	A table or query needed in order to create the new form, report, or query is currently open in Design view.@Save or discard the changes to this table or query and open it in Datasheet view, then try again.@@1@@@1	Access 2007+
8551	Do you want to remove this picture from the report?@@@20@@@2	Access 2007+
8552	Do you want to save the changes made to the macro by saving the table?@@@13@1@4309@2	Access 2013+
9502	Microsoft Office Access won't be able to undo this action or subsequent actions. To make more resources available so that Access can record further design actions, close and reopen this window. @Do you want to continue anyway?@@19@@2 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access won't be able to undo this action or subsequent actions. To make more resources available so that Access can record further design actions, close and reopen this window. @Do you want to continue anyway?@@19@@@2' <b>Access 2010+ uses different description:</b> 'Microsoft Access won't be able to undo this action or subsequent actions. To make more resources available so that Access can record further design actions, close and reopen this window. @Do you want to continue anyway?@@19@@@2'	Access 2003+
9504	The file ' ' is not readable by JET. @If you think you have a valid JET file then this is most likely due to the recent file format change. Do you want to attempt to upgrade the database format?@@19@@2 <b>Access 2007+ uses different description:</b> 'The file ' ' is not readable by the Access database engine. @If you think you have a valid Access database, this is most likely because of the recent file format change. Do you want to attempt to upgrade the database format?@@19@@@2'	Access 2003+
9505	The database ' ' needs to be repaired or isn't a database file.@You or another user may have unexpectedly quit Microsoft Office Access while a Microsoft Office Access database was open. Do you want Microsoft Office Access to attempt to repair the database?@@19@209010@2 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access has detected that this database is in an inconsistent state, and will attempt to recover the database.During this process, a backup copy of the database will be made and all recovered objects will be placed in a new database. Access will then open the new database. The names of objects that were not successfully recovered will be logged in the ""Recovery Errors"" table.@@@1@@@2' <b>Access 2010+ uses different description:</b> 'Microsoft Access has detected that this database is in an inconsistent state, and will attempt to recover the database. During this process, a backup copy of the database will be made and all recovered objects will be placed in a new database. Access will then open the new database. The names	Access 2003+

of objects that were not successfully recovered will be logged in the  
""Recovery Errors"" table.@@@1@@@2'

Microsoft Office Access was unable to load all the library  
modules.@@@1@@@1 **Access 2007+ uses different description:** 'Microsoft  
Office Access was unable to load all the library modules.@@@1@@@1'  
**Access 2010+ uses different description:** 'Microsoft Access was unable to  
load all the library modules.@@@1@@@1'

Microsoft Office Access couldn't close database '|'.@Your last change may not  
have been saved because an internal buffer was locked by another user (whose  
name was given in the previous message). To avoid losing data, wait for the  
other user to finish using the record, and then click OK again. If you click  
Cancel, you may lose changes that haven't been saved.@@3@@@2 **Access**  
**2007+ uses different description:** 'Microsoft Office Access couldn't close  
database '|'.@Your last change may not have been saved because an internal  
buffer was locked by another user (whose name was given in the previous  
message). To avoid losing data, wait for the other user to finish using the  
record, and then click OK again. If you click Cancel, you may lose changes that  
haven't been saved.@@3@@@2' **Access 2010+ uses different description:**  
'Microsoft Access couldn't close database '|1'.@Your last change may not have  
been saved because a record was locked by another user. To avoid losing data,  
wait for the other user to finish editing the record, then click OK again. If you  
click Cancel, you will lose unsaved changes.@@3@@@2'

Error Code	Error Description	Supported Versions
9509	You can't undo this command and, once it's completed, you won't be able to edit this object.@Do you want to continue anyway?@@19@@@2 <b>Access 2007+</b> <b>uses different description:</b> 'You can't undo this command and, once it's completed, you won't be able to edit this object.@Do you want to continue anyway?@@19@@@2'	Access 2003+
9510	Microsoft Office Access can't open the file ' '.@@@1@@@1 <b>Access 2007+ uses</b> <b>different description:</b> "	Access 2003
9511	@@@1@@@1 <b>Access 2007+ uses different description:</b> ' @@@1@@@1'	Access 2003+
9512	Successfully repaired the ' ' database.@@@1@@@1 <b>Access 2007+ uses</b> <b>different description:</b> "	Access 2003
9513	Microsoft Office Access was unable to completely repair the ' ' table and deleted some Memo, OLE Object, or Hyperlink field values.@To recover the data, restore from your backup copy of the database. Note that the data in the deleted field may have been damaged by a bad sector on your hard disk. For more information on checking your disk's surface, files, and folders for errors, search the Windows Help index for 'checking for disk errors'.@@1@@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access was unable to completely repair the ' ' table and deleted some Memo, OLE Object, or Hyperlink field values.@To recover the data, restore from your backup copy of the database. Note that the data in the deleted field may have been damaged by a bad sector on your hard disk. For more information on checking your disk's surface, files, and folders for errors, search the Windows Help index for 'checking for disk errors'.@@1@@@1' <b>Access 2010+ uses different</b> <b>description:</b> 'Microsoft Access was unable to completely repair the ' 1' table and deleted some Memo, OLE Object, or Hyperlink field values.@To recover the data, restore from your backup copy of the database. Note that the data in the deleted field may have been damaged by a bad sector on your hard disk. For more information on checking your disk's surface, files, and folders for errors, search the Windows Help index for 'checking for disk errors'.@@1@@@1'	Access 2003+
9514	One or more records were unrecoverable and were deleted from the ' ' table.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'One or more records were unrecoverable and were deleted from the ' ' table.@@@1@@@1'	Access 2003+



9515	The ' ' table was truncated; data was lost.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'The ' ' table was truncated; data was lost.@@@1@@@1'	Access 2003+
9516	One or more indexes from the ' ' table couldn't be repaired and were deleted.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'One or more indexes from the ' ' table couldn't be repaired and were deleted.@@@1@@@1'	Access 2003+
9517	The Save As command can't process any subforms contained in your report.@Do you want to proceed anyway?@@19@@2 <b>Access 2007+ uses different description:</b> 'The Save As command can't process any subforms contained in your report.@Do you want to proceed anyway?@@19@@@2'	Access 2003+
9518	An error occurred while adding this word to the custom dictionary.* The dictionary file may be read-only. * There may be a disk error.@@1@@@1 <b>Access 2007+ uses different description:</b> 'An error occurred while adding this word to the custom dictionary.* The dictionary file may be read-only. * There may be a disk error.@@1@@@1'	Access 2003+
9519	An error occurred while adding this word to the Change All list.@The dictionary may be full.@@1@@@1 <b>Access 2007+ uses different description:</b> 'An error occurred while adding this word to the Change All list.@The dictionary may be full.@@1@@@1'	Access 2003+
9520	An error occurred while adding the word to the Ignore All list.@The dictionary may be full.@@1@@@1 <b>Access 2007+ uses different description:</b> 'An error occurred while adding the word to the Ignore All list.@The dictionary may be full.@@1@@@1'	Access 2003+
9521	The specified word is too large.@Words can't exceed 64 characters.@@1@@@1 <b>Access 2007+ uses different description:</b> 'The specified word is too large.@Words can't exceed 64 characters.@@1@@@1'	Access 2003+
9523	Microsoft Office Access can't open the ' ' custom dictionary.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access can't open the ' ' custom dictionary.@@@1@@@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access can't open the ' 1' custom dictionary.@@@1@@@1'	Access 2003+
9524	Microsoft Office Access can't start the spelling checker because it isn't installed.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access can't start the spelling checker because it isn't installed.@@@1@@@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access can't start the spelling checker because it isn't installed.@@@1@@@1'	Access 2003+
9525	Microsoft Office Access can't open the main dictionary file.@Verify that this file has been correctly installed.@@1@@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access can't open the main dictionary file.@Verify that this file has been correctly installed.@@1@@@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access can't open the main dictionary file.@Verify that this file has been correctly installed.@@1@@@1'	Access 2003+
9526	The spelling checker only works on text fields that contain text data.@You're trying to check a field with a data type other than Text or Memo.@@1@@@1 <b>Access 2007+ uses different description:</b> 'The spelling checker only works on text fields that contain text data.@You're trying to check a field with a data type other than Text or Memo.@@1@@@1'	Access 2003+
9527	The spelling checker can't proceed; you must first select data from a table, query, view, stored procedure, or form.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'The spelling checker can't proceed; you must first select data from a table, query, view, stored procedure, or form.@@@1@@@1'	Access 2003+
9529	The spelling checker can't proceed; form data is not updatable.@The form may be based on a query that isn't updatable or is only partly updatable. For information on when a query is updatable, click Help.@@2@409932@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access cannot run	Access 2003+

the spell checker because the data in this form or query is not updatable.@@@2@1@9932@1' **Access 2010+ uses different description:** 'Microsoft Access cannot run the spell checker because the data in this form or query is not updatable.@@@2@1@9932@1'

An error occurred while trying to modify the contents of field '|'.@The field may be locked or read-only, or you may not have permissions to change it. For information on security permissions and who can change them, click Help.@@2@410222@1 **Access 2007+ uses different description:** 'An error occurred while trying to modify the contents of field '|'.@The field may be locked or read-only, or you may not have permissions to change it. For information on security permissions and who can change them, click Help.@@2@1@10222@1'

9530

Access 2003+

# **Error Code**

## **Error Description**

## **Supported Versions**

9531

An error occurred while trying to save spelling preferences.@@@1@@1 **Access 2007+ uses different description:** "

Access 2003

9532

The '|' field can't be modified because it's a read-only field.@@@1@@1 **Access 2007+ uses different description:** 'The '|' field can't be modified because it's a read-only field.@@@1@@@1'

Access 2003+

9533

An error occurred while trying to add the word pair to the AutoCorrect list.@@@1@@1 **Access 2007+ uses different description:** 'An error occurred while trying to add the word pair to the AutoCorrect list.@@@1@@@1'

Access 2003+

9534

The current selection does not contain any fields that can be checked for spelling errors.@You can check the spelling of text box controls with Text or Memo data types.@@1@@1 **Access 2007+ uses different description:** 'The current selection does not contain any fields that can be checked for spelling errors.@You can check the spelling of text box controls with Text or Memo data types.@@1@@@1'

Access 2003+

9535

You entered an invalid main dictionary.@Please select a valid entry.@@1@@1 **Access 2007+ uses different description:** 'You entered an invalid main dictionary.@Please select a valid entry.@@1@@@1'

Access 2003+

9536

The spelling check is complete.@@@1@@1 **Access 2007+ uses different description:** 'The spelling check is complete.@@@1@@@1'

Access 2003+

9537

You must restart the spelling checker for the dictionary change to take effect.@@@1@@1 **Access 2007+ uses different description:** 'You must restart the spelling checker for the dictionary change to take effect.@@@1@@@1'

Access 2003+

9538

The '|' custom dictionary doesn't exist.@Do you want to create it?@@20@@1 **Access 2007+ uses different description:** "

Access 2003

9539

You have specified a word that isn't found in the main or custom dictionary.@Do you want to use this word and continue checking?@@20@@1 **Access 2007+ uses different description:** 'You have specified a word that isn't found in the main or custom dictionary.@Do you want to use this word and continue checking?@@20@@@1'

Access 2003+

9540

The main dictionary you selected can't be used.@It has not been correctly installed.@@1@@1 **Access 2007+ uses different description:** "

Access 2003

9541

The spelling checker can't undo your last change.@The data in field '|' has been modified by another user. To resume the spelling check, click OK.@@1@@1 **Access 2007+ uses different description:** 'The spelling checker can't undo your last change.@The data in field '|' has been modified by another user. To resume the spelling check, click OK.@@1@@@1'

Access 2003+

9542

This database must be closed before you can create a replica.@Do you want Microsoft Office Access to close this database and create the replica? If you proceed, Microsoft Office Access will close your database and convert it to a Design Master. The database may increase in size.@@19@@2 **Access 2007+ uses different description:** 'This database must be closed before you can create

Access 2003+

a replica.@Do you want Microsoft Office Access to close this database and create the replica? If you proceed, Microsoft Office Access will close your database and convert it to a Design Master. The database may increase in size.@@19@@@2' **Access 2010+ uses different description:** 'This database must be closed before you can create a replica.@Do you want Microsoft Access to close this database and create the replica? If you proceed, Microsoft Access will close your database and convert it to a Design Master. The database may increase in size.@@19@@@2'

The Hangul Hanja Converter can't proceed. There is no Hangul or Hanja data to convert.@@@1@@@1 **Access 2007+ uses different description:** 'The Hangul Hanja Converter can't proceed. There is no Hangul or Hanja data to convert.@@@1@@@1'

Microsoft Office Access can't register the '|' custom dictionary.@@@1@@@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't register the '|' custom dictionary.@@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access can't register the '|1' custom dictionary.@@@1@@@1'

After you have converted this file to Access 2002 - 2003 File Format, the new file cannot be shared with Access 2000 users or Access 97 users.@For more information about conversion, click Help.@@2@553714162@1 **Access 2007+ uses different description:** 'After you have converted this file to Access 2002 - 2003 File Format, the new file cannot be shared with Access 2000 users or Access 97 users.@For more information about conversion, click Help.@@2@1@553714162@1'

This data access page was created in a previous version of Microsoft Office Access. To open this page in Design view, you must convert it to the current version of Access. Once you have converted this page, you can't open it in Design view in a previous version of Access.¶Con&vert¶Cancel@@@35@@@ **Access 2007+ uses different description:** "

After you have converted this file to Access 2000 File Format, the new file cannot be shared with Access 97 users. @Any functionality specific to Access 2002 or later will not be available in Access 2000.@For more information about conversion, click Help.@2@553714162@1 **Access 2007+ uses different description:** 'After you have converted this file to Access 2000 File Format, the new file cannot be shared with Access 97 users. @Any functionality specific to Access 2002 or later will not be available in Access 2000.@For more information about conversion, click Help.@2@1@553714162@1'

After you have converted this file to Access 97 File Format, any functionality specific to Access 2000 or later will be lost.@For more information about conversion, click Help.@@2@553714162@1 **Access 2007+ uses different description:** 'After you have converted this file to Access 97 File Format, any functionality specific to Access 2000 or later will be lost.@For more information about conversion, click Help.@@2@1@553714162@1'

This Database has been upgraded to the Access 2007 File Format. The new database cannot be shared with users of Access 2003 or earlier versions.@For more information about conversion, click Help.@@2@1@553714162@1

The Text Format property of the bound field '|' is not currently Rich Text. You should change the Text Format property of the table field before you change the property of this control. If you change the Text Format property of this control to Rich Text before you change the property of the bound field, some data that is not valid HTML might not be displayed.@Do you want to continue? @@19@@@2

9543

Access 2003+

9544

Access 2003+

9545

Access 2003+

9546

Access 2003

9547

Access 2003+

9548

Access 2003+

9549

Access 2007+

9550

Access 2007+

## Error Code

## Error Description

## Supported Versions

9551

The Text Format property of the bound field '|' is not currently Plain Text. You should change the Text Format property of the table field before you change the property of this control. If you change the Text Format property of this control

Access 2007+

to Plain Text before you change the property of the bound field, some data might be displayed as HTML tags.@Do you want to continue?@@19@@@2

9552	The application is already in sync with the server.	Access 2010+
9553	There are pending updates to this application that must be applied before you can save your changes to the server. Do you want to apply these updates now?	Access 2010+
9554	The site ' ' already exists. Please select another name.	Access 2010+
9555	This connection file contains definitions that conflict with connections already installed in your database. Click OK to overwrite the existing connection definition. Click Cancel to keep the existing connection definition and cancel the installation.	Access 2010+
9556	Deleting this object from your database will cause associated linked tables and expressions to cease functioning.	Access 2010+
10000	You must first save the table.@Do you want to save the table now?@@19@@@1 <b>Access 2007+ uses different description:</b> 'You must first save the table.@Do you want to save the table now?@@19@@@1'	Access 2003+
10001	You must first save the view.@Do you want to save the view now?@@19@@@1 <b>Access 2007+ uses different description:</b> 'You must first save the view.@Do you want to save the view now?@@19@@@1'	Access 2003+
10002	You must first save the stored procedure.@Do you want to save the stored procedure now?@@19@@@1 <b>Access 2007+ uses different description:</b> 'You must first save the stored procedure.@Do you want to save the stored procedure now?@@19@@@1'	Access 2003+
10003	You must first save the query.@Do you want to save the query now? @@19@@@1 <b>Access 2007+ uses different description:</b> 'You must first save the query.@Do you want to save the query now?@@19@@@1'	Access 2003+
10004	Do you want to permanently delete the selected field(s) and all the data in the field(s)?@To permanently delete the field(s), click Yes.@@19@@@2 <b>Access 2007+ uses different description:</b> 'Do you want to permanently delete the selected field(s) and all the data in the field(s)?@To permanently delete the field(s), click Yes.@@19@@@2'	Access 2003+
10005	There is no primary key defined.@Although a primary key isn't required, it's highly recommended. A table must have a primary key for you to define a relationship between this table and other tables in the database. Do you want to create a primary key now?@@13@@@2 <b>Access 2007+ uses different description:</b> 'There is no primary key defined.@Although a primary key isn't required, it's highly recommended. A table must have a primary key for you to define a relationship between this table and other tables in the database. Do you want to create a primary key now?@@13@@@2'	Access 2003+
10006	Changing to this data type requires removal of one or more indexes.@You can't use indexes on fields with a Memo, OLE Object, or Hyperlink data type. If you click Yes, Microsoft Office Access will delete the indexes that include that field. Do you want to continue anyway?@@20@@@2 <b>Access 2007 uses different description:</b> 'Changing to this data type requires removal of one or more indexes.@You can't use indexes on fields with a Memo, OLE Object, or Hyperlink data type. If you click Yes, Microsoft Office Access will delete the indexes that include that field. Do you want to continue anyway?@@20@@@2' <b>Access 2010 uses different description:</b> 'Changing to this data type requires removal of one or more indexes.@You can't use indexes on fields with a Memo, OLE Object, or Hyperlink data type. If you click Yes, Microsoft Access will delete the indexes that include that field. Do you want to continue anyway?@@20@@@2' <b>Access 2013 uses different description:</b> 'Changing to this data type requires removal of one or more indexes.@The new field type you selected doesn't allow indexes. If you click Yes, Microsoft Access will delete the indexes that include this field.@Do you want to change the data type and remove the indexes?@20@@@2' <b>Access 2016 uses different description:</b> 'Changing to this data type requires removal of one or more indexes.@The new	Access 2003+

field type doesn't allow indexes. If you click Yes, Microsoft Access will delete the indexes that include this field.@Do you want to change the data type and remove the indexes?@20@@@2'

Deleting field '|' requires Microsoft Office Access to delete the primary key.@Do you want to delete this field anyway?@@19@@2 **Access 2007+ uses different description:** 'Deleting field '|' requires Microsoft Office Access to delete the primary key.@Do you want to delete this field anyway?@@19@@@2' **Access 2010+ uses different description:** 'Deleting field '|1' requires Microsoft Access to delete the primary key.@Do you want to delete this field anyway?@@19@@@2'

Deleting field '|' requires Microsoft Office Access to delete one or more indexes.@If you click Yes, Microsoft Office Access will delete the field and all its indexes. Do you want to delete this field anyway?@@19@@2 **Access 2007+ uses different description:** 'Deleting field '|' requires Microsoft Office Access to delete one or more indexes.@If you click Yes, Microsoft Office Access will delete the field and all its indexes. Do you want to delete this field anyway?@@19@@@2' **Access 2010+ uses different description:** 'Deleting field '|1' requires Microsoft Access to delete one or more indexes.@If you click Yes, Microsoft Access will delete the field and all its indexes. Do you want to delete this field anyway?@@19@@@2'

You can't open the table '|' for modification.@A query or form bound to the table is open, you may not have permission to open this table in Design view, or another user has the table open. Do you want to open this table as read-only?@If you have opened a query or form bound to this table, close it, and then try again to open the table in Design view.@19@@2 **Access 2007+ uses different description:** 'Either an object bound to table '|' is open or another user has the table open. Do you want to open the table as read-only?@To open the table as read-only, click Yes.@To open the table as read/write, click No, make sure the table and all objects bound to it are closed, and then try opening it again in Design view.@19@@@2'

Table '|' is a linked table with some properties that can't be modified.@Do you want to open it anyway?@@19@@2 **Access 2007+ uses different description:** 'Table '|' is a linked table whose design can't be modified. If you want to add or remove fields or change their properties or data types, you must do so in the source database.@Do you want to open it anyway?@@19@@@2'

Microsoft Office Access encountered errors while converting the data.@The contents of fields in |1 record(s) were deleted. Do you want to proceed anyway?@@19@@2 **Access 2007+ uses different description:** 'Microsoft Office Access encountered errors while converting the data.@The contents of fields in |1 record(s) were deleted. Do you want to proceed anyway?@@19@@@2' **Access 2010+ uses different description:** 'Microsoft Access encountered errors while converting the data.@The contents of fields in |1 record(s) were deleted. Do you want to proceed anyway?@@19@@@2'

Microsoft Office Access can't retrieve field properties from the system tables.@The database needs to be repaired. If you click Yes, Microsoft Office Access will open the table in Design view. The settings of the FieldName, DataType, FieldSize, Indexed, and Primary properties will remain intact, but the settings of other field properties will be lost. You can attempt to redefine the lost properties, but it is recommended that you restore the database from a backup copy, or close it and use the Repair Database command on the Tools menu (Database Utilities submenu). Do you want to continue anyway?@@20@@2 **Access 2007+ uses different description:** 'Microsoft Office Access cannot retrieve field properties from the system tables.@This database needs to be repaired. If you click Yes, Microsoft Office Access will open the table in Design view. The settings of the FieldName, DataType, FieldSize, Indexed, and Primary properties will remain intact, but the settings of other field properties will be lost. You can attempt to redefine the lost properties, but

Access 2003+

Access 2003+

Access 2003+

Access 2003+

Access 2003+

Access 2003+

we recommend that you restore the database from a backup copy, or close it and use the Compact and Repair Database command (click the Microsoft Office Button and point to Manage). Do you want to continue?@@20@@@2'  
**Access 2010+ uses different description:** 'Microsoft Access cannot retrieve field properties from the system tables.@This database needs to be repaired. If you click Yes, Microsoft Access will open the table in Design view. The settings of the FieldName, DataType, FieldSize, Indexed, and Primary properties will remain intact, but the settings of other field properties will be lost. You can attempt to redefine the lost properties, but we recommend that you restore the database from a backup copy, or close it and use the Compact and Repair Database command (click the File tab and point to Manage). Do you want to continue?@@20@@@1'

Microsoft Office Access can't save property changes for linked tables.@Do you want to continue anyway?@@19@@@2 **Access 2007+ uses different description:** 'Microsoft Office Access can't save property changes for linked tables.@Do you want to continue anyway?@@19@@@2' **Access 2010+ uses different description:** 'Microsoft Access can't save property changes for linked tables.@Do you want to continue anyway?@@19@@@2'

Access 2003+

10013

## Error Code

## Error Description

## Supported Versions

Microsoft Office Access was unable to append all the data to the table.@The contents of fields in |1 record(s) were deleted, and |2 record(s) were lost due to key violations. \* If data was deleted, the data you pasted or imported doesn't match the field data types or the FieldSize property in the destination table. \* If records were lost, either the records you pasted contain primary key values that already exist in the destination table, or they violate referential integrity rules for a relationship defined between tables. Do you want to proceed anyway?

@@22@600922@1 **Access 2007+ uses different description:** 'Microsoft Office Access was unable to append all the data to the table.@The contents of fields in |1 record(s) were deleted, and |2 record(s) were lost due to key violations. \* If data was deleted, the data you pasted or imported doesn't match the field data types or the FieldSize property in the destination table. \* If records were lost, either the records you pasted contain primary key values that already exist in the destination table, or they violate referential integrity rules for a relationship defined between tables. Do you want to proceed anyway?

@@22@1@922@1' **Access 2010+ uses different description:** 'Microsoft Access was unable to append all the data to the table.@The contents of fields in |1 record(s) were deleted, and |2 record(s) were lost due to key violations. \* If data was deleted, the data you pasted or imported doesn't match the field data types or the FieldSize property in the destination table. \* If records were lost, either the records you pasted contain primary key values that already exist in the destination table, or they violate referential integrity rules for a relationship defined between tables. Do you want to proceed anyway?@@22@1@922@1'

Changing to this data type requires removal of the primary key.@Do you want to continue anyway?@@19@@@2 **Access 2007+ uses different description:** 'Changing to this data type requires removal of the primary key.@Do you want to continue anyway?@@19@@@2'

Access 2003+

10015

Some data may be lost.@The setting for the FieldSize property of one or more fields has been changed to a shorter size. If data is lost, validation rules may be violated as a result. Do you want to continue anyway?@@20@@@2 **Access 2007 uses different description:** 'Some data may be lost.@The setting for the FieldSize property of one or more fields has been changed to a shorter size. If data is lost, validation rules may be violated as a result. Do you want to continue anyway?@@20@@@2' **Access 2010 uses different description:** 'Some data may be lost.@The setting for the FieldSize property of one or more fields has been changed to a shorter size. If data is lost, validation rules may be violated as a result. Do you want to continue anyway?@@20@@@2' **Access 2013 uses different description:** 'Some data may be lost.@The size of one or

Access 2003+

10016

more fields has been changed to a shorter size. If data is lost, validation rules may be violated as a result. Do you want to continue anyway?@@20@@@2'  
**Access 2016 uses different description:** 'Some data may be lost.@The size of one or more fields has been changed to a shorter size. If data is lost, validation rules may be violated as a result. Do you want to continue anyway?@@20@@@2'

Your computer is out of disk space.@You won't be able to undo this paste append. Do you want to continue anyway?@@19@@2 **Access 2007+ uses different description:** 'Your computer is out of disk space.@You won't be able to undo this paste append. Do you want to continue anyway?@@19@@@2'

Access 2003+

Microsoft Office Access was unable to append all the data to the table.@The contents of fields in |1 record(s) were deleted, and |2 record(s) were lost due to key violations. \* If data was deleted, the data you pasted or imported doesn't match the field data types or the FieldSize property in the destination table. \* If records were lost, the records you pasted contain primary key values that already exist in the destination table, or they violate referential integrity rules for a relationship defined between tables.@@2@600922@1 **Access 2007+ uses different description:** 'Microsoft Office Access was unable to append all the data to the table.@The contents of fields in |1 record(s) were deleted, and |2 record(s) were lost due to key violations. \* If data was deleted, the data you pasted or imported doesn't match the field data types or the FieldSize property in the destination table. \* If records were lost, the records you pasted contain primary key values that already exist in the destination table, or they violate referential integrity rules for a relationship defined between tables.@@2@1@922@1' **Access 2010+ uses different description:** 'Microsoft Access was unable to append all the data to the table.@The contents of fields in |1 record(s) were deleted, and |2 record(s) were lost due to key violations. \* If data was deleted, the data you pasted or imported doesn't match the field data types or the FieldSize property in the destination table. \* If records were lost, the records you pasted contain primary key values that already exist in the destination table, or they violate referential integrity rules for a relationship defined between tables.@@2@1@922@1'

Access 2003+

Microsoft Office Access can't find the database containing the linked table '|'.@The properties set in Microsoft Office Access for the linked table will be lost. Do you want to continue with the conversion anyway?@@19@@@2 **Access 2007+ uses different description:** 'Microsoft Office Access can't find the database containing the linked table '|'.@The properties set in Microsoft Office Access for the linked table will be lost. Do you want to continue with the conversion anyway?@@19@@@2' **Access 2010+ uses different description:** 'Microsoft Access can't find the database containing the linked table '|1'.@The properties set in Microsoft Access for the linked table will be lost. Do you want to continue with the conversion anyway?@@19@@@2'

Access 2003+

Data integrity rules have been changed; existing data may not be valid for the new rules.@This process may take a long time. Do you want the existing data to be tested with the new rules?@@13@@@2 **Access 2007+ uses different description:** 'Data integrity rules have been changed; existing data may not be valid for the new rules.@This process may take a long time. Do you want the existing data to be tested with the new rules?@@13@@@2'

Access 2003+

Existing data violates the new record validation rule.@Do you want to keep testing with the new rule? \* To keep the new rule and continue testing, click Yes. \* To revert to the old rule and continue testing, click No. \* To stop testing, click Cancel.@@13@@@1 **Access 2007+ uses different description:** 'Existing data violates the new record validation rule.@Do you want to keep testing with the new rule? \* To keep the new rule and continue testing, click Yes. \* To revert to the old rule and continue testing, click No. \* To stop testing, click Cancel.@@13@@@1'

Access 2003+

10022	Existing data violates the new setting for the '1' property for field '2.'@Do you want to keep testing with the new setting? * To keep the new setting and continue testing, click Yes. * To revert to the old setting and continue testing, click No. * To stop testing, click Cancel.@@13@@2 <b>Access 2007+ uses different description:</b> 'Existing data violates the new setting for the '1' property for field '2.'@Do you want to keep testing with the new setting? * To keep the new setting and continue testing, click Yes. * To revert to the old setting and continue testing, click No. * To stop testing, click Cancel.@@13@@2'	Access 2003+
10023	Microsoft Office Access deleted   indexes on the converted fields.@Some data did not convert properly.@@1@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access deleted   indexes on the converted fields.@Some data did not convert properly.@@1@@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access deleted  1 indexes on the converted fields.@Some data did not convert properly.@@1@@1'	Access 2003+
10024	You must save the table first.@Microsoft Office Access can't test your data until you save the design changes you made. Do you want to save the table now?@@19@@2 <b>Access 2007+ uses different description:</b> 'You must save the table first.@Microsoft Office Access can't test your data until you save the design changes you made. Do you want to save the table now?@@19@@2' <b>Access 2010+ uses different description:</b> 'You must save the table first.@Microsoft Access can't test your data until you save the design changes you made. Do you want to save the table now?@@19@@2'	Access 2003+
10025	This operation will test the table's record and field validation rules, as well as the Required and AllowZeroLength properties, for all data in the table.@This process may take a long time. Do you want to continue anyway?@@19@@2 <b>Access 2007+ uses different description:</b> 'This operation will test the table's record and field validation rules, as well as the Required and AllowZeroLength properties, for all data in the table.@This process may take a long time. Do you want to continue anyway?@@19@@2'	Access 2003+
10026	All data was valid for all rules.@@@1@@1 <b>Access 2007+ uses different description:</b> 'All data was valid for all rules.@@@1@@1'	Access 2003+
10027	Existing data violates the new record validation rule.@Do you want to continue testing data with this new rule? * To continue testing for other new rule violations, click Yes. * To continue to test only the old validation rules, click No. * To stop testing, click Cancel.@@13@@2 <b>Access 2007+ uses different description:</b> 'Existing data violates the new record validation rule.@Do you want to continue testing data with this new rule? * To continue testing for other new rule violations, click Yes. * To continue to test only the old validation rules, click No. * To stop testing, click Cancel.@@13@@2'	Access 2003+
10028	The existing data violates the '1' property for field '2.'@If you continue testing, Microsoft Office Access will inform you if data violates any other property settings in the table. Would you like to continue testing?@@19@@2 <b>Access 2007+ uses different description:</b> 'The existing data violates the '1' property for field '2.'@If you continue testing, Microsoft Office Access will inform you if data violates any other property settings in the table. Would you like to continue testing?@@19@@2' <b>Access 2010+ uses different description:</b> 'The existing data violates the '1' property for field '2.'@If you continue testing, Microsoft Access will inform you if data violates any other property settings in the table. Would you like to continue testing?@@19@@2'	Access 2003+
10029	There is no primary key defined.@Although a primary key isn't required, it's highly recommended.A table must have a primary key for you to add data to this table or to define relationships between this table and other tables in the database. Do you want to return to table design and add a primary key now?@@13@@2 <b>Access 2007+ uses different description:</b> "	Access 2003



There is no primary key defined.@Although a primary key isn't required, it's highly recommended.A table must have a primary key for you to define relationships between this table and other tables in the database. Do you want to return to table design and add a primary key now?@@13@@2 **Access 2007+ uses different description:** 'There is no primary key defined.@Although a primary key isn't required, it's highly recommended.A table must have a primary key for you to define relationships between this table and other tables in the database. Do you want to return to table design and add a primary key now?@@13@@@2' **Access 2010+ uses different description:** 'There is no primary key defined.@Although a primary key isn't required, it's highly recommended. A table must have a primary key for you to define relationships between this table and other tables in the database. Do you want to return to table design and add a primary key now?@@13@@@2'

You must first save the function.@Do you want to save the function now?@@19@@1 **Access 2007+ uses different description:** 'You must first save the function.@Do you want to save the function now?@@19@@@1'

This field will be converted to Plain Text and all the formatting in the field will be removed.@Do you want to convert the column to Plain Text?@@20@@@2

This field will be converted to Rich Text, and all the data it contains will be HTML encoded.@If your data already contains valid HTML Rich Text, you can remove any extra HTML encoding by using the PlainText function in an update query.Do you want to convert the column to Rich Text?@@20@@@2 **Access 2010+ uses different description:** 'This field will be converted to Rich Text, and all the data it contains will be HTML encoded.@If your data already contains valid HTML Rich Text, you can remove any extra HTML encoding by using the PlainText function in an update query.@Do you want to convert the column to Rich Text?@20@@@2'

**Error Code      Error Description      Supported Versions**

Warning: This change will cause all history for column '|' to be lost.@Do you want to continue?@@19@@@2

After this change, you will not be able to switch back to the current data type.@Do you want to continue with this data type change?@@19@@@1

You can't print the scrollable (unfrozen) columns on the datasheet.@The frozen columns are wider than the page. Do you want to print just the frozen columns? @If you want to print the unfrozen columns, try one or more of the following: \* Decrease the column width and increase the row height of the frozen columns. \* Change the page orientation to Landscape in the printer Properties dialog box. \* Decrease the size of the left and right page margins in the Page Setup dialog box.@21@209172@2 **Access 2007+ uses different description:** 'You can't print the scrollable (unfrozen) columns on the datasheet.@The frozen columns are wider than the page. Do you want to print just the frozen columns?@If you want to print the unfrozen columns, try one or more of the following: \* Decrease the column width and increase the row height of the frozen columns. \* Change the page orientation to Landscape in the printer Properties dialog box. \* Decrease the size of the left and right page margins in the Page Setup dialog box.@21@1@9172@2'

The column heading is too tall to fit on the page. Part of the heading will be cut off.@Do you want to print the incomplete heading?@To prevent headings from being cut off, try one or more of the following: \* Change the page orientation to Portrait in the printer Properties dialog box. \* Decrease the size of the top and bottom page margins in the Page Setup dialog box.@19@@2 **Access 2007+ uses different description:** 'The column heading is too tall to fit on the page. Part of the heading will be cut off.@Do you want to print the incomplete heading?@To prevent headings from being cut off, try one or more of the following: \* Change the page orientation to Portrait in the printer Properties

dialog box. \* Decrease the size of the top and bottom page margins in the Page Setup dialog box.@19@@@2'

At least one column is too wide to fit on the page. Data in that column will be cut off.@Do you want to print the column with incomplete data?@To prevent data from being cut off, try one or more of the following: \* Decrease the column width and increase the row height. \* Change the page orientation to Landscape in the printer Properties dialog box. \* Decrease the size of the left and right page margins in the Page Setup dialog box.@19@@2

**Access 2007+ uses different description:** 'At least one column is too wide to fit on the page. Data in that column will be cut off.@Do you want to print the column with incomplete data?@To prevent data from being cut off, try one or more of the following: \* Decrease the column width and increase the row height. \* Change the page orientation to Landscape in the printer Properties dialog box. \* Decrease the size of the left and right page margins in the Page Setup dialog box.@19@@@2'

The row height exceeds the space between the top and bottom margins.@Do you want to print the columns with incomplete data?@To prevent data from being cut off, try one or more of the following: \* Increase the column width and decrease the row height. \* Change the page orientation to Portrait in the printer Properties dialog box. \* Decrease the size of the top and bottom page margins in the Page Setup dialog box.@19@@2

**Access 2007+ uses different description:** 'The row height exceeds the space between the top and bottom margins.@Do you want to print the columns with incomplete data?@To prevent data from being cut off, try one or more of the following: \* Increase the column width and decrease the row height. \* Change the page orientation to Portrait in the printer Properties dialog box. \* Decrease the size of the top and bottom page margins in the Page Setup dialog box.@19@@@2'

You are about to run an update query that will modify data in your table.@Are you sure you want to run this type of action query? For information on how to prevent this message from displaying every time you run an action query, click Help.@@21@209058@2

**Access 2007+ uses different description:** 'You are about to run an update query that will modify data in your table.@Are you sure you want to run this type of action query? For information on how to prevent this message from displaying every time you run an action query, click Help.@@21@1@9058@2'

You are about to run an append query that will modify data in your table.@Are you sure you want to run this type of action query? For information on turning off confirmation messages for document deletions, click

Help.@@21@209058@2

**Access 2007+ uses different description:** 'You are about to run an append query that will modify data in your table.@Are you sure you want to run this type of action query? For information on turning off confirmation messages for document deletions, click Help.@@21@1@9058@2'

You are about to run a make-table query that will modify data in your table.@Are you sure you want to run this type of action query? For information on how to prevent this message from displaying every time you run an action query, click Help.@@21@209058@2

**Access 2007+ uses different description:** 'You are about to run a make-table query that will modify data in your table.@Are you sure you want to run this type of action query? For information on how to prevent this message from displaying every time you run an action query, click Help.@@21@1@9058@2'

this message from displaying every time you run an action query, click Help.@@21@1@9058@2'

You are about to run a data-definition query that may modify data in your table.@Are you sure you want to run this type of an SQL query? If not, click No and then modify the query or close it to run later.@@19@@2 **Access**

**2007+ uses different description:** 'You are about to run a data-definition query that may modify data in your table.@Are you sure you want to run this type of an SQL query? If not, click No and then modify the query or close it to run later.@@19@@2'

You are about to update | row(s).@Once you click Yes, you can't use the Undo command to reverse the changes. Are you sure you want to update these records?@@19@@2 **Access 2007+ uses different description:** 'You are about to update | row(s).@Once you click Yes, you can't use the Undo command to reverse the changes. Are you sure you want to update these records?@@19@@2'

You are about to append | row(s).@Once you click Yes, you can't use the Undo command to reverse the changes. Are you sure you want to append the selected rows?@@19@@2 **Access 2007+ uses different description:** 'You are about to append | row(s).@Once you click Yes, you can't use the Undo command to reverse the changes. Are you sure you want to append the selected rows?@@19@@2'

You are about to paste | row(s) into a new table.@Once you click Yes, you can't use the Undo command to reverse the changes. Are you sure you want to create a new table with the selected records?@@19@@2 **Access 2007+ uses different description:** 'You are about to paste | row(s) into a new table.@Once you click Yes, you can't use the Undo command to reverse the changes. Are you sure you want to create a new table with the selected records?@@19@@2'

You are about to delete | row(s) from the specified table.@Once you click Yes, you can't use the Undo command to reverse the changes. Are you sure you want to delete the selected records?@@19@@2 **Access 2007+ uses different description:** 'You are about to delete | row(s) from the specified table.@Once you click Yes, you can't use the Undo command to reverse the changes. Are you sure you want to delete the selected records?@@19@@2'

Microsoft Office Access can't update all the records in the update query.@Microsoft Office Access didn't update |1 field(s) due to a type conversion failure, |2 record(s) due to key violations, |3 record(s) due to lock violations, and |4 record(s) due to validation rule violations. Do you want to continue running this type of action query anyway? To ignore the error(s) and run the query, click Yes. For an explanation of the causes of the violations, click Help.@@21@310019@2 **Access 2007+ uses different description:** 'Microsoft Office Access can't update all the records in the update query.@Microsoft Office Access didn't update |1 field(s) due to a type conversion failure, |2 record(s) due to key violations, |3 record(s) due to lock violations, and |4 record(s) due to validation rule violations. Do you want to continue running this type of action query anyway? To ignore the error(s) and run the query, click Yes. For an explanation of the causes of the violations, click

Help.@@21@1@10019@2' **Access 2010+ uses different description:** 'Microsoft Access can't update all the records in the update query.@Microsoft Access didn't update |1 field(s) due to a type conversion failure, |2 record(s) due to key violations, |3 record(s) due to lock violations, and |4 record(s) due to validation rule violations. Do you want to continue running this type of action query anyway? To ignore the error(s) and run the query, click Yes. For an explanation of the causes of the violations, click Help.@@21@1@10019@2'

Microsoft Office Access can't append all the records in the append query.@Microsoft Office Access set |1 field(s) to Null due to a type conversion failure, and it didn't add |2 record(s) to the table due to key violations, |3 record(s) due to lock violations, and |4 record(s) due to validation rule

violations. Do you want to run the action query anyway? To ignore the error(s) and run the query, click Yes. For an explanation of the causes of the violations, click Help.@@21@310020@2' **Access 2007+ uses different description:** 'Microsoft Office Access can't append all the records in the append query.@Microsoft Office Access set |1 field(s) to Null due to a type conversion failure, and it didn't add |2 record(s) to the table due to key violations, |3 record(s) due to lock violations, and |4 record(s) due to validation rule violations. Do you want to run the action query anyway? To ignore the error(s) and run the query, click Yes. For an explanation of the causes of the violations, click Help.@@21@1@10020@2' **Access 2010+ uses different description:** 'Microsoft Access can't append all the records in the append query.@Microsoft Access set |1 field(s) to Null due to a type conversion failure, and it didn't add |2 record(s) to the table due to key violations, |3 record(s) due to lock violations, and |4 record(s) due to validation rule violations. Do you want to run the action query anyway? To ignore the error(s) and run the query, click Yes. For an explanation of the causes of the violations, click Help.@@21@1@10020@2'

Microsoft Office Access can't add all the records in the update or append query.@It set |1 field(s) to Null due to a type conversion failure. A type conversion failure is caused when the data in one or more fields doesn't match the DataType or FieldSize property in the destination table. For example, leaving blank fields in a Yes/No field or entering text in a numeric field will cause this error. Do you want to ignore the errors and run the update or append query anyway? To ignore the error(s) and run the query, click Yes.@@19@600922@2' **Access 2007+ uses different description:** 'Microsoft Office Access can't add all the records in the update or append query.@It set |1 field(s) to Null due to a type conversion failure. A type conversion failure is caused when the data in one or more fields doesn't match the DataType or FieldSize property in the destination table. For example, leaving blank fields in a Yes/No field or entering text in a numeric field will cause this error. Do you want to ignore the errors and run the update or append query anyway? To ignore the error(s) and run the query, click Yes.@@19@1@922@2' **Access 2010+ uses different description:** 'Microsoft Access can't add all the records in the update or append query.@It set |1 field(s) to Null due to a type conversion failure. A type conversion failure is caused when the data in one or more fields doesn't match the DataType or FieldSize property in the destination table. For example, leaving blank fields in a Yes/No field or entering text in a numeric field will cause this error. Do you want to ignore the errors and run the update or append query anyway? To ignore the error(s) and run the query, click Yes.@@19@1@922@2'

Microsoft Office Access can't delete |2 record(s) in the delete query due to key violations and |3 record(s) due to lock violations.@Do you want to run this action query anyway? To ignore the error(s) and run the query, click Yes. For an explanation of the causes of the violations, click Help.@@21@310016@2' **Access 2007+ uses different description:** 'Microsoft Office Access can't delete |2 record(s) in the delete query due to key violations and |3 record(s) due to lock violations.@Do you want to run this action query anyway? To ignore the error(s) and run the query, click Yes. For an explanation of the causes of the violations, click Help.@@21@1@10016@2' **Access 2010+ uses different description:** 'Microsoft Access can't delete |2 record(s) in the delete query due to key violations and |3 record(s) due to lock violations.@Do you want to run this action query anyway? To ignore the error(s) and run the query, click Yes. For an explanation of the causes of the violations, click Help.@@21@1@10016@2'

10511

Access 2003+

10512

Access 2003+

The existing | will be deleted before you run the query.@Do you want to continue anyway?@@20@@2 **Access 2007+ uses different description:** 'The existing | will be deleted before you run the query.@Do you want to continue anyway?@@20@@2'

Access 2003+

Error Code	Error Description	Supported Versions
10513	You won't be able to undo the changes this action query is about to make to the data in a linked table or tables.@Do you want to run this action query anyway?@@19@@2 <b>Access 2007+ uses different description:</b> 'You won't be able to undo the changes this action query is about to make to the data in a linked table or tables.@Do you want to run this action query anyway?@@19@@2'	Access 2003+
10514	Microsoft Office Access was unable to update all the records in the update query.@Microsoft Office Access didn't update  1 field(s) due to a type conversion failure,  2 record(s) due to key violations,  3 record(s) due to lock violations, and  4 record(s) due to validation rule violations. For an explanation of the causes of the violations, click Help.@@2@310019@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access was unable to update all the records in the update query.@Microsoft Office Access didn't update  1 field(s) due to a type conversion failure,  2 record(s) due to key violations,  3 record(s) due to lock violations, and  4 record(s) due to validation rule violations. For an explanation of the causes of the violations, click Help.@@2@1@10019@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access was unable to update all the records in the update query.@Microsoft Access didn't update  1 field(s) due to a type conversion failure,  2 record(s) due to key violations,  3 record(s) due to lock violations, and  4 record(s) due to validation rule violations. For an explanation of the causes of the violations, click Help.@@2@1@10019@1'	Access 2003+
10515	Microsoft Office Access can't append all the records to the table.@Microsoft Office Access set  1 field(s) to Null due to a type conversion failure, and it didn't add  2 record(s) due to key violations,  3 record(s) due to lock violations, and  4 record(s) due to validation rule violations. For an explanation of the causes of the violations, click Help.@@2@310020@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access can't append all the records to the table.@Microsoft Office Access set  1 field(s) to Null due to a type conversion failure, and it didn't add  2 record(s) due to key violations,  3 record(s) due to lock violations, and  4 record(s) due to validation rule violations. For an explanation of the causes of the violations, click Help.@@2@1@10020@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access can't append all the records to the table.@Microsoft Access set  1 field(s) to Null due to a type conversion failure, and it didn't add  2 record(s) due to key violations,  3 record(s) due to lock violations, and  4 record(s) due to validation rule violations. For an explanation of the causes of the violations, click Help.@@2@1@10020@1'	Access 2003+
10516	Microsoft Office Access can't add all the records in the make-table query.@It set  1 field(s) to Null due to a type conversion failure. A type conversion failure is caused when the data in one or more fields doesn't match the DataType or FieldSize property in the destination table. For example, leaving blank fields in a Yes/No field or adding text in numeric field will cause this error.@@1@600922@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access can't add all the records in the make-table query.@It set  1 field(s) to Null due to a type conversion failure. A type conversion failure is caused when the data in one or more fields doesn't match the DataType or FieldSize property in the destination table. For example, leaving blank fields in a Yes/No field or adding text in numeric field will cause this error.@@1@1@922@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access can't add all the records in the make-table query.@It set  1 field(s) to Null due to a type conversion failure. A type conversion failure is caused when the data in one or more fields doesn't match the DataType or FieldSize property	Access 2003+
10517		

in the destination table. For example, leaving blank fields in a Yes/No field or adding text in numeric field will cause this error.@@1@1@922@1'

Microsoft Office Access can't delete all the records in the delete query.@Microsoft Office Access didn't delete |2 record(s) due to key violations and |3 record(s) due to lock violations. For an explanation of the causes of the violation, click Help.@@2@310016@1 **Access 2007+ uses different**

**description:** 'Microsoft Office Access can't delete all the records in the delete query.@Microsoft Office Access didn't delete |2 record(s) due to key violations and |3 record(s) due to lock violations. For an explanation of the causes of the violation, click Help.@@2@1@10016@1' **Access 2010+ uses different**

**description:** 'Microsoft Access can't delete all the records in the delete query.@Microsoft Access didn't delete |2 record(s) due to key violations and |3 record(s) due to lock violations. For an explanation of the causes of the violation, click Help.@@2@1@10016@1'

There isn't enough disk space or memory to undo the data changes this action query is about to make.@Do you want to run this action query anyway? For information on freeing disk space or freeing memory, search the Microsoft Windows Help index for 'disk space, freeing' or 'memory,

troubleshooting'.@@19@@2 **Access 2007+ uses different description:** 'There isn't enough disk space or memory to undo the data changes this action query is about to make.@Do you want to run this action query anyway? For information on freeing disk space or freeing memory, search the Microsoft Windows Help index for 'disk space, freeing' or 'memory, troubleshooting'.@@19@@@2'

Do you want to save the changes made to the SQL statement and update the property?@The RecordSource or RowSource property contained a SQL statement when you invoked the Query Builder, so the original SQL statement was modified.@To close the Query Builder without changing the original SQL statement, click No.@13@604309@2 **Access 2007+ uses different**

**description:** 'Do you want to save the changes made to the SQL statement and update the property?@The RecordSource or RowSource property contained an SQL statement when you invoked the Query Builder, so the original SQL statement was modified.@To close the Query Builder without changing the original SQL statement, click No.@13@1@4309@2'

Do you want to save the changes made to the query and update the property? @The RecordSource or RowSource property contained the name of a query when you invoked the Query Builder, so the original query was modified.@To close the Query Builder without changing the original query, click

No.@13@604309@2 **Access 2007+ uses different description:** 'Do you want to save the changes made to the query and update the property?@The RecordSource or RowSource property contained the name of a query when you invoked the Query Builder, so the original query was modified.@To close the Query Builder without changing the original query, click No.@13@1@4309@2'

You invoked the Query Builder on a table.@Do you want to create a query based on the table?@@19@@2 **Access 2007+ uses different description:** 'You invoked the Query Builder on a table.@Do you want to create a query based on the table?@@19@@@2'

You are about to run a pass-through query that may modify data in your table.@Are you sure you want to run this type of an SQL query? For information on how to prevent this message from displaying every time you run an SQL query, click Help.@@21@209058@2 **Access 2007+ uses different description:** 'You are about to run a pass-through query that may modify data in your table.@Are you sure you want to run this type of an SQL query? For information on how to prevent this message from displaying every time you run an SQL query, click Help.@@21@1@9058@2'

| output column(s) in the query were unnamed and will not show any data.@@@1@@@1 **Access 2007+ uses different description:** '| output

column(s) in the query were unnamed and will not show any data.@@@1@@@1'

Do you want to save the changes made to the SQL Statement and update the text editor?@The Stored Procedure or Function contained an SQL statement when you invoked the Query Builder, so the original SQL statement was modified.@To close the Query Builder without changing the original SQL statement, click No.@13@604309@2 **Access 2007+ uses different description:** 'Do you want to save the changes made to the SQL Statement and update the text editor?@The Stored Procedure or Function contained an SQL statement when you invoked the Query Builder, so the original SQL statement was modified.@To close the Query Builder without changing the original SQL statement, click No.@13@1@4309@2'

Access 2003+

Are you sure you want to permanently delete the selected relationship from your database?@@@19@@@2 **Access 2007+ uses different description:** 'Are you sure you want to permanently delete the selected relationship from your database?@@@19@@@2'

Access 2003+

A relationship already exists.@Do you want to edit the existing relationship? To create a new relationship, click No.@@13@@@2 **Access 2007+ uses different description:** 'A relationship already exists.@Do you want to edit the existing relationship? To create a new relationship, click No.@@13@@@2'

Access 2003+

The field name is missing in row |.@You haven't selected a matching field for this relationship in each row of the grid.@Select fields so that the grid has the same number of fields on the left and right sides, and then try to create the relationship again.@1@@@1 **Access 2007+ uses different description:** 'The field name is missing in row |.@You haven't selected a matching field for this relationship in each row of the grid.@Select fields so that the grid has the same number of fields on the left and right sides, and then try to create the relationship again.@1@@@1'

Access 2003+

This relationship has been modified or deleted by another user since you opened the Relationships window.@Do you want to edit the relationship and overwrite the other user's changes? To update your Relationships window to include the other user's changes, click No.@@19@@@2 **Access 2007+ uses different description:** 'This relationship has been modified or deleted by another user since you opened the Relationships window.@Do you want to edit the relationship and overwrite the other user's changes? To update your Relationships window to include the other user's changes, click No.@@19@@@2'

Access 2003+

This relationship has already been deleted by another user.@To update your view, click OK.@@1@@@1 **Access 2007+ uses different description:** 'This relationship has already been deleted by another user.@To update your view, click OK.@@1@@@1'

Access 2003+

The layout of the Relationships window will be cleared.@Do you want to continue?@@19@@@2 **Access 2007+ uses different description:** 'The layout of the Relationships window will be cleared.@Do you want to continue?@@19@@@2'

Access 2003+

You can't display queries or linked tables in the Relationships window for this database.@The database '|' was created in an earlier version of Microsoft Office Access. If you want to convert this database to the current version of Microsoft Office Access, use the Convert Database command on the Tools menu (Database Utilities submenu).@@1@@@1 **Access 2007+ uses different description:** 'You cannot display queries or linked tables in the Relationships window for this database.@The database '|' was created in an earlier version of Microsoft Office Access. To convert this database to the current version of Microsoft Office Access, click the Microsoft Office Button, and then click Convert.@@3@1@9029@1' **Access 2010+ uses different description:** 'You cannot display queries or linked tables in the Relationships window for this

Access 2003+

database.'1' was created in an earlier version of Microsoft Access. To convert this database to the current version of Microsoft Access, click the File tab, and then click Convert.@@1@@@0'

The relationship has been created as a one-to-many relationship because there are duplicate entries in the related field.@You've tried to create a one-to-one relationship, but the data in the tables suggests that a one-to-many relationship is more appropriate.@@2@411617@1 **Access 2007+ uses different description:** 'The relationship has been created as a one-to-many relationship because there are duplicate entries in the related field.@You've tried to create a one-to-one relationship, but the data in the tables suggests that a one-to-many relationship is more appropriate.@@2@1@11617@1'

Access 2003+

**Error Code**

**Error Description**

**Supported Versions**

To create a relationship, use the mouse to drag a field from one table to another.@@@1@@@1 **Access 2007+ uses different description:** 'To create a relationship, use the mouse to drag a field from one table to another.@@@1@@@1'

Access 2003+

This document was previously formatted for the printer |1 on |2, but that printer isn't available. Do you want to use the default printer |3?@@@19@@@1 **Access 2007+ uses different description:** 'This document was previously formatted for the printer |1 on |2, but that printer isn't available. Do you want to use the default printer |3?@@@19@@@1'

Access 2003+

This document was previously formatted for the printer '1 on |2', but that printer isn't available. The page settings shown in the Print Setup dialog box are for the current default printer '3'.@Do you want to continue?@@19@@@1 **Access 2007+ uses different description:** 'This document was previously formatted for the printer '1 on |2', but that printer isn't available. The page settings shown in the Print Setup dialog box are for the current default printer '3'.@Do you want to continue?@@19@@@1'

Access 2003+

Previewing or printing this PivotTable view might take a long time because it displays a large amount of detail data.Microsoft Office Access might not respond for some time.@Do you want to continue?@\* To reduce the amount of time required, hide most or all of the detail data in the view. \* For more information, consult Microsoft Knowledge Base article Q282315.@3@@@1 **Access 2007+ uses different description:** 'Previewing or printing this PivotTable view might take a long time because it displays a large amount of detail data.Microsoft Office Access might not respond for some time.@Do you want to continue?@\* To reduce the amount of time required, hide most or all of the detail data in the view. \* For more information, consult Microsoft Knowledge Base article Q282315.@3@@@1' **Access 2010+ uses different description:** 'Previewing or printing this PivotTable view might take a long time because it displays a large amount of detail data.Microsoft Access might not respond for some time.@Do you want to continue?@\* To reduce the amount of time required, hide most or all of the detail data in the view. \* For more information, consult Microsoft Knowledge Base article Q282315.@3@@@1'

Access 2003+

You must save the macro before you run it.@Do you want to save the macro now? \* To save the macro and then run it, click Yes. \* To return to the Macro window for this macro or to the window you executed the Run Macro command from, click No.@@19@@@2 **Access 2007+ uses different description:** 'You must save the macro before you run it.@Do you want to save the macro now? \* To save the macro and then run it, click Yes. \* To return to the Macro window for this macro or to the window you executed the Run Macro command from, click No.@@19@@@2'

Access 2003+

Some of the macro actions you are trying to save cannot be performed in Access 97. These actions will be permanently deleted from the macro in the Access 97 version of your database.@@@1@@@1 **Access 2007+ uses different**

Access 2003+



**description:** 'Some of the macro actions you are trying to save cannot be performed in Access 97. These actions will be permanently deleted from the macro in the Access 97 version of your database.@@@1@@@1'

Microsoft Office Access finished adding the index '|'.@Add another index from the Select Index Files dialog box, or click Close.@@1@@1 **Access 2007+ uses different description:** 'Microsoft Office Access finished adding the index '|'.@Add another index from the Select Index Files dialog box, or click Close.@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access finished adding the index '|1'.@Add another index from the Select Index Files dialog box, or click Close.@@1@@@1'

The Microsoft Office Access index information (.inf) file for '|' already exists.@Do you want to replace the existing Microsoft Office Access .inf file for the dBASE or Microsoft FoxPro file you're linking?@\* To create a new .inf file, click Yes. \* To use the existing file, click No. If the .inf file contains invalid or outdated information, you must click Yes to create a new .inf file before you can link the table.@17@209186@2 **Access 2007+ uses different description:** 'The Microsoft Office Access index information (.inf) file for '|' already exists.@Do you want to replace the existing Microsoft Office Access .inf file for the dBASE or Microsoft FoxPro file you're linking?@\* To create a new .inf file, click Yes. \* To use the existing file, click No. If the .inf file contains invalid or outdated information, you must click Yes to create a new .inf file before you can link the table.@17@1@9186@2' **Access 2010+ uses different description:** 'The Microsoft Access index information (.inf) file for '|1' already exists.@Do you want to replace the existing Microsoft Access .inf file for the dBASE or Microsoft FoxPro file you're linking?@\* To create a new .inf file, click Yes. \* To use the existing file, click No. If the .inf file contains invalid or outdated information, you must click Yes to create a new .inf file before you can link the table.@17@1@9186@2'

The database object '|' already exists.@Do you want to replace the existing database object with the one you are exporting? If you want to export this object without replacing the existing database object, click No. You can then export the object again and rename it in the Export dialog box.@@20@@2 **Access 2007+ uses different description:** 'The object '|' already exists.@Do you want to replace the existing object with the one you are exporting? If you want to export this object without replacing the existing object, click No.You can then choose a new name in the Export dialog box.@@20@@@2'

Not all of the import specifications could be imported due to name conflicts.Conflicts existed in | of the specifications.@Rename the conflicting import specifications, and try the import operation again.@@1@@1 **Access 2007+ uses different description:** 'Not all of the import specifications could be imported due to name conflicts.Conflicts existed in | of the specifications.@Rename the conflicting import specifications, and try the import operation again.@@1@@@1'

Invalid CDF file name **Access 2007+ uses different description:** "

Related data is not supported with the live data option.

Please specify XML export location.

The current record was not unique.All identical records were exported.

A form with a bound ActiveX control or an embedded object bound to a data source can't have its DefaultView property set to Continuous Forms.@You tried to add a bound ActiveX control to a form in Design view. Microsoft Office Access will reset the DefaultView property to Single Form.@@1@@1 **Access 2007+ uses different description:** 'A form with a bound ActiveX control or an embedded object bound to a data source can't have its DefaultView property set to Continuous Forms.@You tried to add a bound ActiveX control to a form in Design view. Microsoft Office Access will reset the DefaultView property to Single Form.@@1@@@1' **Access 2010+ uses different description:** 'A form

with a bound ActiveX control or an embedded object bound to a data source can't have its DefaultView property set to Continuous Forms.@You tried to add a bound ActiveX control to a form in Design view. Microsoft Access will reset the DefaultView property to Single Form.@@1@@@1'

10893 Either the data access page file has been opened by another user or you don't have write permission to the file.If you make changes, you will have to save them to another file. **Access 2007+ uses different description: "**

Access 2003

10894 An unexpected error occurred while saving document properties to the data access page. **Access 2007+ uses different description: "**

Access 2003

10895 You tried to drop an OLE or binary column onto your data access page.There is no HTML control which binds correctly to this column type. **Access 2007+ uses different description: "**

Access 2003

10896 You have chosen to permanently delete the data access page.@Do you want to delete both the link and page file(s), or delete just the link?&Delete Link and Files>Delete &Link OnlyCancel@@27@@ **Access 2007+ uses different description: 'You have chosen to permanently delete the link to the data access page.@Delete &LinkCancel@@27@@@' Access 2010+ uses different description: 'You have chosen to permanently delete the link to the data access page.Delete &LinkCancel@@@27@@@'**

Access 2003+

10897 |@There is a problem with Internet Explorer registry settings.@Please reinstall Internet Explorer.@1@@@1 **Access 2007+ uses different description: '|@There is a problem with Internet Explorer registry settings.@Please reinstall Internet Explorer.@1@@@1'**

Access 2003+

## Error Code

## Error Description

## Supported Versions

10898 Microsoft Office Access data access pages can only be viewed in Microsoft Internet Explorer, but it is not your default Browser.@Do you want to open Internet Explorer to view this page?@@19@@ **Access 2007+ uses different description: 'Microsoft Office Access data access pages can only be viewed in Windows Internet Explorer, but it is not your default Browser.@Do you want to open Internet Explorer to view this page?@@19@@@' Access 2010+ uses different description: 'Microsoft Access data access pages can only be viewed in Windows Internet Explorer, but it is not your default Browser.@Do you want to open Internet Explorer to view this page?@@19@@@'**

Access 2003+

10899 A link to this data access page could not be created because the Data and Misc. Objects are not checked out.@@@1@@@1 **Access 2007+ uses different description: 'A link to this data access page could not be created because the Data and Misc. Objects are not checked out.@@@1@@@1'**

Access 2003+

10900 The save operation was successful.@A folder was created for your supporting files at the save destination.@This directory had to be created because the server does not support long file names.@1@@@1 **Access 2007+ uses different description: "**

Access 2003

10901 You must save your data access page before you can preview it.@Do you want to save now?@@19@@ **Access 2007+ uses different description: "**

Access 2003

10902 The data access page has been saved, but one or more of the supporting files (i.e., image, sound, video files) are missing.@You may need to: \*Delete and recreate the HTML object(s) on the page. \*Reapply the theme, if the page has a theme.@@1@@@1 **Access 2007+ uses different description: "**

Access 2003

10903 The save completed, but files for the selected theme are missing.@Please apply a new theme to your data access page, and save again.@@1@@@1 **Access 2007+ uses different description: "**

Access 2003

10904 Do you want Microsoft Office Access to set the DataPageSize property of this group level to All?@@@19@@ **Access 2007+ uses different description: "**

Access 2003

10905 You have opened a page that was designed using Access 2000. To be able to edit the page, you must save it using a more recent version of the Microsoft Office Web Components. Do you want Access to convert this page by saving it

Access 2003

using a more recent version of the Microsoft Office Web Components?&ConvertCancel@@@35@@ Access 2007+ uses different description: "

Are you sure you want to delete this account?@You can't undo the deletion of a user or group account. To restore a user or group account that has been deleted, you must recreate the account using the same name and personal identifier (PID).@@20@@@2 Access 2007+ uses different description: 'Are you sure you want to delete this account?@You can't undo the deletion of a user or group account. To restore a user or group account that has been deleted, you must recreate the account using the same name and personal identifier (PID).@@20@@@2'

You don't have permission to modify '|'.@To modify this object, you must have Modify Design permission for it. If the object is a table, you must also have Delete Data and Update Data permissions for it. Do you want to save a copy of the object as a new object?@@21@410222@1 Access 2007+ uses different description: 'You don't have permission to modify '|'.@To modify this object, you must have Modify Design permission for it. If the object is a table, you must also have Delete Data and Update Data permissions for it. Do you want to save a copy of the object as a new object?@@21@1@10222@1'

You don't have permission to view this macro.@To view a macro, you must have Read Design permission for it. Do you want to continue to run the macro?@@21@410222@2 Access 2007+ uses different description: 'You don't have permission to view this macro.@To view a macro, you must have Read Design permission for it. Do you want to continue to run the macro?@@21@1@10222@2'

You don't have permission to modify '|'.@To modify this object, you must have Modify Design permission for it. If the object is a table, you must also have Delete Data and Update Data permissions for it. Do you want to open it as read-only?@@21@410222@1 Access 2007+ uses different description: 'You don't have permission to modify '|'.@To modify this object, you must have Modify Design permission for it. If the object is a table, you must also have Delete Data and Update Data permissions for it. Do you want to open it as read-only?@@21@1@10222@1'

You changed the permissions of '|1' for '|2'.@Do you want to assign these permissions now?@@19@@@2 Access 2007+ uses different description: 'You changed the permissions of '|1' for '|2'.@Do you want to assign these permissions now?@@19@@@2'

You don't have permission to open '|' for exclusive use.@Microsoft Office Access is opening the database for shared access. To open a database for exclusive access, you must have Open Exclusive permission for it. For more information on permissions and who can set them, click Help.@@2@410222@1 Access 2007+ uses different description: 'You don't have permission to open '|' for exclusive use.@Microsoft Office Access is opening the database for shared access. To open a database for exclusive access, you must have Open Exclusive permission for it. For more information on permissions and who can set them, click Help.@@5@1@10222@1' Access 2010+ uses different description: 'You don't have permission to open '|1' for exclusive use.@Microsoft Access is opening the database for shared access. To open a database for exclusive access, you must have Open Exclusive permission for it. For more information on permissions and who can set them, click Help.@@5@1@10222@1'

;LCID=0x0409

You haven't entered a workgroup ID. To ensure that your workgroup information file is unique, enter a unique workgroup ID of up to 20 numbers or letters. Continue without a workgroup ID?@@@20@@@1 Access 2007+ uses different description: 'You haven't entered a workgroup ID. To ensure that

	your workgroup information file is unique, enter a unique workgroup ID of up to 20 numbers or letters. Continue without a workgroup ID?@@@20@@@1'	
10958	The file ' ' already exists. Replace existing file?@@@20@@@1 <b>Access 2007+ uses different description:</b> 'The file ' ' already exists. Replace existing file?@@@20@@@1'	Access 2003+
10959	Workgroup Files (*.mdw)	Access 2003+
10960	Select Workgroup Information File	Access 2003+
10961	Open	Access 2003+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
10962	You have successfully created the workgroup information file ' .'@@@1@@@4 <b>Access 2007+ uses different description:</b> 'You have successfully created the workgroup information file ' .'@@@1@@@4'	Access 2003+
10963	Could not find file: ' ' <b>Access 2007+ uses different description:</b> "	Access 2003
10964	You have successfully joined the workgroup defined by the workgroup information file ' @@@1@@@2 <b>Access 2007+ uses different description:</b> 'You have successfully joined the workgroup defined by the workgroup information file ' @@@1@@@2'	Access 2003+
10965	It is strongly recommended that you change the system administrator (SA) password when this operation is complete.To change the SA password point to Security on the Tools menu, and then click Set Login Password. <b>Access 2007+ uses different description:</b> "	Access 2003
10966	You must restart the application for the new security level to take effect.@@@1@@@1 <b>Access 2007+ uses different description:</b> "	Access 2003
10967	Microsoft Office Access cannot change the registry setting that controls whether or not unsafe expressions are blocked.@Your account is not authorized to change this registry setting. To change this setting, contact your system administrator.@@2@553714182@2 <b>Access 2007+ uses different description:</b> "	Access 2003
10968	Microsoft Office Access cannot add a digital signature to your file because Access cannot gain exclusive access to the file. @Make sure no other person or program has the file open and try to add the digital signature again.@@1@@@2 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access cannot add a digital signature to your file because Access cannot gain exclusive access to the file. @Make sure no other person or program has the file open and try to add the digital signature again.@@1@@@2' <b>Access 2010+ uses different description:</b> 'Microsoft Access cannot add a digital signature to your file because Access cannot gain exclusive access to the file. @Make sure no other person or program has the file open and try to add the digital signature again.@@1@@@2'	Access 2003+
10969	For the Medium or High macro security levels to function properly, your computer must also be configured to block unsafe expressions.@Blocking unsafe expressions affects all users on this computer.@Do you want to block unsafe expressions?@21@553714182@2 <b>Access 2007+ uses different description:</b> "	Access 2003
10970	Unsafe expressions are blocked. You can configure your computer to allow all expressions to be evaluated.@Allowing all expressions to be evaluated affects all users on this computer.@Do you want to allow the evaluation of potentially unsafe expressions?@22@553714182@2 <b>Access 2007+ uses different description:</b> "	Access 2003
10971	Security Warning: Unsafe expressions are not blocked.@To block unsafe expressions, Microsoft Jet 4.0 Service Pack 8 or later must be installed. To get the latest version of Jet 4.0, go to <a href="http://windowsupdate.microsoft.com">http://windowsupdate.microsoft.com</a> .@' ' may not be safe to open if it contains expressions that were intended to harm your computer. Do you want to open this file?@20@553714182@2 <b>Access 2007+ uses different description:</b> "	Access 2003

10972	Security Warning: Unsafe expressions are not blocked. Do you want to block unsafe expressions? Access 2007+ uses different description: "	Access 2003
10973	" cannot be opened because you must restart the application for the new security level to take effect. Access 2007+ uses different description: "	Access 2003
10974	Modifications to the database or project have invalidated the associated digital signature. This may require you to make a trust decision the next time you open the database or project. Access 2007+	Access 2007+
13000	Switching fields will lose rule changes that have not been applied. Continue and Discard Changes Continue and Apply Changes Cancel Access 2010+	Access 2010+
13001	Publishing an application will unencrypt your data and remove the database password. Do you want to continue? Access 2010+	Access 2010+
13002	Unable to create or send email for collecting data. Outlook is not configured to collect data via email; please contact your system administrator. Access 2010+	Access 2010+
13003	Access cannot perform the export operation. Verify that the export table and related tables have numeric primary keys. Access 2010+	Access 2010+
13004	The Force New Page property cannot be changed on Web reports that contain multiple columns. Access 2010+	Access 2010+
13005	Microsoft Access is unable to link to list '1'. The list is not a standard SharePoint list. Access 2010+	Access 2010+
13006	Microsoft Access was unable to connect to the Web application because your Internet settings are configured to Work Offline. Access 2010+	Access 2010+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
13007	The site " was not found. Access 2010+	Access 2010+
13008	The server is busy. Try again later. Access 2010+	Access 2010+
13009	Web queries support only the Select query type. Access 2010+	Access 2010+
13010	Web queries must have relationships between all tables. Add relationships or remove the tables that you do not need. Access 2010+	Access 2010+
13011	The alias name specified is not valid for Web queries. Please ensure the name does not contain special characters and is not longer than 64 characters. Access 2010+	Access 2010+
13012	Web queries cannot sort or filter on complex data columns. Access 2010+	Access 2010+
13013	Microsoft Access was unable to publish the database because your Internet settings are configured to Work Offline. Access 2010+	Access 2010+
13014	The SetOrderBy action cannot sort on the " field. Access 2010+	Access 2010+
13015	Local variable names must be less than or equal to 64 characters in length, may not start with an equal sign or a space, and may not contain any of the following characters including CR, LF or TAB: .![]/*?""<>#}%~&. Access 2010+	Access 2010+
13016	" is not in the list of sites your administrator has allowed for publishing or syncing Access Services applications. Access 2010+	Access 2010+
13017	This expression was last modified using another design environment and contains an unsupported function. The expression cannot be modified here. Access 2010+	Access 2010+
13018	An error occurred when trying to save the database as a template because the table '1' could not be exported to a Web compatible format. Run the Compatibility Checker, fix any reported issues, then try again. Access 2010+	Access 2010+
13019	Data bars are supported only for tables and named queries. Access 2010+	Access 2010+
13020	This action will delete the template from your hard drive. Do you want to continue? Access 2010+	Access 2010+
13021	Your template has been successfully saved in " Access 2013+ uses different description: 'Your template has been successfully saved as '" Access 2010+	Access 2010+

13022	This database was created with the 64-bit version of Microsoft Access. Please open it with the 64-bit version of Microsoft Access.	Access 2010+
13023	This database was created with the 32-bit version of Microsoft Access. Please open it with the 32-bit version of Microsoft Access.	Access 2010+
13024	Network connectivity was lost while changing caching mode. Some tables may not have changed modes. You will be prompted to change modes again next time your database is closed and opened.	Access 2010+
13025	All data changes made in disconnected tables will be permanently discarded.@If you discard your changes, you will automatically be reconnected to the SharePoint site if a connection exists.@Do you want to continue? @3@@@1	Access 2010+
13026	This macro appears to have been changed in an older version of Access. Do you want to convert the macro to a format compatible with Access 2010? You may lose the current macro formatting. If you would like to keep the formatting and potentially lose changes made in the older version select 'No'. <b>Access 2013 uses different description:</b> 'This macro appears to have been changed in an older version of Access. Do you want to convert the macro to a format compatible with Access 2013? You may lose the current macro formatting. If you would like to keep the formatting and potentially lose changes made in the older version select 'No'.' <b>Access 2016 uses different description:</b> 'This macro appears to have been changed in an older version of Access. Do you want to convert the macro to a format compatible with Access 2016? You may lose the current macro formatting. If you would like to keep the formatting and potentially lose changes made in the older version select 'No'.'	Access 2010+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
13027	In a Web form, if the Inherit Value List property is false, then the Allow Value List Edits property must also be false.	Access 2010+
13028	The SetProperty macro action cannot set the Value property on the ' ' control.	Access 2010+
13029	The SetProperty macro action cannot set the Value property because the solution contains links to external data and the database is not trusted.	Access 2010+
13030	The RunDataMacro macro action failed because the solution contains links to external data and the database is not trusted.	Access 2010+
13031	The lookup field was not created. The database engine could not lock the table '1' because it is already in use by another person or process. Verify that the table '1' and the forms, queries, and reports that use it are closed before creating this lookup field.	Access 2010+
13032	Your change to the data integrity was not saved. The database engine could not lock the table '1' because it is already in use by another person or process. Verify that the table '1' and the forms, queries, and reports that use it are closed before making this change.	Access 2010+
13033	The ' ' link is used by Microsoft Access to maintain your Web application. It may not be deleted or renamed.	Access 2010+
13034	Created a local copy of '2' at '1'.	Access 2010+
13035	The control ' ' cannot be used in Web reports because it uses padding.	Access 2010+
13036	Either the Web location or application name entered was invalid.	Access 2010+
13037	Operation did not succeed. Some table properties and data macros could not be saved because there is not a connection to a SharePoint site. To ensure that the properties and macros are saved, restore the connection to the SharePoint site. Data macros can be copied to the Clipboard and pasted back into the macro designer when the connection is restored.	Access 2010+
13038	Only form, report, or query Web objects can be saved as client objects.	Access 2010+
13039	Only ACCDB files that are not yet Web databases can be prepared for Web publish.	Access 2010+

13040	Microsoft Access encountered an error while checking the database ' ' for Web compatibility.@The conversion failed.@@1@@@1	Access 2010+
13041	Any data changes made while your application was disconnected from the server will be discarded when the database is closed. To save these changes, click the Cancel button and reconnect with the server. Do you want to continue to close the database and discard your data?	Access 2010+
13042	The server returned a response that Microsoft Access was unable to understand. Please contact your server administrator.	Access 2010+
13043	The table ' ' is in use and cannot be converted to a local table. Close open objects that may have dependencies on this table and ensure no other user has it open.	Access 2010+
13044	The Outlook task could not be created.	Access 2010+
13045	The maximum number of nesting levels has been reached.	Access 2010+
13046	The ' '1' argument value is not valid for the macro action ' 2'.@A Macro with parameters cannot be an error handler.@@1@@@1	Access 2010+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
13047	This property cannot be changed because one or more of the tab pages contains a shared or linked image.	Access 2010+
13048	The Unique property could not be set on the table because duplicate values exist in the field. Remove the duplicate values and try again.	Access 2010+
13049	Microsoft Access cannot export your object to the database you have selected. Please select a different database or a different object to export.	Access 2010+
13050	Microsoft Access cannot import the selected objects into the current database because one or more of them are not web compatible. Fix the compatibility errors and try again, or select different objects to import.	Access 2010+
13051	Microsoft Access cannot export the objects to the selected database because one or more of them are not web compatible.@A log table containing the errors encountered can be found in the database to which the export was attempted.@Fix the compatibility errors and try again, or select different objects to export.@1@@@1	Access 2010+
13052	Object must be open.	Access 2010+
13053	Object not found.	Access 2010+
13054	Object not supported.	Access 2010+
13055	The value of a Display Form property was invalid and was not saved.	Access 2010+
13056	Web queries may not have more than one join between the same two tables.@Extra joins must be removed from this query.@Changes to the joins in the query will not affect table relationships.@1@@@1	Access 2010+
13057	You can't delete the ' 1' field. This field is used to identify and store the rows in your table.	Access 2010+
13058	The data macro did not run because the table is not on the server. Synchronize the application with the server and then run the data macro.	Access 2010+
13059	The lookup field was not created. At least one value is needed for a value list.	Access 2010+
13060	Only Web databases may be published to Access Services. Run ""Prepare for Web"" on this database first.	Access 2010+
13061	The Web location you specified does not support Access Services.	Access 2010+
13062	The data type cannot change on a field that is indexed. Consider setting the index property to false before changing the data type.	Access 2010+
13063	The Submacro with same name already exists. Enter a different name.	Access 2010+
13064	Cannot convert the expression ' ' for use on the Web.	Access 2010+
13065	The table is too large for this change to be saved.	Access 2010+
13066	The change could not be saved to the server.	Access 2010+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>

13067	A timeout prevented the change from saving to the server.	Access 2010+
13068	Fields of type Memo, Binary and Lookup cannot be used in a validation rule for Web tables.	Access 2010+
13069	Renaming the table failed because there is not a connection to a SharePoint site. Restore the connection to the SharePoint site, synchronize the application with the server, and try the rename operation again.	Access 2010+
13070	The expression that you entered is not valid for Web-compatible default values.	Access 2010+
13071	The expression that you entered is not valid for Web-compatible table validation rules.	Access 2010+
13072	The expression that you entered is not valid for Web-compatible field validation rules.	Access 2010+
13073	The expression that you entered is not valid for Web-compatible forms.	Access 2010+
13074	The expression that you entered is not valid for Web-compatible reports.	Access 2010+
13075	The expression that you entered is not valid for Web-compatible macros.	Access 2010+
13076	The expression that you entered is not valid for Web-compatible databases.	Access 2010+
13077	The expression that you entered is not valid for Web-compatible data macros.	Access 2010+
13078	The expression that you entered is not valid for Web-compatible calculated columns.	Access 2010+
13079	This template contains client-only information and may not be imported into a Web database.	Access 2010+
13080	LoadFromAXL is not available when you have disconnected tables.Please reconnect all of your tables before attempting to use LoadFromAXL.	Access 2010+
13081	The  2 database was not synced because the site ' 1' is unavailable.	Access 2010+
13082	The update to the field did not complete because a dependent form, query, or report is open. Synchronize with the server to complete the update.	Access 2010+
13083	The server ' ' does not support Access Services.	Access 2010+
13084	The VBA project is password-protected.	Access 2010+
13085	You can't delete the table ' '; it is participating in one or more relationships.@If you want to delete this table, first delete any lookups in this table or that reference this table.@@1@@@1	Access 2010+
13086	Lookup field ' 1' contains values that do not exist in the related table ' 2'.	Access 2010+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
13087	The RunDataMacro action failed to invoke a data macro on the server. Please check your connectivity to the server.	Access 2010+
13088	Unable to insert control. The selected control is not valid in web reports.	Access 2010+
13089	The object cannot be imported because the database is read-only.	Access 2010+
13090	The table ' ' cannot be converted to a local table because it is not web compatible. Fix the compatibility errors and try again.	Access 2010+
13091	The server requires lookup fields with data integrity to be indexed.	Access 2010+
13092	Close and reopen the table to see the changes.	Access 2010+
13093	One or more web compatibility issues were found. The issues are listed in table ' 1'.	Access 2010+
13094	There was an error evaluating web compatibility. Any compatibility issues found before the error are listed in table ' 1'.	Access 2010+
13095	This template's objects are saved in a format that is no longer supported by Access 2010.Open the template in an older version to view its contents. <b>Access 2013 uses different description:</b> 'This template's objects are saved in a format that is no longer supported by Access 2013.Open the template in an older version to view its contents.' <b>Access 2016 uses different description:</b> 'This template's objects are saved in a format that is no longer supported by Access 2016.Open the template in an older version to view its contents.'	Access 2010+



13096	This template's objects are saved in a format that requires a newer version of Access.	Access 2010+
13097	' ' did not respond. Either the server does not exist, Microsoft Access Services are not enabled on the server, or the server is using an older version of Microsoft Access Services that is not compatible with Access 2010. <b>Access 2013+ uses different description:</b> ' ' did not respond. Either the server does not exist, Microsoft Access Services are not enabled on the server, or the server is using an incompatible version of Microsoft Access Services.'	Access 2010+
13098	The version of Microsoft Access Services installed on the server ' ' is a newer version that is not compatible with the version of Microsoft Access you are using. You must upgrade Microsoft Access in order to publish to it.	Access 2010+
13099	Your application was not upgraded to the current version of Microsoft Access. Try again by selecting the Upgrade button.	Access 2010+
13100	This table already has the maximum number of fields with the same data type as ' '. For the purposes of this calculation, Number and Currency are considered the same data type.	Access 2010+
13101	Microsoft Access was unable to close database objects. @Please close all opened database objects before trying again. @@1@@@1	Access 2010+
13102	Microsoft Access cannot reconnect one or more of the disconnected tables. Please check network connectivity and server availability.	Access 2010+
13103	The validation rule contains a syntax error and cannot be saved. A field or function may be misspelled or missing.	Access 2010+
13104	Unable to insert control. The selected control is not valid in reports.	Access 2010+
13105	The form or report has run out of memory. New macros cannot be added to the object. Please convert the embedded macros on the object into standalone macros and call them from the embedded macro using the RunMacro macro action.	Access 2010+
13106	Table properties and data macros could not be saved because the application has changed on the server. @Synchronize with the server before making changes. @To save your current data, copy and paste your last entered row to another file. Data macros can be copied to the Clipboard and pasted back into the macro designer once you have synchronized. @1@@@1	Access 2010+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
13107	An error has occurred in an AfterDelete data macro. The delete which triggered the event completed successfully. Please check in the USysApplicationLog table for more details. @@@1@@@1	Access 2010+
13108	This template may contain potentially harmful content that will run on creation. If you trust the contents of this template and would like to enable it, click Yes. <b>Access 2013+ uses different description:</b> 'This template wants to run a form after being imported. Do you trust the code in this form?'	Access 2010+
13109	The OpenReport macro action does not support passing query parameters to the report when the View argument is set to Print.	Access 2010+
13110	This operation is not supported for Microsoft SQL Server 2008 and later.	Access 2010+
13111	Referential integrity cannot be enforced between linked tables and local tables. @Enforcement of referential integrity will be dropped on all relationships between tables converted to local and tables that remain as links. @@5@1@6013@1	Access 2010+
13112	Web compatibility errors prevented the upgrade from succeeding. @Your application has been restored to its pre-upgrade state. @To complete the upgrade, you must make a local copy of your application, resolve the compatibility errors, and republish your application to a different site. @1@@@1	Access 2010+
13113	The upgrade operation was cancelled. @Your application has been restored to its pre-upgrade state and will remain read-only. Save a local copy of your	Access 2010+

application to make changes.@@1@@@1

Your application was not upgraded to the current version of Microsoft Access.@Your application has been restored to its pre-upgrade state and will remain read-only.@You can try again by selecting the Upgrade button, or save a local copy of your application to continue working with it.@1@@@1

Your application was successfully upgraded to the current version of Microsoft Access.@A local backup copy of your application has been saved in '1'.@@1@@@1

Your application was successfully upgraded to the current version of Microsoft Access.

Microsoft Access was unable to retrieve data for one or more tables on the server. Some data may be missing or out of date.

The column '1' cannot be changed or deleted because a calculated field or record validation rule depends on it.

Your data macro changes could not be saved because someone else has modified the data macros of this table.@To save your changes and overwrite the other user's changes, click ""Overwrite"".@If you click Cancel, you can re-enter the macro designer and copy your changes to the Clipboard, then synchronize with the server, enter the macro designer again and paste your changes back in.¶&Overwrite¶Cancel@36@@@2

The '|' action requires a valid control name that corresponds to a subform.@@@1@@@1

The |1 event is not available for controls on datasheet Web forms.

This form or report contains changes that are incompatible with the current database format. The form or report was not saved.@In order to save your changes, you must remove any layouts that have empty cells in them and/or set the HasModule property for the form or report to No.@@1@@@1

The length must be greater than 0 and less than or equal to 4000.@@@1@@@2

The field cannot be indexed if its length is greater than 220 characters.@@@1@@@2

The table must have a primary key.@@@1@@@2

This field cannot be changed or removed.@@@1@@@2

**Error Code      Error Description      Supported Versions**

Only Select type queries are supported.

Queries must have relationships between all tables. Add relationships or remove the tables that you do not need.

The alias name specified is not valid. Please ensure the name does not contain special characters and is not longer than 64 characters.

Do you want to permanently delete all of the selected objects?@If you click Yes, you won't be able to undo the deletion.@@20@@@2

The value for Title is required.

Can't open this application because it contains information that is not in a recognized format. Please contact your systems administrator.

The expression you entered uses a function that is not valid in the given context.

The |1 property cannot be edited.

Access Data Projects are no longer supported in this version of Access.

'1' can't be saved because someone else has made changes to it.¶Save As...¶Discard Changes@@@27@@@

'1' can't be renamed because someone else has made changes to it.

'1' can't be deleted because someone else has made changes to it.

13139	The calculated field '1' cannot be saved without a valid expression.	Access 2013+
13140	The application has been upgraded to a newer version on the server.@You will not be able to modify the application until you reload it.@Would you like to reload the application now?@20@@@2	Access 2013+
13141	This database was created with the ARM version of Microsoft Access. Please open it with the ARM version of Microsoft Access.	Access 2013+
13142	Export to the chosen Microsoft Access app is not supported. If you are attempting to export data from tables or queries, open the Microsoft Access app and use Import.	Access 2013+
13143	Microsoft Access failed to change the theme to  1.@ 2@Try again, or contact your administrator if the error persists.@1@@@@2	Access 2013+
13144	The primary key can have only one field.@Please delete the additional fields or specify an index name to create a new index.@@1@@@@2	Access 2013+
13145	The table definition is not in a format that is recognized by Microsoft Access.@You will not be able to create this table.@@1@@@@2	Access 2013+
13146	Sorry, an unexpected error occurred. Please exit and restart Microsoft Access.@If you've made recent design changes, please save your work before you exit.@@3@@@@1	Access 2013+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
13147	This field must have a default value.	Access 2013+
13148	There are pending changes in the open table. Closing this table may discard those changes.@@@3@@@@1	Access 2013+
13149	A data type must be specified for parameters.@Please select a valid data type for each parameter.@@1@@@@2	Access 2013+
13150	An error occurred while attempting to connect to the server '1' or the server took too long to respond.@Please try the operation again or contact your system administrator or technical support.@HTTP Status Code: '2'.@1@@@@2	Access 2013+
13151	An error occurred while attempting to connect to the server '1'.@Check the spelling of the server name. If it is correct, please contact your system administrator or technical support.@HTTP Status Code: '2'.@1@@@@2	Access 2013+
13152	An error occurred while attempting to connect to the server '1'.@Check the spelling of the server name. If you typed a web location starting with http:, try https: instead. If everything looks correct, please contact your system administrator or technical support.@HTTP Status Code: '2'.@1@@@@2	Access 2013+
13153	An error occurred in the client while attempting to communicate with the server '1'.@Please contact your system administrator or technical support.@@1@@@@2	Access 2013+
13154	An error occurred while communicating with the server '1'.@Please contact your system administrator or technical support.@HTTP Status Code: '2'.@1@@@@2	Access 2013+
13155	To complete this operation, Microsoft Access must modify the RecordSource property of the current view.@Microsoft Access will create a new query and embed it directly into the view's RecordSource property.The view will no longer be based on the ' ' query.@Do you want to accept this change?@19@@@@2	Access 2013+
13156	Sorry, we can't import your data this way. Please select Other Data (ODBC) instead.	Access 2013+
13157	You can't delete the table '1'. There are lookups in the following tables that reference it. These lookups must be changed or deleted first.  2	Access 2013+
13158	Sorry, Microsoft Access cannot open this web application in runtime mode.	Access 2013+
13159	The server '1' doesn't support this feature. This is supported in a newer server version. <b>Access 2016+ uses different description:</b> 'Sorry, this feature isn't available on the server '1'. The feature requires a newer version of SharePoint.'	Access 2013+

13160	The value for Version is required. <b>Access 2016+ uses different description:</b> 'Microsoft Access cannot create the reports database right now because your computer setup requires that you manually disable IPv6.'	Access 2013+
13161	The name '!' is reserved for the On Deploy macro and can't be used as a name for other objects.@Please choose another name.@@1@@@1 <b>Access 2016+ uses different description:</b> 'The value for Version is required.'	Access 2013+
13162	The name '!' is reserved for the On Deploy macro and can't be used as a name for other objects.@Please choose another name.@@1@@@1	Access 2016+
29000	There isn't enough memory to create an input area.@Close unneeded programs. Then try to create the input area again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@@1@@@1 <b>Access 2007+ uses different description:</b> 'There isn't enough memory to create an input area.@Close unneeded programs. Then try to create the input area again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@@1@@@1'	Access 2003+
29001	Microsoft Office Access failed to save module '!.@Your computer may be low on disk space. For information on freeing memory or disk space, search the Microsoft Windows Help index for 'memory, troubleshooting' or 'disk space, freeing'.@@1@@@3 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access failed to save module '!.@Your computer may be low on disk space. For information on freeing memory or disk space, search the Microsoft Windows Help index for 'memory, troubleshooting' or 'disk space, freeing'.@@1@@@3' <b>Access 2010+ uses different description:</b> 'Microsoft Access failed to save module '!1.@Your computer may be low on disk space. For information on freeing memory or disk space, search the Microsoft Windows Help index for 'memory, troubleshooting' or 'disk space, freeing'.@@1@@@3'	Access 2003+
29002	Microsoft Office Access failed to create the Visual Basic module '!.@If your database is on a network drive, check your network connection, and then try again.@@1@@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access failed to create the Visual Basic module '!.@If your database is on a network drive, check your network connection, and then try again.@@1@@@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access failed to create the Visual Basic module '!1.@If your database is on a network drive, check your network connection, and then try again.@@1@@@1'	Access 2003+
29003	Microsoft Office Access failed to convert or enable your code modules.@Your computer may be low on disk space or memory.@@1@@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access failed to convert or enable your code modules.@Your computer may be low on disk space or memory.@@1@@@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access failed to convert or enable your code modules.@Your computer may be low on disk space or memory.@@1@@@1'	Access 2003+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
29004	The new procedure name you provided is invalid.@@@2@611738@1 <b>Access 2007+ uses different description:</b> 'The new procedure name you provided is invalid.@@@2@1@11738@1'	Access 2003+
29005	The procedure '!' already exists.@Choose another procedure name.@@1@@@1 <b>Access 2007+ uses different description:</b> 'The procedure '!' already exists.@Choose another procedure name.@@1@@@1'	Access 2003+
29006	Microsoft Office Access failed to create a Debug window toolbar.@The system may be out of resource memory.@Close unneeded programs and try again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@1@@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access failed to create a Debug window	Access 2003+

toolbar.@The system may be out of resource memory.@Close unneeded programs and try again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@1@@@1'  
**Access 2010+ uses different description:** 'Microsoft Access failed to create a Debug window toolbar.@The system may be out of resource memory.@Close unneeded programs and try again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@1@@@1'

During the paste or import operation, Microsoft Office Access failed to convert the '|' module from an earlier version of a Microsoft Office Access database.@Your computer may be low on disk space or memory.@@1@@@1

**Access 2007+ uses different description:** 'During the paste or import operation, Microsoft Office Access failed to convert the '|' module from an earlier version of a Microsoft Office Access database.@Your computer may be low on disk space or memory.@@1@@@1'  
**Access 2010+ uses different description:** 'During the paste or import operation, Microsoft Access failed to convert the '|1' module from an earlier version of a Microsoft Access database.@Your computer may be low on disk space or memory.@@1@@@1'

Microsoft Office Access couldn't create storage space for a Visual Basic module.@If your database is on a network drive, check your network connection, and then try again.@@1@@@3  
**Access 2007+ uses different description:** 'Microsoft Office Access couldn't create storage space for a Visual Basic module.@If your database is on a network drive, check your network connection, and then try again.@@1@@@3'  
**Access 2010+ uses different description:** 'Microsoft Access couldn't create storage space for a Visual Basic module.@If your database is on a network drive, check your network connection, and then try again.@@1@@@3'

Microsoft Office Access couldn't open the storage space for a Visual Basic module.@Your computer may be low on disk space. For information on freeing memory or disk space, search the Microsoft Windows Help index for 'memory, troubleshooting' or 'disk space, freeing'.@@1@@@3  
**Access 2007+ uses different description:** 'Microsoft Office Access couldn't open the storage space for a Visual Basic module.@Your computer may be low on disk space. For information on freeing memory or disk space, search the Microsoft Windows Help index for 'memory, troubleshooting' or 'disk space, freeing'.@@1@@@3'  
**Access 2010+ uses different description:** 'Microsoft Access couldn't open the storage space for a Visual Basic module.@Your computer may be low on disk space. For information on freeing memory or disk space, search the Microsoft Windows Help index for 'memory, troubleshooting' or 'disk space, freeing'.@@1@@@3'

The function name is too long.@Microsoft Office Access will truncate the function name to 255 characters.@@1@411738@1  
**Access 2007+ uses different description:** 'The function name is too long.@Microsoft Office Access will truncate the function name to 255 characters.@@1@1@11738@1'  
**Access 2010+ uses different description:** 'The function name is too long.@Microsoft Access will truncate the function name to 255 characters.@@1@1@11738@1'

Microsoft Office Access failed to save the database.@Your computer may be low on disk space. For information on freeing memory or disk space, search the Microsoft Windows Help index for 'memory, troubleshooting' or 'disk space, freeing'.@@1@@@3  
**Access 2007+ uses different description:** 'Microsoft Office Access failed to save the database.@Your computer may be low on disk space. For information on freeing memory or disk space, search the Microsoft Windows Help index for 'memory, troubleshooting' or 'disk space, freeing'.@@1@@@3'  
**Access 2010+ uses different description:** 'Microsoft Access failed to save the database.@Your computer may be low on disk space. For information on freeing memory or disk space, search the Microsoft

Access 2003+

Access 2003+

Access 2003+

Access 2003+

Access 2003+

Windows Help index for 'memory, troubleshooting' or 'disk space, freeing'.@@1@@@3'

This action will reset the current code in break mode.@Do you want to stop the running code?@\* To halt the execution of the program so the Module window can be closed, select Yes. \* To leave the code in the current state, select No.@20@@@1

You can't add a reference to a Microsoft Office Access workgroup.@@@2@613780@1

'You can't add a reference to a Microsoft Office Access

workgroup.@@@2@1@13780@1'

'You can't add a reference to a Microsoft Access

workgroup.@@@2@1@13780@1'

You can't remove this reference.@Microsoft Office Access needs this reference in order to work properly.@@1@@@1

**description:** 'You can't remove this reference.@Microsoft Office Access needs this reference in order to work properly.@@1@@@1'

**different description:** 'You can't remove this reference.@Microsoft Access needs this reference in order to work properly.@@1@@@1'

You can't add a reference to the open database.@@@1@@@1

**uses different description:** 'You can't add a reference to the open

database.@@@1@@@1'

The database | was created in an earlier version of Microsoft Office Access.@Convert this database to the current version of Microsoft Office Access by using the Convert Database command on the Tools menu (Database Utilities submenu).@@1@@@1

The database | was created in an earlier version of Microsoft Office

Access.@Convert this database to the current version of Microsoft Office Access by using the Convert Database command on the Tools menu (Database Utilities submenu).@@1@@@1'

'The database |1 was created in an earlier version of Microsoft

Access.@Convert this database to the current version of Microsoft Access by using the Convert Database command on the Tools menu (Database Utilities submenu).@@1@@@1'

You can't use a standard module for this operation.@@@1@@@1

**uses different description:** 'You can't use a standard module for this

operation.@@@1@@@1'

The module name '|' is invalid.@\* The module name may start with the prefix Form\_ or Report\_. \* The module can't be named Forms, Reports, Modules,

Application, Screen, Assistant, CommandBars, References, or DoCmd. \* The module name may have too many characters.@@2@611734@1

**uses different description:** 'The module name '|' is invalid.@\* The module

name may start with the prefix Form\_ or Report\_. \* The module can't be named Forms, Reports, Modules, Application, Screen, Assistant, CommandBars,

References, or DoCmd. \* The module name may have too many

characters.@@2@1@11734@1'

Another user has modified this database.@To see the current version, close the

database and open it again.@@1@@@1

**description:** 'Another user has modified this database.@To see the current version, close the database and open it again.@@1@@@1'

This operation isn't available while there is a module in break mode.@Reset the

executing code and try the operation again.@@1@@@1

**different description:** 'This operation isn't available while there is a module in

break mode.@Reset the executing code and try the operation again.@@1@@@1'

There were compilation errors during the conversion or enabling of this database.@The database has not been saved in a compiled state. The performance of this database will be impaired because Microsoft Office Access will need to recompile the database for each session. For information on improving performance, click Help.@@2@611705@1 **Access 2007+ uses different description:** 'There were compilation errors during the conversion or enabling of this database.@The database has not been saved in a compiled state. The performance of this database will be impaired because Microsoft Office Access will need to recompile the database for each session. For information on improving performance, click Help.@@2@1@11705@1'

**Access 2010+ uses different description:** 'There were compilation errors during the conversion or enabling of this database.@The database has not been saved in a compiled state. The performance of this database will be impaired because Microsoft Access will need to recompile the database for each session. For information on improving performance, click Help.@@2@1@11705@1'

There are calls to 16-bit dynamic-link libraries (.dll) in modules in this database.@These won't work under Microsoft Windows 95 or Microsoft Windows NT.@Change your code to call equivalent 32-bit dynamic-link libraries (.dll).@2@611961@1 **Access 2007+ uses different description:** 'There are calls to 16-bit dynamic-link libraries (.dll) in modules in this database.@These won't work under Microsoft Windows 95 or Microsoft Windows NT.@Change your code to call equivalent 32-bit dynamic-link libraries (.dll).@2@1@11961@1'

The current user account doesn't have permission to convert or enable this database.@To convert or enable a database, ensure the following: \* You must join the workgroup that defines the user accounts used to access the database. \* Your user account must have Open/Run and Open Exclusive permissions for the database object. \* Your user account must have Modify Design or Administer permissions for all tables in the database, or it must be the owner of all tables in the database. \* Your user account must have Read Design permission for all objects in the database. \* Request that other users close the database.@@2@77316@ **Access 2007+ uses different description:** 'The current user account doesn't have permission to convert or enable this database.@To convert or enable a database, ensure the following: \* You must join the workgroup that defines the user accounts used to access the database. \* Your user account must have Open/Run and Open Exclusive permissions for the database object. \* Your user account must have Modify Design or Administer permissions for all tables in the database, or it must be the owner of all tables in the database. \* Your user account must have Read Design permission for all objects in the database. \* Request that other users close the database.@@2@2@77316@'

## Error Code

**Error Description**

There are calls to 16-bit dynamic-link libraries (.dll) in modules in this database.@These won't work under Microsoft Windows 95 or Microsoft Windows NT.@Translate these calls to equivalent 32-bit dynamic-link libraries.@2@611961@ **Access 2007+ uses different description:** 'There are calls to 16-bit dynamic-link libraries (.dll) in modules in this database.@These won't work under Microsoft Windows 95 or Microsoft Windows NT.@Translate these calls to equivalent 32-bit dynamic-link libraries.@2@1@11961@'

The database that you are trying to open or convert is currently in use, or you do not have permission to open it exclusively.@When you convert a database, or the first time you open an earlier version database, another user can't have the database open.@Try one of the following: \* Request that other users close the database. \* Using the version of Microsoft Office Access in which the

Access 2003+

Access 2003+

Access 2003+

## Supported Versions

Access 2003+

Access 2003+

database is written, have your workgroup administrator grant you the permission to open the database exclusively. Multiple users can share the database after you convert it, or after you open it for the first time.@1@109027@1' **Access 2007+ uses different description:** 'The database that you are trying to open or convert is currently in use, or you do not have permission to open it exclusively.@When you convert a database, or the first time you open an earlier version database, another user can't have the database open.@Try one of the following: \* Request that other users close the database. \* Using the version of Microsoft Office Access in which the database is written, have your workgroup administrator grant you the permission to open the database exclusively. Multiple users can share the database after you convert it, or after you open it for the first time.@1@1@9027@1' **Access 2010+ uses different description:** 'The database that you are trying to open or convert is currently in use, or you do not have permission to open it exclusively.@When you convert a database, or the first time you open an earlier version database, another user can't have the database open.@Try one of the following: \* Request that other users close the database. \* Using the version of Microsoft Access in which the database is written, have your workgroup administrator grant you the permission to open the database exclusively. Multiple users can share the database after you convert it, or after you open it for the first time.@1@1@9027@1'

Microsoft Office Access was unable to save the project.@Another user is saving the project now. Do you want to retry?@@23@@1' **Access 2007+ uses different description:** 'Microsoft Office Access was unable to save the project.@Another user is saving the project now. Do you want to retry?@@23@@@1' **Access 2010+ uses different description:** 'Microsoft Access was unable to save the project.@Another user is saving the project now. Do you want to retry?@@23@@@1'

The Save operation failed.@@@1@@1' **Access 2007+ uses different description:** 'The Save operation failed.@@@1@@@1'

You are trying to open a read-only database.@The first time you open an earlier version database, you must be able to write changes to the database. \* The database file's read-only attribute may be set; clear this attribute. \* You may have chosen the Open Read Only command in the Open dialog box. Don't choose this command the first time you open the database. \* Your license to use this application may have expired.@@1@@1' **Access 2007+ uses different description:** 'You are trying to open a read-only database.@The first time you open an earlier version database, you must be able to write changes to the database. \* The database file's read-only attribute may be set; clear this attribute. \* You may have chosen the Open Read Only command in the Open dialog box. Don't choose this command the first time you open the database. \* Your license to use this application may have expired.@@1@@@1'

Microsoft Office Access can't establish a reference to the specified database.@The referenced database can't be found, or it's locked exclusively by another user so it can't be opened.@Restore the referenced database from a backup copy or ask the user that has the database locked to open the database in nonexclusive mode.@1@@1' **Access 2007+ uses different description:**

'Microsoft Office Access can't establish a reference to the specified database.@The referenced database can't be found, or it's locked exclusively by another user so it can't be opened.@Restore the referenced database from a backup copy or ask the user that has the database locked to open the database in nonexclusive mode.@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access can't establish a reference to the specified database.@The referenced database can't be found, or it's locked exclusively by another user so it can't be opened.@Restore the referenced database from a backup copy or ask the user that has the database locked to open the database in nonexclusive mode.@1@@@1'

29027

Access 2003+

29028

Access 2003+

29029

Access 2003+

29030

Access 2003+



29031	<p>Microsoft Office Access can't create or open the requested database now.@The database may be locked exclusively by another user.@@1@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access can't create or open the requested database now.@The database may be locked exclusively by another user.@@1@@@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access can't create or open the requested database now.@The database may be locked exclusively by another user.@@1@@@1'</p>	Access 2003+
29032	<p>The ' ' module is open; Microsoft Office Access can't set the permissions on an open module.@@@1@@1 <b>Access 2007+ uses different description:</b> 'The ' ' module is open; Microsoft Office Access can't set the permissions on an open module.@@@1@@@1' <b>Access 2010+ uses different description:</b> 'The ' ' module is open; Microsoft Access can't set the permissions on an open module.@@@1@@@1'</p>	Access 2003+
29033	<p>Microsoft Office Access can't add references to a replicated database; changes will be ignored.@@@1@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access can't add references to a replicated database; changes will be ignored.@@@1@@@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access can't add references to a replicated database; changes will be ignored.@@@1@@@1'</p>	Access 2003+
29034	<p>Microsoft Office Access is unable to import the module from the source replica.@Synchronize the source database.@@1@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access is unable to import the module from the source replica.@Synchronize the source database.@@1@@@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access is unable to import the module from the source replica.@Synchronize the source database.@@1@@@1'</p>	Access 2003+
29040	<p>Microsoft Office Access is currently unable to rename the form, report, or module to ' '.@Close the database, reopen it, and then try the rename operation again.@@1@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access is currently unable to rename the form, report, or module to ' '.@Close the database, reopen it, and then try the rename operation again.@@1@@@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access is currently unable to rename the form, report, or module to ' '.@Close the database, reopen it, and then try the rename operation again.@@1@@@1'</p>	Access 2003+
29041	<p>One or more forms or reports contains an ActiveX control that could not be loaded.@These controls will not function properly until you register them, open the forms or reports in Design view, and save the forms or reports.@@1@@1 <b>Access 2007+ uses different description:</b> 'One or more forms or reports contains an ActiveX control that could not be loaded.@These controls will not function properly until you register them, open the forms or reports in Design view, and save the forms or reports.@@1@@@1'</p>	Access 2003+
29042	<p>One or more forms or reports contains an ActiveX control that could not be loaded.@These controls will not function properly until you register them, open the forms or reports in Design view, and save the forms or reports.@@1@@1 <b>Access 2007+ uses different description:</b> 'One or more forms or reports contains an ActiveX control that could not be loaded.@These controls will not function properly until you register them, open the forms or reports in Design view, and save the forms or reports.@@1@@@1'</p>	Access 2003+
29043	<p>Microsoft Office Access has converted the code in ' ' to your current version of Visual Basic.@To improve the performance of this database, do the following: 1. Open any module in this database in Design view. 2. On the Debug menu, click Compile And Save All Modules.@@1@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access has converted the code in ' ' to your current version of Visual Basic.@To improve the performance of this database, do the following: 1. Open any module in this database in Design view. 2. On the Debug menu, click Compile And Save All Modules.@@1@@@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access has converted the code in</p>	Access 2003+

|1' to your current version of Visual Basic.@To improve the performance of this database, do the following: 1. Open any module in this database in Design view. 2. On the Debug menu, click Compile And Save All Modules.@@1@@@1'

DAO version 3.0 is not compatible with this version of Microsoft Office Access.@Create a reference to DAO version 3.5. For information on setting references, click Help.@@2@613780@1 **Access 2007+ uses different description:** 'DAO version 3.0 is not compatible with this version of Microsoft Office Access.@Create a reference to DAO version 3.5. For information on setting references, click Help.@@2@1@13780@1' **Access 2010+ uses different description:** 'DAO version 3.0 is not compatible with this version of Microsoft Access.@Create a reference to DAO version 3.5. For information on setting references, click Help.@@2@1@13780@1'

You can't import, export, create, modify, or rename any forms, reports, pages or modules in an MDE database.@@@1@@@1 **Access 2007+ uses different description:** 'You can't import, export, create, modify, or rename any forms, reports, pages or modules in an ACCDE, MDE or ADE database.@@@1@@@1'

You can't create a module for a form or report if it is read-only, or if the database is read-only.@@@1@@@1 **Access 2007+ uses different description:** 'You can't create a module for a form or report if it is read-only, or if the database is read-only.@@@1@@@1'

Microsoft Office Access was unable to open the Visual Basic project for this database.@Another user is saving the project now. Do you want to retry?@@23@@@1 **Access 2007+ uses different description:** 'Microsoft Office Access was unable to open the Visual Basic project for this database.@Another user is saving the project now. Do you want to retry?@@23@@@1' **Access 2010+ uses different description:** 'Microsoft Access was unable to open the Visual Basic project for this database.@Another user is saving the project now. Do you want to retry?@@23@@@1'

MDE databases can't reference MDB databases.@MDE databases can only reference other MDE databases or type libraries.@@1@@@1 **Access 2007+ uses different description:** 'MDE databases can't reference MDB databases.@MDE databases can only reference other MDE databases or type libraries.@@1@@@1'

You can't refer to a form or report module from Form view or Report preview if the form's or report's HasModule property is set to No.@Switch to Design view or set the HasModule property to Yes in order to refer to the module.@@1@@@1 **Access 2007+ uses different description:** 'To add a code module to a form or report, you must switch to Design view and set the HasModule property of the form or report to Yes.@@@1@@@1'

## Error Code      Error Description

Microsoft Office Access couldn't compile this database because one or more references couldn't be resolved.@The database has not been saved in a compiled state. The performance of this database will be slower because Microsoft Office Access will need to recompile the database for each session.@For information on improving performance, click Help.@2@611705@1 **Access 2007+ uses different description:** 'Microsoft Office Access couldn't compile this database because one or more references couldn't be resolved.@The database has not been saved in a compiled state. The performance of this database will be slower because Microsoft Office Access will need to recompile the database for each session.@For information on improving performance, click Help.@2@1@11705@1' **Access 2010+ uses different description:** 'Microsoft Access couldn't compile this database because one or more references couldn't be resolved.@The database has not been saved in a compiled state. The performance of this database will be slower

Access 2003+

Access 2003+

Access 2003+

Access 2003+

Access 2003+

Access 2003+

## Supported Versions

Access 2003+

because Microsoft Access will need to recompile the database for each session.@For information on improving performance, click Help.@2@1@11705@1'

The current user account doesn't have permission to make an MDE file from this database.@To make an MDE file, do the following: \* Join the workgroup that defines the user accounts used to access the database. \* Make sure the user account has Open/Run and Open Exclusive permissions for the database object. \* Make sure the user account has Modify Design or Administer permissions for the MSysModules2 table in the database. \* Request that other users close the database.@@1@@1 **Access 2007+ uses different description:** 'The current user account doesn't have permission to make an MDE file from this database.@To make an MDE file, do the following: \* Join the workgroup that defines the user accounts used to access the database. \* Make sure the user account has Open/Run and Open Exclusive permissions for the database object. \* Make sure the user account has Modify Design or Administer permissions for the MSysModules2 table in the database. \* Request that other users close the database.@@1@@@1'

The Visual Basic for Applications project in the database '|' can't be converted to the current Visual Basic format.@If the database is an MDE, you will need to rebuild the MDE from the source MDB. If you don't have the source MDB, you will need to obtain a new version of the MDE that is compatible with the current version of Visual Basic.@@1@@1 **Access 2007+ uses different description:** 'The Visual Basic for Applications project in the database '|' can't be converted to the current Visual Basic format.@If the database is an MDE, you will need to rebuild the MDE from the source MDB. If you don't have the source MDB, you will need to obtain a new version of the MDE that is compatible with the current version of Visual Basic.@@1@@@1'

Microsoft Office Access can't create any more controls on this form or report.@If you have deleted controls from this form or report in the past, you may be able to rename the form or report and then add more controls to it.@@1@@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't create any more controls on this form or report.@If you have deleted controls from this form or report in the past, you may be able to rename the form or report and then add more controls to it.@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access can't create any more controls on this form or report.@If you have deleted controls from this form or report in the past, you may be able to rename the form or report and then add more controls to it.@@1@@@1'

Microsoft Office Access can't add, rename, or delete the control(s) you requested.@@@1@@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't add, rename, or delete the control(s) you requested.@@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access can't add, rename, or delete the control(s) you requested.@@@1@@@1'

The form or report '|' has too many controls.@Reduce the number of controls on the form or report before using it in this version of Microsoft Office Access.@@1@@1 **Access 2007+ uses different description:** 'The form or report '|' has too many controls.@Reduce the number of controls on the form or report before using it in this version of Microsoft Office Access.@@1@@@1' **Access 2010+ uses different description:** 'The form or report '|1' has too many controls.@Reduce the number of controls on the form or report before using it in this version of Microsoft Access.@@1@@@1'

Someone else is using '|' and the Visual Basic for Applications project does not match your version of Visual Basic.@You need to open the database exclusively in order to upgrade the Visual Basic for Applications project in this database.@@1@@1 **Access 2007+ uses different description:** 'Someone else is using '|' and the Visual Basic for Applications project does not match your

version of Visual Basic.@You need to open the database exclusively in order to upgrade the Visual Basic for Applications project in this database.@@1@@@1'

The database '|' is read-only and the Visual Basic for Applications project does not match your version of Visual Basic.@You need to open the database read-write in order to upgrade the Visual Basic for Applications project in this database.@@1@@@1 **Access 2007+ uses different description:** 'The database '|' is read-only and the Visual Basic for Applications project does not match your version of Visual Basic.@You need to open the database read-write in order to upgrade the Visual Basic for Applications project in this database.@@1@@@1'

You can't create a module for a form or report while an instance of the form or report is in browse mode.@@@1@@@1 **Access 2007+ uses different description:** 'You can't create a module for a form or report while an instance of the form or report is in browse mode.@@@1@@@1'

Microsoft Office Access was unable do display the module.@@@1@@@1 **Access 2007+ uses different description:** 'Microsoft Office Access was unable do display the module.@@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access was unable do display the module.@@@1@@@1'

File not found.@@@1@@@1 **Access 2007+ uses different description:** 'File not found.@@@1@@@1'

There were compilation errors during the conversion or enabling of this database.@This might be due to old DAO syntax that is no longer supported. For an example on how to fixup the code, click Help. @@2@611705@1 **Access 2007+ uses different description:** 'There were compilation errors during the conversion or enabling of this database.@This might be due to old DAO syntax that is no longer supported. For an example on how to fixup the code, click Help. @@2@1@11705@1'

The module name '|' is misspelled or refers to a module that doesn't exist.@If the invalid module name is in a macro, an Action Failed dialog box will display the macro name and the macro's arguments after you click OK. Open the Macro window, and enter the correct module name.@@1@@@1 **Access 2007+ uses different description:** 'The module name '|' is misspelled or refers to a module that doesn't exist.@If the invalid module name is in a macro, an Action Failed dialog box will display the macro name and the macro's arguments after you click OK. Open the Macro window, and enter the correct module name.@@1@@@1'

The Visual Basic for Applications project in the database is corrupt.

You do not have exclusive access to the database at this time.If you proceed to make changes, you may not be able to save them later.

Microsoft Office Access can't save design changes or save to a new database object because another user has the file open. To save your design changes or to save to a new object, you must have exclusive access to the file. **Access 2010+ uses different description:** 'Microsoft Access can't save design changes or save to a new database object because another user has the file open. To save your design changes or to save to a new object, you must have exclusive access to the file.'

You do not have exclusive access to the database.Your design changes cannot be saved at this time.Do you want to close without saving your changes?

You do not have exclusive access to the database.You cannot convert this database at this time.

Microsoft Office Access cannot complete this operation. You must stop the code and try again. **Access 2010+ uses different description:** 'Microsoft Access cannot complete this operation. You must stop the code and try again.'

29069	Microsoft Office Access cannot save the digital signature at this time. @* You may be in a database under Source Code Control. * You may be in a database which is read only. @@@1 Access 2007+ uses different description: 'Microsoft Office Access cannot save the digital signature at this time. @* You may be in a database under Source Code Control. * You may be in a database which is read only. * The database uses either the *.accdb or *.accde file name extension. To sign such a database, click the Microsoft Office Button, point to the Publish menu, and then click Package and Sign. @@@1' Access 2010+ uses different description: 'Microsoft Access cannot save the digital signature at this time. @* You may be in a database under Source Code Control. * You may be in a database which is read only. * The database uses either the *.accdb or *.accde file name extension. To sign such a database, click the File tab, point to the Publish menu, and then click Package and Sign. @@@1@@@0'	Access 2003+
Error Code	Error Description	Supported Versions
29070	Your Microsoft Office Access database or project contains a missing or broken reference to the file '1'2@* To ensure that your database or project works properly, you must fix this reference. @@@1@5043@1 Access 2007+ uses different description: 'Your Microsoft Office Access database or project contains a missing or broken reference to the file '1'2@* To ensure that your database or project works properly, you must fix this reference. @@@1@2@5043@1' Access 2010+ uses different description: 'Your Microsoft Access database or project contains a missing or broken reference to the file '1'2@* To ensure that your database or project works properly, you must fix this reference. @@@1@2@5043@1'	Access 2003+
29071	Missing or broken VBE reference to the file '1'.	Access 2003+
29072	Microsoft Office Access has detected corruption in this file. To try to repair the corruption, first make a backup copy of the file. Then, on the Tools menu, point to Database Utilities and click Compact and Repair Database. If you are currently trying to repair this corruption then you will need to recreate this file or restore it from a previous backup. @@@2@553714192@1 Access 2007+ uses different description: 'Microsoft Office Access has detected corruption in this file. To try to repair the corruption, first make a backup copy of the file. Click the Microsoft Office Button, point to Manage and then click Compact and Repair Database. If you are currently trying to repair this corruption, you need to recreate this file or restore it from a previous backup. @@@2@1@553714192@1' Access 2010+ uses different description: 'Microsoft Access has detected corruption in this file. To try to repair the corruption, first make a backup copy of the file. Click the File tab, point to Manage and then click Compact and Repair Database. If you are currently trying to repair this corruption, you need to recreate this file or restore it from a previous backup. @@@2@1@553714192@1'	Access 2003+
29073	You do not have exclusive access to the database. You cannot continue with the Source Code Control command.	Access 2003+
29074	Microsoft Office Access failed to create the Visual Basic module. @If your database is on a network drive, check your network connection, and then try again. @@@1@@@1 Access 2007+ uses different description: 'Microsoft Office Access failed to create the Visual Basic module. @If your database is on a network drive, check your network connection, and then try again. @@@1@@@1' Access 2010+ uses different description: 'Microsoft Access failed to create the Visual Basic module. @If your database is on a network drive, check your network connection, and then try again. @@@1@@@1'	Access 2003+
29075	Access cannot add a digital signature to a file created in Access 97 or earlier. @Convert the file to Access 2000 or later file format, and then add a digital signature. @@@1@@@1 Access 2007+ uses different description: 'Access cannot add a digital signature to a file created in Access 97 or earlier. @Convert	Access 2003+

the file to Access 2000 or later file format, and then add a digital signature.@@1@@@1'

There was a problem with the digital certificate. The VBA project could not be signed. The signature will be discarded.@@@1@@1 **Access 2007+ uses different description:** 'There was a problem with the digital certificate. The VBA project could not be signed. The signature will be discarded.@@@1@@@1'

Microsoft Office Access is unable to read the VBA modules in this database and cannot recover the modules because the file is read-only. To recover the VBA modules, close the database and make a backup copy of the database.

Then open the database with read/write

permission.@@@2@2@553713744@1 **Access 2010+ uses different**

**description:** 'Microsoft Access is unable to read the VBA modules in this database and cannot recover the modules because the file is read-only. To recover the VBA modules, close the database and make a backup copy of the database. Then open the database with read/write permission.@@@2@2@553713744@1'

The VBA modules in this database appear to have been saved with errors.Access can recover the modules, but you should backup the database first.To cancel so you can make a backup copy of the database, click Cancel.

Then make a backup copy of the database. @If you have a backup copy of the database, click OK.When the database opens, examine the modules to see that they are correct. If they are not, you should revert to a recent backup.@@6@2@553713744@1

The database cannot be opened because the VBA project contained in it cannot be read. The database can be opened only if the VBA project is first deleted.

Deleting the VBA project removes all code from modules, forms and reports.

You should back up your database before attempting to open the database and delete the VBA project.@To create a backup copy, click Cancel and then make a backup copy of your database. To open the database and delete the VBA project without creating a backup copy, click OK.@@6@2@553713744@1

The version of Access used to save this database cannot be detected. This problem cannot be corrected because the database is read-only. Click OK, and after the database closes, make a backup copy of the database. Then open the database with read/write permission.@@@2@2@553713744@1

The object '1' could not be imported because it contains elements from the namespace '2', which is no longer supported.Use an older version of Access to import the object.

The object '1' could not be imported because it contains elements from the namespace '2', which is from a newer version of Access.Use a newer version of Access to import the object.

The object '1' could not be imported because it contains elements from the namespace '2', which Access does not understand.

The object '1' could not be imported from the file '2'. Ensure that the file exists and is in the correct format.

Microsoft Office Access could not find the SQL Server specified.Verify that the server name is correct. **Access 2010+ uses different description:** 'Microsoft Access could not find the SQL Server specified.Verify that the server name is correct.'

Microsoft Office Access could not find the database on the server.Verify that the database name is correct. **Access 2010+ uses different description:** 'Microsoft Access could not find the database on the server.Verify that the database name is correct.'

Microsoft Office Access could not log on to the server.Verify that the log on information is correct. **Access 2010+ uses different description:** 'Microsoft

Access 2003+

Access 2007+

Access 2007+

Access 2007+

Access 2007+

Access 2010+

Access 2010+

Access 2010+

Access 2010+

Access 2003+

Access 2003+

Access 2003+

Access could not log on to the server. Verify that the log on information is correct.'

30004	The Default Max Records setting must be between 0 and 2147483647.	Access 2003+
30005	Missing SQL command	Access 2003+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
30006	Access was not able to perform this operation because the project is not connected to a SQL Server database.	Access 2003+
30007	Can't sort on one or more fields specified in 'Order By' property or sorting/grouping dialog.	Access 2003+
30008	The server you are trying to access is case sensitive. Objects of the same name but of different case are not supported. Using these objects may result in a loss of data.	Access 2003+
30009	Another user or application has deleted this record or changed the value of its primary key.	Access 2003+
30010	Cannot apply Filter on one or more fields specified in the Filter property.	Access 2003+
30011	Cannot get column information for the database object being browsed.	Access 2003+
30012	A Server Filter cannot be applied to a stored procedure Record Source. Filter not applied.	Access 2003+
30013	You can't update the record because another user or application deleted it or changed the value of its primary key.	Access 2003+
30014	The data was added to the database but the data won't be displayed in the form because it doesn't satisfy the criteria in the underlying record source.	Access 2003+
30015	The specified record source contains duplicate names for some output fields. Use aliases in your SELECT statement to give each field a unique name.	Access 2003+
30016	The field ' ' is read only.	Access 2003+
30017	This database is not enabled for publication.	Access 2003+
30018	Cannot create objects of type ' ' against current SQL backend. Please check your permissions and server setup.	Access 2003+
30019	Microsoft Office Access cannot copy a table with a name that is longer than 64 characters. <b>Access 2010+ uses different description:</b> 'Microsoft Access cannot copy a table with a name that is longer than 64 characters.'	Access 2003+
30020	Cannot find column ' '.	Access 2003+
30021	Cannot use domain functions on stored procedures.	Access 2003+
30022	The Access project could not be opened. You may not have adequate permissions, or the project may be read-only.	Access 2003+
30023	Cannot use domain functions on scalar functions.	Access 2003+
30024	Your password will not be encrypted before it is saved to the file. @Users who view the source contents of the file will be able to see the account user name and password. [Save Password] Cancel@@36@553714179@ <b>Access 2007+ uses different description:</b> 'Your password will not be encrypted before it is saved to the file. @Users who view the source contents of the file will be able to see the account user name and password. [Save Password] Cancel@@36@1@553714179@'	Access 2003+
30025	Invalid SQL Statement. Check the server filter on the form record source	Access 2003+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
30026	Access is unable to connect to ' 1' database on the ' 2' server. Make sure that the database still exists and that the server is running.	Access 2003+
30027	The value you entered is not consistent with the data type or length of the column.	Access 2003+
30028	The database name for the attached database file is blank. Enter a name for your database.	Access 2003+

This version of Microsoft Office Access doesn't support design changes with the version of Microsoft SQL Server your Access project is connected to. See the Microsoft Office Update Web site for the latest information and downloads (on the Help menu, click Office on the Web). Your design changes will not be saved. **Access 2007+ uses different description:** 'This version of Microsoft Office Access does not support design changes with the version of Microsoft SQL Server to which your Access project is connected. See the Microsoft Office Update Web site for the latest information and downloads. Your design changes will not be saved.'

You must specify criteria for all conditional formats.@@@1@@1 **Access 2007+ uses different description:** 'You must specify criteria for all conditional formats.@@@1@@@1' **Access 2010+ uses different description:** 'You must specify criteria for all conditional formats.'

A conditional format expression can't be longer than 946 characters.@@@1@@1 **Access 2007+ uses different description:** 'A conditional format expression can't be longer than 946 characters.@@@1@@@1' **Access 2010+ uses different description:** 'A conditional format expression can't be longer than 435 characters.@@@1@@@1'

Microsoft Office Access can't modify the control's conditional formats right now.@Your program tried to modify the conditional format of a control while the conditional format was being evaluated.@@1@@1 **Access 2007+ uses different description:** 'Microsoft Office Access can't modify the control's conditional formats right now.@Your program tried to modify the conditional format of a control while the conditional format was being evaluated.@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access can't modify the control's conditional formats right now.@Your program tried to modify the conditional format of a control while the conditional format was being evaluated.@@1@@@1'

The setting for this property is too long.@You can enter up to either 255 or 2,048 characters for this property, depending on the data type.@@1@@1 **Access 2007+ uses different description:** 'The setting for this property is too long.@You can enter up to either 255 or 2,048 characters for this property, depending on the data type.@@1@@@1'

The value of an (AutoNumber) field cannot be retrived prior to being saved. Please save the record that contains the (AutoNumber) field prior to performing this action.@@@1@@1 **Access 2007 uses different description:** 'The value of an (AutoNumber) field cannot be retrived prior to being saved. Please save the record that contains the (AutoNumber) field prior to performing this action.@@@1@@@1' **Access 2010 uses different description:** 'The value of an (AutoNumber) field cannot be retrived prior to being saved. Please save the record that contains the (AutoNumber) field prior to performing this action.@@@1@@@1' **Access 2013 uses different description:** 'The value of an (AutoNumber) field cannot be retrived prior to being saved. Please save the record that contains the (AutoNumber) field prior to performing this action.@@@1@@@1' **Access 2016 uses different description:** 'The value of an (AutoNumber) field cannot be retrived prior to being saved.Please save the record that contains the (AutoNumber) field prior to performing this action.@@@1@@@1'

Access failed to evaluate one or more expressions because '|' was referenced in an expression. Only functions and properties that are considered to be safe are allowed in expressions when Access runs in sandbox mode.@For more information on sandbox mode, search for ""Sandbox mode"" in Access

Access 2003+

Access 2003+

Access 2003+

Access 2003+

Access 2003+

Access 2003+

Access 2007+



Help.@1@@@1 **Access 2010+ uses different description:** 'Access failed to evaluate one or more expressions because '|' was referenced in an expression.@Only functions and properties that are considered to be safe are allowed in expressions when Access runs in sandbox mode.@For more information on sandbox mode, search for '"Sandbox mode"' in Access Help.@1@@@1'

This method is not supported for Attachment controls in the current database file format.@@1@@@1 **Access 2010+ uses different description:** 'This method is not supported for Attachment controls in the current database file format.'

This operation is not supported for Web browser controls in the current database file format.

This method is not supported for Empty Cell controls in the current database file format.

This method is not supported for creating Empty Cell controls.

This operation is not supported for navigation controls in the current database file format.

The expression that you entered is not valid for Web-compatible queries.@@@1@1@11732@1

You either have an error in your expression or you have attempted to use an undeclared parameter.@Check the expression for errors or enter the parameter '|' in the Query Parameters dialog.@@2@1@11805@1

Microsoft Office Access can't send this format in a mail message.@To send this format in a mail message, click Export on the File menu, or use the OutputTo method to create the files and attach them to a mail message.@@1@@@1

**Access 2007+ uses different description:** 'Microsoft Office Access can't send this format in a mail message.@To send this format in a mail message, click Export on the File menu, or use the OutputTo method to create the files and attach them to a mail message.@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access can't send this format in a mail message.@To send this format in a mail message, click Export on the File menu, or use the OutputTo method to create the files and attach them to a mail message.@@1@@@1'

The selected transform file '|' cannot be found. Please select a different transform.

Microsoft Office Access can't find the Microsoft Office international dynamic-link library (DLL).@Reinstall Microsoft Office.@@1@@@3 **Access 2007+ uses different description:** 'Microsoft Office Access can't find the Microsoft Office international dynamic-link library (DLL).@Reinstall Microsoft Office.@@1@@@3' **Access 2010+ uses different description:** 'Microsoft Access can't find the Microsoft Office international dynamic-link library (DLL).@Reinstall Microsoft Office.@@1@@@3'

## Error Code Error Description

The specified transform did not successfully convert the data.Select a different transform.

The data was transformed in a format that cannot be imported.

Are you sure you want to remove '|' from the list of available transforms? This will not actually delete the transform file. **Access 2016+ uses different description:** 'Are you sure you want to remove '|' from the list of available transforms?This will not actually delete the transform file.'

The selected transform file cannot be found. Select a different transform or remove the transform. Then try to export again.

Invalid field data type.

Access 2007+

Access 2010+

Access 2010+

Access 2010+

Access 2010+

Access 2010+

Access 2010+

Access 2003+

Access 2003+

Access 2003+

## Supported Versions

Access 2003+

Access 2003+

Access 2003+

Access 2003+

Access 2003+

31508	<p>Cannot load the Office Web Components@Access had a problem loading the Office Web Components Version 9.0.Try going through set-up to re-install them@@1@@3 <b>Access 2007+ uses different description:</b> 'Cannot load the Office Web Components@Access had a problem loading the Office Web Components Version 9.0.Try going through set-up to re-install them@@1@@@3'</p> <p>Cannot load the Office Web Components@Access had a problem loading the Office Web Components Version 10.0.Try going through set-up to re-install them@@1@@3 <b>Access 2007+ uses different description:</b> 'Cannot load the Office Web Components@Access had a problem loading the Office Web Components Version 10.0.Try going through set-up to re-install them@@1@@@3'</p>	Access 2003+
31509	<p>Microsoft Office Access can't load the dynamic-link library  . @You need to resolve the failure and start Access again.@@1@@3 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access can't load the dynamic-link library  . @You need to resolve the failure and start Access again.@@1@@@3'</p>	Access 2003+
31510	<p><b>Access 2010+ uses different description:</b> 'Microsoft Access can't load the dynamic-link library  1. @You need to resolve the failure and start Access again.@@1@@@3'</p>	Access 2003+
31511	<p>You have chosen to alter the mode in which SQL syntax will be interpreted in this database. This will mean: @* Existing queries may return different results or not run at all. * The range of data-types and reserved words will change. * Different wildcards will be used. @It is recommended that you make a backup copy of this database before continuing. If you agree to continue, Access will close this database, compact it, and re-open in the new mode. Select OK to continue.@5@324324@1 <b>Access 2007+ uses different description:</b> 'You have chosen to alter the mode in which SQL syntax will be interpreted in this database. This will mean: @* Existing queries may return different results or not run at all. * The range of data-types and reserved words will change. * Different wildcards will be used. @It is recommended that you make a backup copy of this database before continuing. If you agree to continue, Access will close this database, compact it, and re-open in the new mode. Select OK to continue.@5@1@24324@1'</p>	Access 2003+
31512	<p>Microsoft Office Access can't open the mail session.@You may not have configured an e-mail client on this computer.Ensure that your e-mail software has been installed and configured properly.@@1@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access can't open the mail session.@You may not have configured an e-mail client on this computer.Ensure that your e-mail software has been installed and configured properly.@@1@@@1'</p>	Access 2003+
31513	<p>All open objects must be closed prior to converting to a different version.@Do you want Microsoft Office Access to close the objects?@@19@@2 <b>Access 2007+ uses different description:</b> 'All open objects must be closed prior to converting to a different version.@Do you want Microsoft Office Access to close the objects?@@19@@@2' <b>Access 2010+ uses different description:</b> 'All open objects must be closed prior to continuing this operation.@Do you want Microsoft Access to close the objects?@@19@@@2'</p>	Access 2003+
31514	<p>Microsoft Office Access can't convert this database to a different version because one or more objects are open.@Close all objects and try again.@@1@@3 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access can't convert this database to a different version because one or more objects are open.@Close all objects and try again.@@1@@@3' <b>Access 2010+ uses different description:</b> 'Microsoft Access can't convert this database to a</p>	Access 2003+

different version because one or more objects are open. @Close all objects and try again. @@1@@@3'

Your database is using SQL Server Compatible Syntax (ANSI 92) for which Access 2000 has limited support. This will mean: @\* Access 2000 users may not be able to see some queries. \* Existing queries may return different results or not run at all. \* The range of data-types and reserved words will change. \* Different wildcards will be used. @It is recommended that you change the SQL

Server Compatible Syntax (ANSI 92) setting before converting this database to the Access 2000 file format. Select Cancel to abort the conversion process and change the SQL Server Compatible Syntax (ANSI 92) setting. @5@324324@1

**Access 2007+ uses different description:** 'Your database is using SQL Server Compatible Syntax (ANSI 92) for which Access 2000 has limited support. This will mean: @\* Access 2000 users may not be able to see some queries. \*

Existing queries may return different results or not run at all. \* The range of data-types and reserved words will change. \* Different wildcards will be used.

@It is recommended that you change the SQL Server Compatible Syntax (ANSI 92) setting before converting this database to the Access 2000 file format. Select Cancel to abort the conversion process and change the SQL Server Compatible Syntax (ANSI 92) setting. @5@1@24324@1'

Microsoft Office Access can't convert this database to the requested version because it has been 'enabled' to work with newer versions of Microsoft Office Access than it was originally created with. @You can convert this database to a newer format, and then retry this operation with the newly converted database. @@1@@@1

**Access 2007+ uses different description:** 'Microsoft Office Access can't convert this database to the requested version because it has been 'enabled' to work with newer versions of Microsoft Office Access than it was originally created with. @You can convert this database to a newer format, and then retry this operation with the newly converted database. @@1@@@1'

**Access 2010+ uses different description:** 'Microsoft Access can't convert this database to the requested version because it has been 'enabled' to work with newer versions of Microsoft Access than it was originally created with. @You can convert this database to a newer format, and then retry this operation with the newly converted database. @@1@@@1'

Microsoft Office Access can't convert this database to the requested version because it is from an older version of Microsoft Office Access. @You can convert this database to a newer format, and then retry this operation with the newly converted database. @@1@@@1

**Access 2007+ uses different description:** 'Microsoft Office Access can't convert this database to the requested version because it is from an older version of Microsoft Office Access. @You can convert this database to a newer format, and then retry this operation with the newly converted database. @@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access can't convert this database to the requested version because it is from an older version of Microsoft Access. @You can convert this database to a newer format, and then retry this operation with the newly converted database. @@1@@@1'

The following controls contain expressions that can't be represented in a Microsoft Office Access project PivotTable or PivotChart view: |. @Do you still want to switch to PivotTable or PivotChart view? @@19@@@2

**Access 2007+ uses different description:** 'The following controls contain expressions that can't be represented in a Microsoft Office Access project PivotTable or PivotChart view: |. @Do you still want to switch to PivotTable or PivotChart view? @@19@@@2' **Access 2010+ uses different description:** 'The following controls contain expressions that can't be represented in a Microsoft Access project PivotTable or PivotChart view: |1. @Do you still want to switch to PivotTable or PivotChart view? @@19@@@2'

You cannot import this file. @You cannot import a text file unless it has one of these extensions: |. @@1@@@1 **Access 2007+ uses different description:** 'You

	cannot import this file.@You cannot import a text file unless it has one of these extensions:  .@@1@@@1'	
31520	You cannot import this file.@You cannot import a text file that has one of these extensions:  .@@1@@@1 <b>Access 2007+ uses different description:</b> 'You cannot import this file.@You cannot import a text file that has one of these extensions:  .@@1@@@1'	Access 2003+
31521	Cannot establish connection to the server.@ @@1@@@1 <b>Access 2007+ uses different description:</b> 'Cannot establish connection to the server.@ @@1@@@1'	Access 2003+
31522	Microsoft SQL Server Desktop Engine must be on the machine running Microsoft Office Access.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'Microsoft SQL Server Desktop Engine must be on the machine running Microsoft Office Access.@@@1@@@1' <b>Access 2010+ uses different description:</b> 'Microsoft SQL Server Desktop Engine must be on the machine running Microsoft Access.@@@1@@@1'	Access 2003+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
31523	Microsoft Office Access was unable to open the file ' '. The file may not be an Access file, the path or filename specified may be incorrect, or the file can not be opened exclusively. To repair the file manually, on the Tools menu, point to Database Utilities, and then click Compact and Repair Database.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access was unable to open the file ' '. The file may not be an Access file, the path or filename specified may be incorrect, or the file can not be opened exclusively. To repair the file manually, on the File menu, point to Manage Database, and then click Compact and Repair Database.@@@1@@@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access was unable to open the file ' 1'. The file may not be an Access file, the path or filename specified may be incorrect, or the file can not be opened exclusively. To repair the file manually, on the File menu, point to Manage Database, and then click Compact and Repair Database.@@@1@@@1'	Access 2003+
31524	Microsoft Office Access can't transfer the user-defined function ' '. User-defined functions can only be transferred between Microsoft SQL Servers that are version 8.0 or higher.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access can't transfer the user-defined function ' '. User-defined functions can only be transferred between Microsoft SQL Servers that are version 8.0 or higher.@@@1@@@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access can't transfer the user-defined function ' 1'. User-defined functions can only be transferred between Microsoft SQL Servers that are version 8.0 or higher.@@@1@@@1'	Access 2003+
31525	The selected object can't be pasted because the version of either the source or the destination server is less than 7.0.@Microsoft Office Access can only copy and paste this object if both Microsoft SQL Servers are version 7.0 or higher.@@1@@@1 <b>Access 2007+ uses different description:</b> 'You can copy and paste this object only if at least Microsoft SQL Server 2000 is installed on both the source and destination servers.@@@1@@@1'	Access 2003+
31526	You cannot create a Microsoft Office Access ADE or MDE file from a database saved in Microsoft Office Access 2000 format.@Convert the database to the current version of Microsoft Office Access.Then create the ADE or MDE file.@@1@@@1 <b>Access 2007+ uses different description:</b> 'You cannot create a Microsoft Office Access ADE or MDE file from a database saved in Microsoft Office Access 2000 format.@Convert the database to the current version of Microsoft Office Access.Then create the ADE or MDE file.@@1@@@1' <b>Access 2010+ uses different description:</b> 'You cannot create a Microsoft Access ADE or MDE file from a database saved in Microsoft Access 2000 format.@Convert the database to the current version of Microsoft Access.Then create the ADE or MDE file.@@1@@@1'	Access 2003+

31527	Path not found:  .@@@1@@@1' <b>Access 2007+ uses different description:</b> 'Path not found:  .@@@1@@@1'	Access 2003+
31528	Table ' ' is in use. Please close the table and retry import.@@@1@@@1' <b>Access 2007+ uses different description:</b> 'Table ' ' is in use. Please close the table and retry import.@@@1@@@1'	Access 2003+
31529	View ' ' is in use. Please close the view and retry import.@@@1@@@1' <b>Access 2007+ uses different description:</b> 'View ' ' is in use. Please close the view and retry import.@@@1@@@1'	Access 2003+
31530	Procedure ' ' is in use. Please close the procedure and retry import.@@@1@@@1' <b>Access 2007+ uses different description:</b> 'Procedure ' ' is in use. Please close the procedure and retry import.@@@1@@@1'	Access 2003+
31531	Microsoft Office Access cannot create table(s) using the information contained in the document(s) you are trying to import.@@@1@@@1' <b>Access 2007+ uses different description:</b> 'Microsoft Office Access cannot create table(s) using the information contained in the document(s) you are trying to import.@@@1@@@1'	Access 2003+
31532	Microsoft Office Access was unable to export the data.@@@1@@@1' <b>Access 2007+ uses different description:</b> 'Microsoft Office Access was unable to export the data.@@@1@@@1'	Access 2003+
31533	Invalid filename.@@@1@@@1' <b>Access 2007+ uses different description:</b> 'Invalid filename.@@@1@@@1'	Access 2003+
31534	Your database is using SQL Server Compatible Syntax (ANSI 92) for which Access 97 has limited support.This will mean:@* Existing queries may return different results or not run at all. * The range of data-types and reserved words will change. * Different wildcards will be used. @It is recommended that you change the SQL Server Compatible Syntax (ANSI 92) setting before converting this database to the Access 97 file format.Select Cancel to abort the conversion process and change the SQL Server Compatible Syntax (ANSI 92) setting.@5@324324@1' <b>Access 2007+ uses different description:</b> 'Your database is using SQL Server Compatible Syntax (ANSI 92) for which Access 97 has limited support.This will mean:@* Existing queries may return different results or not run at all. * The range of data-types and reserved words will change. * Different wildcards will be used. @It is recommended that you change the SQL Server Compatible Syntax (ANSI 92) setting before converting this database to the Access 97 file format.Select Cancel to abort the conversion process and change the SQL Server Compatible Syntax (ANSI 92) setting.@5@1@24324@1'	Access 2003+
31535	Invalid parameters for ExportXML.@Press Help for more information.@@2@5170@1' <b>Access 2007+ uses different description:</b> 'Invalid parameters for ExportXML.@Press Help for more information.@@2@2@5170@1'	Access 2003+
31536	The XML schema properties do not match the existing table structures.@Overwrite existing structures?@@19@@@1' <b>Access 2007+ uses different description:</b> 'The XML schema properties do not match the existing table structures.@Overwrite existing structures?@@19@@@1'	Access 2003+
31537	There is already an object named ' ' in the database.@@@1@@@1' <b>Access 2007+ uses different description:</b> 'There is already an object named ' ' in the database.@@@1@@@1'	Access 2003+
31538	Microsoft Office Access cannot create this file. To create the file, you must give the file a unique name, provide a valid connection string and user ID, and you must have the necessary connection and file creation permissions.@@@1@@@1' <b>Access 2007+ uses different description:</b> 'Microsoft Office Access cannot create this file. To create the file, you must give the file a unique name, provide	Access 2003+

a valid connection string and user ID, and you must have the necessary connection and file creation permissions.@@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access cannot create this file. To create the file, you must give the file a unique name, provide a valid connection string and user ID, and you must have the necessary connection and file creation permissions.@@@1@@@1'

There was an error loading the XSL transformation file '1'. Please make sure that the file is a properly formatted XSL file and is the correct file to use for the data supplied.|2

There was an error loading the XML data file '1'. Please make sure that the file is a properly formatted XML file. |2

Microsoft Office Access cannot open this file.@This file is located outside your intranet or on an untrusted site.Microsoft Office Access will not open the file due to potential security problems. @To open the file, copy it to your machine or an accessible network location.@2@@1 **Access 2007+ uses different description:** 'Microsoft Office Access cannot open this file.@This file is located outside your intranet or on an untrusted site.Microsoft Office Access will not open the file due to potential security problems. @To open the file, copy it to your machine or an accessible network location.@2@@@1' **Access 2010+ uses different description:** 'Microsoft Access cannot open this file.@This file is located outside your intranet or on an untrusted site.Microsoft Access will not open the file due to potential security problems. @To open the file, copy it to your machine or an accessible network location.@2@@@1'

The startup action associated with this file may not be safe.Do you want to execute the startup action as you open the file?@@@22@@1 **Access 2007+ uses different description:** 'The startup action associated with this file may not be safe.Do you want to execute the startup action as you open the file? @@@22@@@1'

**Error Code** **Error Description** **Supported Versions**

The startup action associated with this file may not be safe.If you choose not to execute the startup action, Microsoft Office Access will not open the file.Do you want to execute the startup action and open the file?@@@22@@1 **Access 2007+ uses different description:** 'The startup action associated with this file may not be safe.If you choose not to execute the startup action, Microsoft Office Access will not open the file.Do you want to execute the startup action and open the file?@@@22@@@1' **Access 2010+ uses different description:** 'The startup action associated with this file may not be safe.If you choose not to execute the startup action, Microsoft Access will not open the file.Do you want to execute the startup action and open the file?@@@22@@@1'

Microsoft Office Access cannot open this file.@The author of this file has set it to open only when a startup action is executed, and Microsoft Office Access is currently set to disable startup actions.@To address this problem, contact the author of the file or your system administrator.@2@@1 **Access 2007+ uses different description:** 'Microsoft Office Access cannot open this file.@The author of this file has set it to open only when a startup action is executed, and Microsoft Office Access is currently set to disable startup actions.@To address this problem, contact the author of the file or your system administrator.@2@@@1' **Access 2010+ uses different description:** 'Microsoft Access cannot open this file.@The author of this file has set it to open only when a startup action is executed, and Microsoft Access is currently set to disable startup actions.@To address this problem, contact the author of the file or your system administrator.@2@@@1'

Microsoft Office Access cannot open this file.@The Internet Security Zone Manager is missing or not correctly installed and therefore the safety of this file cannot be verified.@To address this problem, reinstall Microsoft Internet Explorer or the appropriate Office System Pack.@2@@1 **Access 2007+ uses**

**different description:** 'Microsoft Office Access cannot open this file.@The Internet Security Zone Manager is missing or not correctly installed and therefore the safety of this file cannot be verified.@To address this problem, reinstall Windows Internet Explorer or the appropriate Office System Pack.@2@@@1' **Access 2010+ uses different description:** 'Microsoft Access cannot open this file.@The Internet Security Zone Manager is missing or not correctly installed and therefore the safety of this file cannot be verified.@To address this problem, reinstall Windows Internet Explorer or the appropriate Office System Pack.@2@@@1'

This database is a Microsoft Office Access 7.0/8.0/9.0 Design Master.@If you click OK, the database you selected will be renamed to |1 and then converted to |2. Everyone using a replica of this database will have to upgrade to Microsoft Office Access 2002 after the next synchronization.@@4@@2 **Access 2007+ uses different description:** 'This database is a Microsoft Office Access 7.0/8.0/9.0 Design Master.@If you click OK, the database you selected will be renamed to |1 and then converted to |2. Everyone using a replica of this database will have to upgrade to Microsoft Access 2002 after the next synchronization.@@4@@2' **Access 2010+ uses different description:** 'This database is a Microsoft Access 7.0/8.0/9.0 Design Master.@If you click OK, the database you selected will be renamed to |1 and then converted to |2. Everyone using a replica of this database will have to upgrade to Microsoft Access 2002 after the next synchronization.@@4@@2'

Microsoft Office Access cannot export this object to XML when it is open in Print Preview. Close the object and try again.@@@1@@1 **Access 2007+ uses different description:** 'Microsoft Office Access cannot export this object to XML when it is open in Print Preview. Close the object and try again.@@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access cannot export this object to XML when it is open in Print Preview. Close the object and try again.@@@1@@@1'

Microsoft Office Access cannot export a table to XML when it is open in Design. Close the object and try again.@@@1@@1 **Access 2007+ uses different description:** 'Microsoft Office Access cannot export a table to XML when it is open in Design. Close the object and try again.@@@1@@@1' **Access 2010+ uses different description:** 'Microsoft Access cannot export a table to XML when it is open in Design. Close the object and try again.@@@1@@@1'

Finished importing document '|'.

Not all of your data was successfully imported.Error descriptions with associated row numbers of bad records can be found in the Microsoft Office Access table '|'. **Access 2010+ uses different description:** 'Not all of your data was successfully imported.Error descriptions with associated row numbers of bad records can be found in the Microsoft Access table '|1.'

Only XML files can be exported to an Internet address (http://, ftp://). Enter a path that points to a location on your computer or on the network.@@@1@@1 **Access 2007+ uses different description:** 'Only XML files can be exported to an Internet address (http://, ftp://). Enter a path that points to a location on your computer or on the network.@@@1@@@1'

The document(s) you are importing contain XML Schema (XSD) information created outside Microsoft Office Access. XML Schema information created outside Microsoft Office Access is not supported. If you continue, Microsoft Office Access will only import the data, and ignore the XML Schema.@Would you like to continue?@@19@@1 **Access 2007+ uses different description:** 'The document(s) you are importing contain XML Schema (XSD) information created outside Microsoft Office Access. XML Schema information created outside Microsoft Office Access is not supported. If you continue, Microsoft Office Access will only import the data, and ignore the XML Schema.@Would you like to continue?@@19@@@1' **Access 2010+ uses different description:**

Access 2003+

Access 2003+

Access 2003+

Access 2003+

Access 2003+

Access 2003+

Access 2003+

The document(s) you are importing contain XML Schema (XSD) information created outside Microsoft Access. @XML Schema information created outside Microsoft Access is not supported. If you continue, Microsoft Access will only import the data, and ignore the XML Schema. @Would you like to continue? @19@@@1'

The Smart Tag property value cannot exceed 1024 characters. @@@1@@1  
**Access 2007+ uses different description:** 'The Smart Tag property value cannot exceed 1024 characters. @@@1@@@1' **Access 2010+ uses different description:** 'The Action Tag property value cannot exceed 1024 characters.'

You are attempting to apply more smart tags than the system can handle. @Please uncheck some of the selected tags. @1@@1 **Access 2007+ uses different description:** 'You are attempting to apply more smart tags than the system can handle. @Please uncheck some of the selected tags. @1@@@1' **Access 2010+ uses different description:** 'You are attempting to apply too many Action Tags. @Please uncheck some of the selected tags. @1@@@1'

The specified transform did not successfully convert the data. Would you like to save a copy of the Data to Export at '|' for troubleshooting? **Access 2016+ uses different description:** 'The specified transform did not successfully convert the data. Would you like to save a copy of the Data to Export at '|' for troubleshooting?'

To view object dependencies or change the Track name AutoCorrect info option, Microsoft Office Access must close all objects and update dependency information. @This could take several minutes. Do you want to continue? @21@553713744@1 **Access 2007+ uses different description:** 'To view object dependencies or change the Track name AutoCorrect info option, Microsoft Office Access must close all objects and update dependency information. @This could take several minutes. Do you want to continue? @21@1@553713744@1' **Access 2010+ uses different description:** 'To view object dependencies or change the Track name AutoCorrect info option, Microsoft Access must close all objects and update dependency information. @This could take several minutes. Do you want to continue? @21@1@553713744@1'

Microsoft Office Access cannot update dependency information because one or more objects are open. @Close all objects and try again. @1@@3 **Access 2007+ uses different description:** 'Microsoft Office Access cannot update dependency information because one or more objects are open. @Close all objects and try again. @1@@@3' **Access 2010+ uses different description:** 'Microsoft Access cannot update dependency information because one or more objects are open. @Close all objects and try again. @1@@@3'

The Track name AutoCorrect info option generates name maps for the objects in the database. This may take several minutes. @Do you want to leave this option turned on? @3@@1 **Access 2007+ uses different description:** 'The Track name AutoCorrect info option generates name maps for the objects in the database. This may take several minutes. @Do you want to leave this option turned on? @3@@@1'

Microsoft Office Access could not connect to the site you specified. Verify the address of the site or contact your site administrator. **Access 2010+ uses different description:** 'Microsoft Access could not connect to the site you specified. Verify the address of the site or contact your site administrator.'

The site you specified does not support linking to a Microsoft Office Access database. The site must be running Windows SharePoint Services from Microsoft. **Access 2007+ uses different description:** 'The site you specified does not support linking to a Microsoft Office Access database. The site must be running Windows SharePoint Services from Microsoft.' **Access 2010+ uses different description:** 'The site you specified does not support linking to a



Microsoft Access database. The site must be running Microsoft SharePoint Foundation.'

The site you specified does not support importing data to a Microsoft Office Access database. The site must be running Windows SharePoint Services from Microsoft. **Access 2007+ uses different description:** 'The site you specified does not support importing data to a Microsoft Office Access database. The site must be running Microsoft Windows SharePoint Services.'

The site you specified does not contain any lists. Verify the address of the site, or contact your site administrator.

**Error Code      Error Description**

Access 2003+

Access 2003+

**Supported Versions**

Microsoft Office Access could not enable name AutoCorrect for one or more objects because Access could not open and save the objects. An open or save operation could have failed due to one or more of the following reasons - the object is already open, you don't have permissions to open the object in Design view, the database is read-only, or the source of a linked table could not be found.@@@2@553713743@1 **Access 2007+ uses different description:** 'Microsoft Office Access could not enable name AutoCorrect for one or more objects because Access could not open and save the objects. An open or save operation could have failed due to one or more of the following reasons - the object is already open, you don't have permissions to open the object in Design view, the database is read-only, or the source of a linked table could not be found.@@@2@1@553713743@1' **Access 2010+ uses different description:** 'Microsoft Access could not enable name AutoCorrect for one or more objects because Access could not open and save the objects. An open or save operation could have failed due to one or more of the following reasons - the object is already open, you don't have permissions to open the object in Design view, the database is read-only, or the source of a linked table could not be found.@@@2@1@553713743@1'

To generate object dependencies, the Track name AutoCorrect info option must be turned on.@Enable name AutoCorrect and continue?@@5@553713744@1 **Access 2007+ uses different description:** 'To generate object dependencies, the Track name AutoCorrect info option must be turned on.@Enable name AutoCorrect and continue?@@5@1@553713744@1'

Dependency information needs to be updated before you can view object dependencies.This could take several minutes.@Do you want to continue?@@5@553713744@1 **Access 2007+ uses different description:** 'Dependency information needs to be updated before you can view object dependencies.This could take several minutes.@Do you want to continue?@@5@1@553713744@1'

The object dependencies feature is not enabled for this database because dependency info needs to be updated.@@@5@553713744@1 **Access 2007+ uses different description:** 'The object dependencies feature is not enabled for this database because dependency info needs to be updated.@@@5@1@553713744@1'

The object that you have selected in the Object Dependencies pane no longer exists in the database.@@@1@@1 **Access 2007+ uses different description:** 'The object that you have selected in the Object Dependencies pane no longer exists in the database.@@@1@@@1'

You do not have the necessary permissions to generate dependency information for the selected object.@@@2@553713744@1 **Access 2007+ uses different description:** 'You do not have the necessary permissions to generate dependency information for the selected object.@@@2@1@553713744@1'

31569	<p>To view dependency information, you must select a table, query, form, or report.@@@1@553713742@1 <b>Access 2007+ uses different description:</b> 'To view dependency information, you must select a table, query, form, or report.@@@1@1@553713742@1'</p> <p>Dependency information cannot be generated because name maps are either missing or outdated. Turn on the Track name AutoCorrect info option, make sure you have sufficient permissions to open an object in Design view, and make sure the database is not read-only.@@@2@553713744@1 <b>Access 2007+ uses different description:</b> 'Dependency information cannot be generated because name maps are either missing or outdated. Turn on the Track name AutoCorrect info option, make sure you have sufficient permissions to open an object in Design view, and make sure the database is not read-only.@@@2@1@553713744@1'</p>	Access 2003+
31570	<p>Dependency information cannot be generated because name maps are outdated, and the database is read-only.@@@2@553713744@1 <b>Access 2007+ uses different description:</b> 'Dependency information cannot be generated because name maps are outdated, and the database is read-only.@@@2@1@553713744@1'</p>	Access 2003+
31571	<p>Microsoft Office Access cannot generate dependency information for a new unsaved object. Save the new object and then check for object dependencies.@@@2@553713744@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access cannot generate dependency information for a new unsaved object. Save the new object and then check for object dependencies.@@@2@1@553713744@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access cannot generate dependency information for a new unsaved object. Save the new object and then check for object dependencies.@@@2@1@553713744@1'</p>	Access 2003+
31572	<p>Microsoft Office Access cannot generate dependency information for objects in a project.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access cannot generate dependency information for objects in a project.@@@1@@@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access cannot generate dependency information for objects in a project.@@@1@@@1'</p>	Access 2003+
31573	<p>Microsoft Office Access cannot export unbound forms or reports as XML documents. <b>Access 2010+ uses different description:</b> 'Microsoft Access cannot export unbound forms or reports as XML documents.'</p>	Access 2003+
31574	<p>All open objects must be closed prior to backing up your database or project.@Do you want Microsoft Office Access to close the objects?@@19@@@2 <b>Access 2007+ uses different description:</b> 'All open objects must be closed prior to backing up your database or project.@Do you want Microsoft Office Access to close the objects?@@19@@@2' <b>Access 2010+ uses different description:</b> 'All open objects must be closed prior to backing up your database or project.@Do you want Microsoft Access to close the objects?@@19@@@2'</p>	Access 2003+
31575	<p>Microsoft Office Access cannot backup this database or project because one or more objects are open.@Close all objects and try again.@@1@@@3 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access cannot backup this database or project because one or more objects are open.@Close all objects and try again.@@1@@@3' <b>Access 2010+ uses different description:</b> 'Microsoft Access cannot backup this database or project because one or more objects are open.@Close all objects and try again.@@1@@@3'</p>	Access 2003+
31576	<p>Microsoft Office Access could not connect to the site you specified. Verify the address of the site or contact your site administrator. <b>Access 2010+ uses different description:</b> 'Microsoft Access could not connect to the site you specified. Verify the address of the site or contact your site administrator.'</p>	Access 2003+
31577		

31578	<p>The table could not be exported because you do not have sufficient permissions. Please contact your site administrator. <b>Access 2007+ uses different description:</b> 'Microsoft Office Access was unable to transfer data to the Microsoft Windows SharePoint Services site. The '1' step failed. 2' <b>Access 2010+ uses different description:</b> "</p> <p>A list with the specified name already exists. Type a different name and try again. <b>Access 2007+ uses different description:</b> 'The table could not be exported because you do not have sufficient permissions. Please contact your site administrator.'</p>	Access 2003,2007
31579	<p>The list name cannot contain any of the following characters: /:*?""&lt;&gt; . Type a different name and try again. <b>Access 2007+ uses different description:</b> 'A list with the specified name already exists. Type a different name and try again.'</p>	Access 2003+
31580	<p>Microsoft Office Access cannot generate dependency information for objects in a replica database.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'The list name cannot contain any of the following characters: /:*?""&lt;&gt; . Type a different name and try again.'</p>	Access 2003+
31581	<p>Finished importing from ' . <b>Access 2007+ uses different description:</b> 'Microsoft Office Access cannot generate dependency information for objects in a replica database.@@@1@@@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access cannot generate dependency information for objects in a replica database.@@@1@@@1'</p>	Access 2003+
31582		
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
31583	<p>Finished linking to ' . <b>Access 2007+ uses different description:</b> 'Finished importing from ' .'</p>	Access 2003+
31584	<p>Finished exporting table '1' to '2'. <b>Access 2007+ uses different description:</b> 'Finished linking to ' .'</p>	Access 2003+
31585	<p>The site you specified does not support importing data from a Microsoft Office Access database. The site must be running Windows SharePoint Services from Microsoft. <b>Access 2007+ uses different description:</b> 'Finished exporting '1' to '2'.'</p>	Access 2003+
31586	<p>Microsoft Office Access cannot generate dependency information because the Track name AutoCorrect info option is turned off. This option cannot be turned on because the database is either read-only or you do not have sufficientpermissions.@@@1@@@1 <b>Access 2007+ uses different description:</b> 'The site you specified does not support importing data from a Microsoft Office Access database. The site must be running Windows SharePoint Services from Microsoft.' <b>Access 2010+ uses different description:</b> 'The site you specified does not support importing data from a Microsoft Access database. The site must be running Microsoft SharePoint Foundation.'</p>	Access 2003+
31587	<p>Error exporting picture file '1' to specified path '2'. <b>Access 2007+ uses different description:</b> 'Microsoft Office Access cannot generate dependency information because the Track Name AutoCorrect Info option is turned off. This option cannot be turned on because the database is either read-only or you do not have sufficient permissions.@@@1@@@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access cannot generate dependency information because the Track Name AutoCorrect Info option is turned off. This option cannot be turned on because the database is either read-only or you do not have sufficient permissions.@@@1@@@1'</p>	Access 2003+
31588	<p>Specified transform failed to successfully transform your data.   <b>Access 2007+ uses different description:</b> 'Error exporting picture file '1' to specified path '2'.'</p>	Access 2003+
31589	<p>A list named ' ' already exists.You must either use a different name or go to the site and delete the list. <b>Access 2007+ uses different description:</b> 'Specified transform failed to successfully transform your data.  '</p>	Access 2003+

31590	<p>Microsoft Office Access is unable to export ' ' to Windows SharePoint Services due to limitations on the number of times each data type can appear in a Windows SharePoint Services list.@See help to find out exactly what the restrictions are and for details on how to create a query that will define the Windows SharePoint Services list that you would like to create.@@2@553714173@1 <b>Access 2007+ uses different description:</b> 'A list named ' ' already exists.You must either use a different name or go to the site and delete the list.'</p> <p>Cannot find the specified schema file ' '. Remove or update the file reference and try to import again. <b>Access 2007+ uses different description:</b> 'Microsoft Office Access is unable to export ' ' to Windows SharePoint Services due to limitations on the number of times each data type can appear in a Windows SharePoint Services list.@See help to find out exactly what the restrictions are and for details on how to create a query that will define the Windows SharePoint Services list that you would like to create.@@2@1@553714173@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access is unable to export ' 1' to Microsoft SharePoint Foundation due to limitations on the number of times each data type can appear in a Microsoft SharePoint Foundation list.@See help to find out exactly what the restrictions are and for details on how to create a query that will define the Microsoft SharePoint Foundation list that you would like to create.@@2@1@553714173@1'</p>	Access 2003+
31591	<p>Microsoft Office Access has encountered an error processing the XML schema in file ' 1'.  2 <b>Access 2007+ uses different description:</b> 'Cannot find the specified schema file ' '. Remove or update the file reference, and try again to import.@@@1@@@@1'</p> <p>Microsoft Office Access was unable to export XML data to' '. <b>Access 2007 uses different description:</b> 'Microsoft Office Access has encountered an error processing the XML schema in file ' 1'. 2@@@@1@@@@1' <b>Access 2010 uses different description:</b> 'Microsoft Access has encountered an error processing the XML schema in file ' 1'.  2@@@@1@@@@1' <b>Access 2013 uses different description:</b> 'Microsoft Access has encountered an error processing the XML schema in file ' 1'.  2@@@@1@@@@1' <b>Access 2016 uses different description:</b> 'Microsoft Access has encountered an error processing the XML schema in file ' 1'.  2@@@@1@@@@1'</p>	Access 2003+
31592	<p>You must install the Microsoft Access 2.0 Converter in order to convert this file.@To get the Access 2.0 Converter from the Microsoft Office Web site, click ""Microsoft Office Online"" on the Help menu.@@1@@1 <b>Access 2007+ uses different description:</b> 'Microsoft Office Access was unable to export XML data to' '.@@@1@@@@1' <b>Access 2010+ uses different description:</b> 'Microsoft Access was unable to export XML data to ' 1'.@@@@1@@@@1'</p> <p>This database was saved in the Microsoft Access   file format.@For information on how to import data from this database into a new file, click Microsoft Office Online on the Getting Started with Microsoft Office Access page.@@1@@@@1 <b>Access 2010+ uses different description:</b> 'This database was saved in the Microsoft Access   file format.@For information on how to import data from this database into a new file, click Office.com on the Getting Started with Microsoft Access page.@@1@@@@1'</p>	Access 2003+
31593	<p>Cannot load the specification ' '. Try re-creating the specification.@@@@1@@@@1</p> <p>The specification XML failed to validate against the schema. There is an error in the following line of the XML document:  .@@@@1@@@@1</p> <p>The specification XML failed to validate against the schema. There is an error in the following specification XML string:  1 Possible value could be one of following ' 2'.@@@@1@@@@1</p>	Access 2007+
31594		Access 2007+
31595		Access 2007+
31596		Access 2007+
31597		Access 2007+
31598		Access 2007+

31599	The specified name ' ' cannot be set due to one of the following reasons: ? The specified name is not unique. ? The specified name is blank. ? The specified name does not follow Microsoft Office Access object-naming rules.@@@1@@@1 <b>Access 2010+ uses different description:</b> 'The specified name '  cannot be set due to one of the following reasons: ? The specified name is not unique. ? The specified name is blank. ? The specified name does not follow Microsoft Access object-naming rules.@@@1@@@1'	Access 2007+
31600	The specified description ' ' is too long. The description cannot exceed 255 characters.@@@1@@@1	Access 2007+
31601	The specification does not contain a description. ' .@@@1@@@1	Access 2007+
31602	The specification with the specified index does not exist. Specify a different index. ' .@@@1@@@1	Access 2007+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
31603	The name ' ' is already in use. Enter a different name or click on the Manage Data Tasks button to rename the existing specification. @@@1@@@1	Access 2007+
31604	The required element is missing under and for a fixed width format.@@@1@@@1	Access 2007+
31605	The Width attribute is required for all elements under or for a fixed width format.@@@1@@@1	Access 2007+
31606	Cannot open the destination database. If the database is open, close it, and then try again.@@@1@@@1	Access 2007+
31607	The Path attribute is required for all formats except ImportWSS, ImportOutlook and ExportXML.	Access 2007+
31608	Specify a name for the import specification in the Save As box.	Access 2007+
31609	Specify a name for the export specification in the Save As box.	Access 2007+
31610	Do you want to delete ' ?	Access 2007+
31611	Specify the name of the source or destination file in the File name box.	Access 2007+
31612	The specification failed to execute. Try re-creating the specification.	Access 2007+
31613	You have selected ""Tables and Related Views"" as the way to group objects in the database.Access needs to update information on object dependencies to create the groups. This will take some time for large databases.@Do you want to continue?@@3@@@1	Access 2007+
31614	Are you sure you want to delete the item ' ' from the Categories list?@Note that the individual groups and the shortcuts to the objects in the database will be deleted, but the objects themselves will not be deleted.@@3@@@1	Access 2007+
31615	Are you sure you want to delete the group?@Note that only the shortcuts, and not the actual objects will be deleted.@@3@@@1	Access 2007+
31616	Duplicate Item Name@An item with the name   already exists in the Categories list. Specify a different name for the item.@@1@@@1	Access 2007+
31617	Duplicate Group Name@A group named   already exists. Specify a different name for the group.@@1@@@1	Access 2007+
31618	Blank Item Name@You have not specified a name for the item that you added to the Categories list.@@1@@@1	Access 2007+
31619	Blank Group Name@You have not specified a name for the group.@@1@@@1	Access 2007+
31620	This will clear all the contents in your MSysNavPaneXXX system tables.@Do you want to continue?@@3@@@1	Access 2007+
31621	There is already a shortcut named ' 1' to the ' 2' object in this group.@@@1@@@1	Access 2007+
31622	The table description cannot be changed for a linked table	Access 2007+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>

Microsoft Office Access has imported 'Favorites' and other groups into the converted database. If you change the imported groups in Access 2007, you will not see those changes if you open the database in an older version of Access. Also, if you change the imported groups by using an older version of Access, you will not see those changes if you open the database in Access 2007.

@@@1@@@1 **Access 2010+ uses different description:** 'Microsoft Access has imported 'Favorites' and other groups into the converted database. If you change the imported groups in Access 2007 or greater, you will not see those changes if you open the database in an older version of Access. Also, if you change the imported groups by using an older version of Access, you will not see those changes if you open the database in Access 2007 or greater. @@@1@@@1'

Enter a valid date.@@@1@@@1

Enter a valid value.@@@1@@@1

| issues were found that could result in unwanted behavior or missing data.@Do you want to cancel the wizard and review the issues?@Click No to ignore the issues and continue with the migration.

A copy of the database has moved to |. Continue opening current file?

Moving to SharePoint is not supported for databases that have the AllowBypassKey property disabled.

Template '1' could not be instantiated.@|2@@@@@3

Failed to set the database property '|'. The object name '|' could not be used because it doesn't follow object-naming rules.

The object name '|' could not be used because it doesn't follow object-naming rules.

Failed to load '1' into '2'.

'|' is not a supported AccessObject type.

Failed to create relationship '|'. Manifest.xml does not match the defined schema. |

Manifest.xml does not match the defined schema. |

Tables.xml does not exist.

This template cannot be used because it requires a later version of Microsoft Office Access. See Microsoft Office Online for the latest templates you can use with your current version of Microsoft Office Access. **Access 2010 uses different description:** 'This template cannot be used because it requires a later version of Microsoft Access. See Office.com for the latest templates you can use with your current version of Microsoft Access.' **Access 2013 uses different description:** 'This template cannot be used because it requires a later version of Microsoft Access. See Office.com for the latest templates you can use with your current version of Microsoft Access.' **Access 2016 uses different description:** 'This template cannot be used because it requires a later version of Microsoft Access. See Office.com for the latest templates you can use with your current version of Microsoft Access.'

Errors were encountered while loading Tables.xml.

Manifest.xml does not exist.

Relationships.xml does not match the required schema.

An unexpected error occurred when opening the template.

NavPane.xml does not match the required schema.

**Error Code** **Error Description**

'|' is not a valid template.

Failed to create a database with the specified CollatingOrder.

Failed to set |1 on |2 '|3'.

Failed to load NavPane.xml.

An error occurred while flipping |1 '|2' right-to-left.

Access 2007+

Access 2007+

Access 2007+

Access 2007+

Access 2007+

Access 2007+

Access 2007+

Access 2007+

Access 2007+

Access 2007+

Access 2007+

Access 2007+

Access 2007+

Access 2007+

Access 2007+

Access 2007+

Access 2007+

Access 2007+

Access 2007+

Access 2007+

**Supported Versions**

Access 2007+

Access 2007+

Access 2007+

Access 2007+

Access 2007+

31648	An error occurred while performing Name AutoCorrect.	Access 2007+
31649	An error occurred while fixing up the labels on  1  '2'.	Access 2007+
31650	The source file  '1' for  2  '3' does not exist.	Access 2007+
31651	The object name  ' could not be used because another object with the same name already exists.	Access 2007+
31652	You do not have exclusive access to the database. Your SharePoint Lists can not be taken offline or cached at this time. Try again later.	Access 2007+
31653	Microsoft Office Access is unable to take your lists offline. A circular relationship was detected. <b>Access 2010+ uses different description:</b> 'Microsoft Access is unable to take your lists offline. A circular relationship was detected.'	Access 2007+
31654	Access denied. You do not have permissions to SharePoint server. Verify permissions, and retry this operation.	Access 2007+
31655	Microsoft Office Outlook could not be started. Make sure Outlook is installed and properly set up on your computer. <b>Access 2010+ uses different description:</b> 'Microsoft Outlook could not be started. Make sure Outlook is installed and properly set up on your computer.'	Access 2007+
31656	You must have Microsoft Office Outlook 2007 on this computer to enable this feature. <b>Access 2010+ uses different description:</b> 'You must have Microsoft Office Outlook 2007 or later on this computer to enable this feature.'	Access 2007+
31657	You cannot set up a collecting data using e-mail task, because your database has reached its maximum size limit. Free some disk space and try again.	Access 2007+
31658	The selected table or query does not have any fields that support collecting data using e-mail.	Access 2007+
31659	is read-only. You cannot use e-mail messages to collect or update data on this object.	Access 2007+
31660	You cannot collect data for action queries, SQL-specific queries, and parameter queries by using e-mail messages.	Access 2007+
31661	The e-mail address field you have specified does not contain any valid addresses. Specify another field.	Access 2007+
31662	The value you have entered is not valid for the maximum number of replies.	Access 2007+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
31663	The value you have entered is not valid for the date and time to stop.	Access 2007+
31664	The date and time to stop processing replies has to be greater than the current date and time.	Access 2007+
31665		Access 2007+
31666	The UpdateDependencyInfo method could not update one or more objects. Microsoft Office Access has created a Name AutoCorrect Save Failures table in the current database with more information about the failing objects.@@@2@1@553713744@1 <b>Access 2010+ uses different description:</b> 'The UpdateDependencyInfo method could not update one or more objects. Microsoft Access has created a Name AutoCorrect Save Failures table in the current database with more information about the failing objects.@@@2@1@553713744@1'	Access 2007+
31667	Do you want to delete all of the selected objects?Deleting these objects will remove them from all groups.@You cannot undelete forms, reports, and modules.@@20@@@1 <b>Access 2013+ uses different description:</b> 'Do you want to delete all of the selected objects? Deleting these objects will remove them from all groups.@You cannot undelete forms, reports, and modules.@@20@@@2'	Access 2007+
31668	Microsoft Office Access does not support opening HTML pages. @To open a Data Access Page, use Windows Internet Explorer or Microsoft Office Access 2003 or earlier.@@2@@@4294967294@1 <b>Access 2010+ uses different description:</b> 'Microsoft Access does not support opening HTML pages. @To	Access 2007+

open a Data Access Page, use Windows Internet Explorer or Microsoft Access 2003 or earlier.@@2@@4294967294@1' **Access 2013+ uses different description:** 'Microsoft Access does not support opening HTML pages.@@2@@4294967294@1'

Design changes are not supported for Data Access Pages. @To change the design of a Data Access Page, use Microsoft Office Access 2003 or earlier.@@2@@4294967294@1 **Access 2010+ uses different description:** 'Design changes are not supported for Data Access Pages. @To change the design of a Data Access Page, use Microsoft Access 2003 or earlier.@@2@@4294967294@1'

Microsoft Office Access does not support this operation for Data Access Pages. To perform this operation, use Microsoft Office Access 2003 or earlier.@@@1@@@1 **Access 2010+ uses different description:** 'Microsoft Access does not support this operation for Data Access Pages. To perform this operation, use Microsoft Access 2003 or earlier.@@@1@@@1'

| Access 2007+

This operation is not supported for SharePoint linked tables. To manage SharePoint linked tables, point to Get External Data on the Data menu, and then click SharePoint List. **Access 2013+ uses different description:** '|1|2'

Changes have been made to this database by an older version of Access or by an external source.In order to use the Tables and Related Views group in the Navigation Pane the dependency tree must be rebuilt.This may take a few moments.@Do you want to continue?@@3@@@1 **Access 2013 uses different description:** 'TECHNICAL DETAILSCorrelation ID: |1 Date and Time: |2' **Access 2016 uses different description:** 'TECHNICAL DETAILSCorrelation ID: |1 Date and Time: |2'

Do you want to delete all of the selected objects?Deleting these objects will remove them from all groups.@@@20@@@1 **Access 2013+ uses different description:** 'This operation is not supported for SharePoint linked tables. To manage SharePoint linked tables, point to Get External Data on the Data menu, and then click SharePoint List.'

You cannot create an .accde or .mde file from a disabled (non-trusted) database. If you trust the source of this database, you can enable it by using the Message bar.@@@1@@@1 **Access 2013+ uses different description:** 'Changes have been made to this database by an older version of Access or by an external source.In order to use the Tables and Related Views group in the Navigation Pane the dependency tree must be rebuilt.This may take a few moments.@Do you want to continue?@@3@@@1'

Do you want to delete all of the selected objects? Deleting these objects will remove them from all groups.@@@20@@@2 Access 2013+

You cannot create an .accde or .mde file from a disabled (non-trusted) database. If you trust the source of this database, you can enable it by using the Message bar.@@@1@@@1 Access 2013+

The '|1' macro action cannot run with the specified '|2' argument either when in disabled mode or when called from an embedded macro.@@@1@@@1 Access 2007+

The '|' RunCommand cannot be run in disabled mode.@@@1@@@1 Access 2007+

Cannot open or run macro '|', because it is not valid.@@@1@@@1 Access 2007+

The ApplyFilter action requires a valid control name that corresponds to a subform or subreport.@@@1@@@1 **Access 2010+ uses different description:** 'The '|' action requires a valid control name that corresponds to a subform or subreport.@@@1@@@1' Access 2007+

The control name '|' is misspelled or refers to a control that doesn't exist.@If the invalid control name is in a macro, an Action Failed dialog box will display the macro name and the macro's arguments after you click OK. Open the Macro window, and enter the correct control name.@@@1@@@1 Access 2007+



Error Code	Error Description	Supported Versions
32005	One or more actions are unknown and cannot be pasted.@@@1@@@1	Access 2007+
32006	Microsoft Access could not understand the macro format.	Access 2010+
32007	The '1' macro action needs a value for the '2' argument.@@@1@@@1	Access 2010+
32008	The '1' macro action has an invalid value for the '2' argument.@@@1@@@1	Access 2010+
32009	The SubMacro needs a valid name argument	Access 2010+
32010	The text you entered is not an item in the list.	Access 2010+
32011	Microsoft Access can't parse the expression: '1'.	Access 2010+
32012	The ApplyOrderBy action requires a valid control name that corresponds to a subform or subreport.@@@1@@@1	Access 2010+
32013	An unknown error has occurred in a data macro.@@@1@@@1	Access 2010+
32014	Are you sure you wish to permanently delete 1 from your table? If the table is open, the change will not be committed until the table is saved.	Access 2010+
32015	Deletion failed for '1'.	Access 2010+
32016	Rename failed for '1'.	Access 2010+
32017	The SQL statement is not valid.	Access 2010+
32018	Changes may not have been saved.	Access 2010+
32019	Time-out error. Server processing failed.	Access 2010+
32020	An error occurred while checking for the status of a Data Macro.@To view the error, look up the DataMacroInstanceID '1' in the USysApplicationLog table.@@1@@@1	Access 2010+
32021	The If and Else If conditions are required arguments.	Access 2010+
32022	The macro cannot be imported because it is invalid.	Access 2010+
32023	The '1' action is not valid for the current context.	Access 2010+
32024	The data macro cannot support any more parameters.	Access 2010+
Error Code	Error Description	Supported Versions
32500	The group ' ' you entered is invalid.@@@1@@@1	Access 2007+
32501	The category ' ' you entered is invalid.@@@1@@@1	Access 2007+
32502	The value you entered isn't valid for the field ' '.@For example, you may have entered text in a numeric field or a number that is greater than the FieldSize setting permits.@@1@@@1	Access 2007+
32503	Support for export to .PDF or .XPS is not installed on this computer.@@@1@@@1	Access 2007+
32504	The text you entered isn't an item in the list.@Do you want to edit the items in the list?@@20@@@4	Access 2007+
32505	Microsoft Office Access has recovered this database. Examine the database to verify that there are no missing database objects.@@@1@@@1 <b>Access 2010+ uses different description:</b> 'Microsoft Access has recovered this database. Examine the database to verify that there are no missing database objects.@@@1@@@1'	Access 2007+
32506	Microsoft Office Access has recovered this database, but one or more tables were found to contain data corruption and were deleted. Deleted tables were logged in the MSysRecoveryErrors table. This table is currently displayed in the datasheet.@@@1@@@1 <b>Access 2010+ uses different description:</b> 'Microsoft Access has recovered this database, but one or more tables were found to contain data corruption and were deleted. Deleted tables were logged in the MSysRecoveryErrors table. This table is currently displayed in the datasheet.@@@1@@@1'	Access 2007+
32507	Microsoft Office Access has recovered this database, but one or more tables were found to contain data corruption and were deleted. Deleted tables were logged in the MSysRecoveryErrors table. @@@1@@@1 <b>Access 2010+ uses</b>	Access 2007+

**different description:** 'Microsoft Access has recovered this database, but one or more tables were found to contain data corruption and were deleted. Deleted tables were logged in the MSysRecoveryErrors table. @@@1@@@1'

32508	The 'Save as Outlook Contact' command failed.@@@1@@@1	Access 2007+
32509	The 'Add from Outlook' command failed.@@@1@@@1	Access 2007+
32510	Microsoft Office Access could not find any fields that match the fields in a Microsoft Office Outlook Contact.@@@1@@@1 <b>Access 2010+ uses different description:</b> 'Microsoft Access could not find any fields that match the fields in a Microsoft Outlook Contact.@@@1@@@1'	Access 2007+
32511	Successfully added   contact(s).@@@1@@@1	Access 2007+
32512	You cannot save this database in an earlier version format, because it uses features that require the current file format.@Features that require the current file format include attachments, multivalued fields, offline data, or links to external files that are not supported by earlier versions of Access.@@1@@@1 <b>Access 2010+ uses different description:</b> 'You cannot save this database in an earlier version format, because it uses features that require the current file format.@These features include attachments, multi-valued fields, offline data, data macros, calculated columns, links to unsupported external files, newer sort orders, newer encryption types, and navigation controls.@@1@@@1'	Access 2007+
32513	All open objects must be closed before you save the database.@Do you want Microsoft Office Access to close all open objects?@@19@@@2 <b>Access 2010+ uses different description:</b> 'All open objects must be closed before you save the database.@Do you want Microsoft Access to close all open objects? @@19@@@2'	Access 2007+
32514	Microsoft Office Access can't save this database to a different version, because one or more objects are open.@Close all objects, and then try again.@@1@@@3 <b>Access 2010+ uses different description:</b> 'Microsoft Access can't save this database to a different version, because one or more objects are open.@Close all objects, and then try again.@@1@@@3'	Access 2007+
32515	You are about to delete the list and all its data from the SharePoint site. Do you want to continue?	Access 2007+
32516	The filter string you entered is not valid or you cannot apply a filter at this time.	Access 2007+
32517	This SharePoint list or one of related lists doesn't exist on the SharePoint site.	Access 2007+
32518	The following errors have occurred:	Access 2007+
32519	The value specified for the Type parameter is invalid. Specify one of the following: Report, Form, Query, or Table.	Access 2007+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
32520	The repair operation was cancelled. To repair the file manually, on the File menu, point to Manage Database, and then click Compact and Repair Database.	Access 2007+
32521	You can't change the value of this property in the OnPaint event.@@@1@@@1	Access 2007+
32522	No contacts were imported.None of the fields have the necessary ' ' property specified.@@@1@@@1 <b>Access 2010+ uses different description:</b> 'No contacts were imported. None of the fields have the necessary ' ' property specified.@@@1@@@1'	Access 2007+
32523	A custom macro in this report has failed to run, and is preventing the report from rendering.@@@1@@@1	Access 2007+
32524	Access could not create ' 1'.@ 2@Make sure that the file name (and location, if provided) are in the correct format, such as c:locationfile name.@1@@@1	Access 2007+
32525	Access could not download the template from Microsoft Office Online. <b>Access 2010+ uses different description:</b> 'Access could not download the template from Office.com.'	Access 2007+
32526	You attempted to create an .mdb file on a SharePoint site. You can create only Access 2007 database (.accdb) files on SharePoint sites. Either change the file	Access 2007+

	type or select a different location. <b>Access 2013 uses different description:</b> 'You attempted to create an .mdb file on a SharePoint site. You can create only Access 2007 - 2013 database (.accdb) files on SharePoint sites. Either change the file type or select a different location.' <b>Access 2016 uses different description:</b> 'You attempted to create an .mdb file on a SharePoint site. You can create only Access 2007 - 2016 database (.accdb) files on SharePoint sites. Either change the file type or select a different location.'	
	You attempted to create an .adp file on a SharePoint site. You can create only Access 2007 database (.accdb) files on SharePoint sites. Either change the file type or select a different location. <b>Access 2013 uses different description:</b> 'You attempted to create an .adp file on a SharePoint site. You can create only Access 2007 - 2013 database (.accdb) files on SharePoint sites. Either change the file type or select a different location.' <b>Access 2016 uses different description:</b> 'You attempted to create an .adp file on a SharePoint site. You can create only Access 2007 - 2016 database (.accdb) files on SharePoint sites. Either change the file type or select a different location.'	
32527	You attempted to create an .adp file on a SharePoint site. You can create only Access 2007 - 2013 database (.accdb) files on SharePoint sites. Either change the file type or select a different location.' <b>Access 2016 uses different description:</b> 'You attempted to create an .adp file on a SharePoint site. You can create only Access 2007 - 2016 database (.accdb) files on SharePoint sites. Either change the file type or select a different location.'	Access 2007+
32528	The application is disabled, and databases may not be created.	Access 2007+
32529	This operation is not supported for parameterized queries or objects based on parameterized queries.@@@1@@@1	Access 2007+
32530	Sharing to Windows SharePoint Services requires the database to be in an Access 2007 or greater format. <b>Access 2010+ uses different description:</b> 'Sharing to Microsoft SharePoint Foundation requires the database to be in an Access 2007 or greater format.'	Access 2007+
32531	Microsoft Office Access failed to create the SharePoint list. This could be because you don't have the necessary permissions. <b>Access 2010+ uses different description:</b> 'Microsoft Access failed to create the SharePoint list. This could be because you don't have the necessary permissions.'	Access 2007+
32532	The project cannot be converted to this format. The project can only be converted to Access 2000 or newer format.	Access 2007+
32533	Failed to create field '1' on table '2'	Access 2007+
32534	Failed to delete predefined field '1' on table '2'	Access 2007+
32535	Failed to rename the the field '1' on the SharePoint list '2' <b>Access 2010+ uses different description:</b> 'Failed to rename the field '1' on the SharePoint list '2'	Access 2007+
32536	The specified command (OutputTo) is not available now.Close objects open in Design View or Layout View and try again.@@@1@@@1 <b>Access 2010+ uses different description:</b> 'The specified command (OutputTo) is not available now. Close objects open in Design View or Layout View and try again.@@@1@@@1'	Access 2007+
32537	Only 256 TempVars can be created. Be sure to remove any TempVars that are not needed.	Access 2007+
32538	TempVars can only store data. They cannot store objects.	Access 2007+
32539	TempVars can only store strings with up to 65,356 characters.	Access 2007+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
32540	The name of this TempVar is too long.TempVar names must be 256 characters or less.Use a shorter name. <b>Access 2010+ uses different description:</b> 'The name of this TempVar is too long. TempVar names must be 256 characters or less. Use a shorter name.'	Access 2007+
32541	You must specify a name to set or remove a temporary variable.	Access 2007+
32542	You must specify a value to set the temporary variable to.	Access 2007+
32543	Do you want to connect to an existing SQL Server database?@Select No to create a new SQL Server database.@@16@@@4	Access 2007+
32544	You are trying to convert an encoded database. Decode the database, and then try again. To protect the converted database, use the Encrypt with Password command. <b>Access 2016+ uses different description:</b> 'You are trying to convert	Access 2007+

an encoded database. Decode the database, and then try again. To protect the converted database, use the Encrypt with Password command.'

You are trying to convert a password protected database. Remove the password, and then try again. To protect the converted database, use the Encrypt with Password command. **Access 2016+ uses different description:** 'You are trying to convert a password protected database. Remove the password, and then try again. To protect the converted database, use the Encrypt with Password command.'

You are trying to convert an encoded database that uses a password. Decode the database, remove the password, and then try again. To protect the converted database, use the Encrypt with Password command. **Access 2016+ uses different description:** 'You are trying to convert an encoded database that uses a password. Decode the database, remove the password, and then try again. To protect the converted database, use the Encrypt with Password command.'

You are trying to convert a database that is encrypted with a password. Remove the password, and then try again. To protect the converted database, use the Set Database Password command. **Access 2016+ uses different description:** 'You are trying to convert a database that is encrypted with a password. Remove the password, and then try again. To protect the converted database, use the Set Database Password command.'

There was an error displaying the mail message. Make sure that there are no open dialogs in Outlook and try again. **Access 2010+ uses different description:** 'There was an error displaying the mail message. Make sure that there are no open dialogs in Outlook and try again.'

'|' contains over 10,000 rows. Processing may take several moments. Would you like to continue? **Access 2010+ uses different description:** '| contains over 10,000 rows. Processing may take several moments. Would you like to continue?'

'|' is an empty lookup field. You will not be able to collect data for this field. To continue, remove the empty lookup field from the list of fields to be included in this e-mail message.

There was an error displaying the task. Make sure that there are no open dialogs in Outlook and try again. **Access 2010+ uses different description:** 'There was an error displaying the task. Make sure that there are no open dialogs in Outlook and try again.'

This command is not available when the database is opened from the Web server. Would you like to save a local copy of the database?

To sign and deploy a database, you must use a database created with Microsoft Office Access 2007 or later. Convert the database to the Access 2007 format and start the signing process again.

Microsoft Office Access could not create a deployment package with the current database. Check the path to the file.@@@1@@@1 **Access 2010+ uses different description:** 'Microsoft Access could not create a deployment package with the current database. Check the path to the file.@@@1@@@1'

Microsoft Office Access could not sign the current database. Ensure that the digital certificate used to sign the database is valid.@@@1@@@1 **Access 2010+ uses different description:** 'Microsoft Access could not sign the current database. Ensure that the digital certificate used to sign the database is valid.@@@1@@@1'

Microsoft Office Access could not extract the database. Check the file name and the path to the file.@@@1@@@1 **Access 2010+ uses different description:** 'Microsoft Access could not extract the database. Check the file name and the path to the file.@@@1@@@1'

Microsoft Office Access could not download the packaged database. Network issues or issues with the Web site may have prevented the download. Start the

download again or browse to the site and ensure that it is operating.@@@1@@@1 **Access 2010+ uses different description:** 'Microsoft Access could not download the packaged database. Network issues or issues with the Web site may have prevented the download. Start the download again or browse to the site and ensure that it is operating.@@@1@@@1'

32558	You requested an invalid file. The file may be corrupt. Contact the person who created the file and request a new copy.@@@1@@@1	Access 2007+
32559	The template is in an unknown format and cannot be opened.	Access 2007+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
32560	The specified template does not exist.	Access 2007+
32561	The specified template contains errors or is not a valid template. <b>Access 2010+ uses different description:</b> ' ' is not a valid database template.'	Access 2007+
32562	The specified template cannot be created in the specified file format.Specify a different file format for the new database. <b>Access 2010+ uses different description:</b> 'The specified template cannot be created in the specified file format. Specify a different file format for the new database.'	Access 2007+
32563	You cannot use a template file to create a database directly on a SharePoint site. This does not appear to be a template file.The file may have become corrupt, or the package format may contain an error. <b>Access 2010+ uses different description:</b> 'This does not appear to be a template file. The file may have become corrupt, or the package format may contain an error.'	Access 2007+
32564	The  0  1' could not be read from the template file.The object may be in an unrecognized format or contain invalid data. <b>Access 2010+ uses different description:</b> 'The  0  1' could not be read from the template file. The object may be in an unrecognized format or contain invalid data.'	Access 2007+
32565	The table  0' in the template could not be associated with a SharePoint list with ID  1.	Access 2007+
32567	The  0  1' in the template could not be loaded from text because of a parsing error.  2 <b>Access 2016+ uses different description:</b> 'The  0  1' in the template could not be loaded from text because of a parsing error.  2'	Access 2007+
32568	The table  0 or one of its fields could not be successfully renamed.	Access 2007+
32569	Failed to add the VBA reference  0	Access 2007+
32570	A Design Master or Replica cannot be converted to the Access 2007 file format.@@@1@@@1	Access 2007+
32571	The contents of the Navigation Pane may not be changed while it is locked. Access Projects do not support custom groups in the Navigation Pane.You may not import or export custom groups from an Access Project. <b>Access 2010+ uses different description:</b> 'Access Projects do not support custom groups in the Navigation Pane. You may not import or export custom groups from an Access Project.'	Access 2007+
32572	Microsoft Office Access cannot perform the export operation. <b>Access 2010+ uses different description:</b> 'Microsoft Access cannot perform the export operation.'	Access 2007+
32573	This template requires a SharePoint site with a newer version of Windows SharePoint services.Specify a different site. <b>Access 2010+ uses different description:</b> "	Access 2007
32574	The acCmdExport command for RunCommand has been deprecated.Use the OutputTo action or one of the more specific RunCommands, such as acCmdExportExcel, acCmdExportRTF, and acCmdExportText. <b>Access 2010+ uses different description:</b> 'The acCmdExport command for RunCommand has been deprecated. Use the OutputTo action or one of the more specific RunCommands, such as acCmdExportExcel, acCmdExportRTF, and acCmdExportText.'	Access 2007+
32575		

32576	<p>The acCmdImport command for RunCommand has been deprecated. Use one of the more specific RunCommands, such as acCmdImportAttachAccess, acCmdImportAttachExcel, and acCmdImportAttachText. <b>Access 2010+ uses different description:</b> 'The acCmdImport command for RunCommand has been deprecated. Use one of the more specific RunCommands, such as acCmdImportAttachAccess, acCmdImportAttachExcel, and acCmdImportAttachText.'</p> <p>The acCmdLinkTables command for RunCommand has been deprecated. Use one of the more specific RunCommands, such as acCmdImportAttachAccess, acCmdImportAttachExcel, and acCmdImportAttachText. <b>Access 2010+ uses different description:</b> 'The acCmdLinkTables command for RunCommand has been deprecated. Use one of the more specific RunCommands, such as acCmdImportAttachAccess, acCmdImportAttachExcel, and acCmdImportAttachText.'</p>	Access 2007+
32577	<p>Microsoft Office Access could not load the Access database engine. Run setup again and restart the application.@@@1@@@1 <b>Access 2010+ uses different description:</b> 'Microsoft Access could not load the Access database engine. Run setup again and restart the application.@@@1@@@1'</p>	Access 2007+
32578	<p>You do not have permissions to write to this SharePoint site. Contact your site administrator for assistance.</p>	Access 2007+
32579		Access 2007+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
32580	Cannot publish the file   as the file is either checked out or locked for editing by another user.	Access 2007+
32581	SQL Distributed Management Objects (SQL-DMO) must be on the machine running Microsoft Office Access. <b>Access 2010+ uses different description:</b> 'SQL Distributed Management Objects (SQL-DMO) must be on the machine running Microsoft Access.'	Access 2007+
32582	The specified file name could not be used to create a database. Specify a different database name. <b>Access 2010+ uses different description:</b> 'The specified file name could not be used to create a database. Specify a different database name.'	Access 2007+
32583	An error occurred while trying to create the database.	Access 2007+
32584	No object with the given name and type exists in the current database.	Access 2007+
32585	This feature is only available in an ADP.@@@1@@@1	Access 2007+
32586	This database object cannot be saved as a report.@@@1@@@1	Access 2007+
32587	The Source value you have specified is not valid.@@@1@@@1	Access 2007+
32588	The table which you are trying to append to is currently open and must be closed before proceeding. Do you want to save the changes and close the table? @@@20@@@2	Access 2007+
32589	Microsoft Office Access encountered an error trying to close the table.@@@1@@@1 <b>Access 2010+ uses different description:</b> 'Microsoft Access encountered an error trying to close the table.@@@1@@@1'	Access 2007+
32590	You cannot link to a database that is stored on an Internet location. You should first save the database to a location that uses a Universal Naming Convention (UNC), such as a server share, and then link to it.@@@1@@@1	Access 2007+
32591	The file path you specified is not valid. Please specify a full file path.@@@1@@@1	Access 2007+
32592	The file name extension of ' ' is not valid for the format to which you are trying to export. This action is potentially unsafe. Do you want to continue? @@@20@@@2	Access 2007+
32593	Overwrite existing table or query ' '?@@@20@@@2	Access 2007+
32594	The Show Column History command is not available while you are working with a SharePoint list offline. Reconnect to the list and try again.@@@1@@@1	Access 2007+

32595	Microsoft Office Access cannot delete the SharePoint list, because you don't have the necessary permissions to delete the list or the list has been renamed or no longer exists. <b>Access 2010+ uses different description:</b> 'Microsoft Access cannot delete the SharePoint list, because you don't have the necessary permissions to delete the list or the list has been renamed or no longer exists.'	Access 2007+
32596	The Microsoft Office Access Outlook Add-in is disabled in Microsoft Office Outlook 2007. To collect data by using e-mail messages in Microsoft Office Access 2007, verify that this add-in is installed and enabled from within Office Outlook 2007. <b>Access 2010+ uses different description:</b> 'The Microsoft Access Outlook Add-in is disabled in Microsoft Outlook. To collect data by using e-mail messages in Microsoft Access, verify that this add-in is installed and enabled from within Microsoft Outlook.'	Access 2007+
32597	This database contains links to lists on the selected SharePoint site. Do you want to be able to add shortcuts to each list's View menu? This will enable other people to open forms and reports from the SharePoint Web page. <b>Access 2016+ uses different description:</b> 'This database contains links to lists on the selected SharePoint site. Do you want to be able to add shortcuts to each list's View menu? This will enable other people to open forms and reports from the SharePoint Web page.'	Access 2007+
32598	The name ' ' is already in use. Enter a different name. @@@1@@@1	Access 2007+
32599	Only XML files can be imported from an Internet address (http://, ftp://). Enter a path that points to a location on your computer or on the network. @@@1@@@1	Access 2007+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
32600	The list  1 is already used by the  2 link table. Select a different list.	Access 2007+
32601	You are about to change sites. Any changes you have made to link tables will be discarded. Do you want to continue without saving these changes?	Access 2007+
32602	The SetProperty action or method failed because there was no form or report context. @To establish the correct context for SetProperty, call OpenForm or OpenReport before calling SetProperty, or call SetProperty from an event on a form or report. @@@1@@@1	Access 2007+
32603	SharePoint List data will be cached in this database. If this database is shared, users who do not have permissions to view this data will be able to see it.	Access 2007+
32604	There was an error publishing your database. Verify your publish URL and permissions, and then try again.	Access 2007+
32605	Your data source contains more than 255 fields (columns). Access will import only the first 255 fields.	Access 2007+
32606	Attachment fields are not supported in the MDB or ADP database formats. Attachment fields are included in the source database table and those fields will not be exported. Do you want to continue? <b>Access 2010+ uses different description:</b> 'Some field types, such as attachment fields and calculated fields, are not supported in the MDB or ADP database. Do you want to continue?'	Access 2007+
32607	Attachment fields are not supported in the MDB or ADP database formats. If attachment fields are included in the source database tables, those fields will not be imported. Do you want to continue? <b>Access 2010+ uses different description:</b> 'Field types such as attachment fields and calculated fields, are not supported in the MDB or ADP database formats. If any unsupported field types exist in the source database tables, those fields will not be imported. Do you want to continue?'	Access 2007+
32608	This database file cannot be converted because it contains linked tables that refer to one or more files that cannot be found. To continue, delete these linked tables or repair the links. @@@1@@@1	Access 2007+
32609	1 cannot load customization  2'. This customization name was already loaded.	Access 2007+

Automatic configuration of the current version of Microsoft Office Access has failed. Your database might not function correctly. This can occur if you do not have the necessary permissions to install Microsoft Office Access on this computer.@@@1@@@1 **Access 2010+ uses different description:** 'Automatic configuration of the current version of Microsoft Access has failed. Your database might not function correctly. This can occur if you do not have the necessary permissions to install Microsoft Access on this computer.@@@1@@@1'

The file '|' already exists.@Do you want to update the existing file?  
@@20@@@@2

Microsoft Office Access cannot open this file. This file was converted to runtime mode by changing its file name extension to .accdr. This file will open only when Access is in runtime mode. To open the file, either double-click it in Windows Explorer, open it by using a shortcut, or use the /runtime command-line switch. To modify the design of this database, rename it with an .accdb file name extension, and then open it in Access. **Access 2010+ uses different description:** 'Microsoft Access cannot open this file. This file was converted to runtime mode by changing its file name extension to .accdr. This file will open only when Access is in runtime mode. To open the file, either double-click it in Windows Explorer, open it by using a shortcut, or use the /runtime command-line switch. To modify the design of this database, rename it with an .accdb file name extension, and then open it in Access.'

This feature requires the Microsoft Office Access 2007 program to be installed on your computer. The application you are running is powered by the Microsoft Office Access 2007 Runtime. For information about the differences between the Microsoft Office Access program and the Microsoft Office Access Runtime, in the status bar, click Powered by Microsoft Office Access. **Access 2010 uses different description:** 'This feature requires the Microsoft Access 2010 program to be installed on your computer. The application you are running is powered by the Microsoft Access 2010 Runtime. For information about the differences between the Microsoft Access program and the Microsoft Access Runtime, in the status bar, click Powered by Microsoft Access.' **Access 2013 uses different description:** 'This feature requires the Microsoft Access 2013 program to be installed on your computer. The application you are running is powered by the Microsoft Access 2013 Runtime. For information about the differences between the Microsoft Access program and the Microsoft Access Runtime, in the status bar, click Powered by Microsoft Access.' **Access 2016 uses different description:** 'This feature requires the Microsoft Access 2016 program to be installed on your computer. The application you are running is powered by the Microsoft Access 2016 Runtime. For information about the differences between the Microsoft Access program and the Microsoft Access Runtime, in the status bar, click Powered by Microsoft Access.'

Microsoft Access cannot read the data in |1. The minimum required version to read the data is |2.

Microsoft Access cannot update the data in |1. The minimum required version to update the data is |2.

Microsoft Access cannot change the design of |1. The minimum required version to change the design is |2.

The database you are trying to open requires a newer version of Microsoft Access.

[Click here to learn more about this error.](#)

0,0

## Error Code      Error Description

An Access 2007 format (.accdb) database must be open before you use this command.

Access 2007+

Access 2007+

Access 2007+

Access 2007+

Access 2010+

Access 2010+

Access 2010+

Access 2010+

Access 2010+

Access 2010+

**Supported Versions**

Access 2010+



32621	The file ' 1' could not be created. Verify that you have the correct permissions and that the file is not locked or read-only, and then try again. <b>Access 2016+ uses different description:</b> 'The file ' 1' could not be created. Verify that you have the correct permissions and that the file is not locked or read-only, and then try again.'	Access 2010+
32622	An error occurred when trying to save the database as a template because the object  1:[ 2] could not be exported.	Access 2010+
32623	An error occurred when trying to save the database as a template because the preview image could not be saved.	Access 2010+
32624	An error occurred when trying to save the database as a template because the icon could not be saved.	Access 2010+
32625	An error occurred when trying to save the database as a template because Relationships failed to export.	Access 2010+
32626	An error occurred when trying to save the database as a template because the Navigation Pane failed to export.	Access 2010+
32627	The value for Name is required.	Access 2010+
32628	The value for Category is required.	Access 2010+
32629	The label for the lookup columnn is required.	Access 2010+
32630	The database must be in online mode to complete this operation.@Do you want to switch to online mode now?@@20@@@4	Access 2010+
32631	The Web application ' 1/2' already exists. Select a different site or Web application name and try again.	Access 2010+
32632	Access to ' ' was denied. Please contact the server administrator to request permissions to publish Access Services databases.	Access 2010+
32633	While attempting to publish your database, the server reported the following error:	Access 2010+
32634	An unknown error occurred while communicating with the server. Please verify that you are connected to the network, the full URL to the site you are creating is correct, and that the server is available.	Access 2010+
32635	Microsoft Access could not open the Web application from  1. Please verify that the server is available.	Access 2010+
32636	The server did not respond. Please verify that you are connected to the network and that the server is available.	Access 2010+
32637	The specified server does not support publishing Access Services applications.	Access 2010+
32638	You must specify a name to set or remove a local variable.	Access 2010+
32639	You must specify a value to set the local variable to.	Access 2010+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
32640	The database object ' ' must be closed in order to make this change.@Please close the object and try again.@@1@@@1	Access 2010+
32641	You cannot open the database object ' ' in design mode with the current settings.	Access 2010+
32642	Save As action is not available for Web objects.	Access 2010+
32643	You must specify an object for the BrowseTo to open.	Access 2010+
32644	Some of the lists selected for import will only be available when the database application is opened in Microsoft Access. Do you want to continue?	Access 2010+
32645	Object name may not exceed   characters. Please specify a shorter name.	Access 2010+
32646	There are no valid objects to package into a template. No template file was created.	Access 2010+
32647	You cannot run Web Expressions in a non-trusted database. If you trust the source of this database, you can enable it by using the Message bar.	Access 2010+
32648	This operation is only allowed on Custom Groups.	Access 2010+
32649	This operation is only allowed on Custom Categories.	Access 2010+

32650	This operation is only allowed on Object Shortcuts in Custom Groups.	Access 2010+
32651	This group does not allow this type of customization.	Access 2010+
32652	This category does not allow this kind of customization.	Access 2010+
32653	Invalid position.	Access 2010+
32654	The position of items in the Navigation Pane cannot be changed.	Access 2010+
32655	This object cannot be saved as a report because it contains a navigation control.@@@1@@@1	Access 2010+
32656	Microsoft Access has detected that this database contains both Microsoft Access 2007 compatible links and Access 2010 compatible links.@Would you like to convert all links to use improved Access 2010 caching? This will mean the links cannot be opened in Microsoft Access 2007.@@13@@@4 <b>Access 2013 uses different description:</b> 'Microsoft Access has detected that this database contains both Microsoft Access 2007 compatible links and Access 2013 compatible links.@Would you like to convert all links to use improved Access 2013 caching? This will mean the links cannot be opened in Microsoft Access 2007.@@13@@@4' <b>Access 2016 uses different description:</b> 'Microsoft Access has detected that this database contains both Microsoft Access 2007 compatible links and Access 2016 compatible links.@Would you like to convert all links to use improved Access 2016 caching? This will mean the links cannot be opened in Microsoft Access 2007.@@13@@@4'	Access 2010+
32657	The compact and repair operation has been cancelled. You might not have adequate permissions to the folder that the database is located in. You need full permissions to the directory the database is located to compact and repair. Contact your system administrator for more information.@@@1@@@1	Access 2010+
32658	An error occurred while initializing the Access Services database.	Access 2010+
32659	Inserting a datatype template is only supported in an open table with a current selection.	Access 2010+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
32660	Microsoft Access does not support this operation for Data Access Pages. To perform this operation, use Microsoft Office Access 2007 or earlier.@@@1@@@1	Access 2010+
32661	The ReplicationConflictFunction property is not set properly to resolve conflicts.@Contact the author of this database application or go to <a href="http://support.microsoft.com/kb/158930">http://support.microsoft.com/kb/158930</a> to see how to create such a function.@@@1@@@3	Access 2010+
32662	The form cannot be saved as a report because it contains a Web browser control.	Access 2010+
32663	Please provide a data source for the report.	Access 2010+
32664	There was an error opening the file ' '.	Access 2010+
32665	The object "" 1"" ( 2) could not be found in the current Web application.	Access 2010+
32666	Invalid Table Name.	Access 2010+
32667	Access was unable to automatically restore your backup database. The backup database can be accessed here:	Access 2010+
32668	All open objects must be closed before instantiating this application part.@Do you want Microsoft Access to close all open objects?@@19@@@2	Access 2010+
32669	Microsoft Access encountered an error while checking the object ' ' for Web compatibility.@The conversion failed.@@@1@@@1	Access 2010+
32670	Access 2010 cannot contact the server. Check your network connection or contact the server administrator. <b>Access 2013 uses different description:</b> 'Access 2013 cannot contact the server. Check your network connection or contact the server administrator.' <b>Access 2016 uses different description:</b> 'Access 2016 cannot contact the server. Check your network connection or contact the server administrator.'	Access 2010+

32671	Network connectivity lost while updating links. Some tables may not have changed modes. You will be prompted to change modes again next time your database is closed and opened.	Access 2010+
32672	Microsoft Access could not create the linked table '1' with the specified connection information. Please rename the link and check that the data source is available.	Access 2010+
32673	Microsoft Access does not have any Web service connection definitions.	Access 2010+
32674	The resource name '1' is already in use.	Access 2010+
32675	Microsoft Access could not add '1' to your Image Gallery. @1 is not an image file, or is saved in an unrecognized image format. @@1@@@1	Access 2010+
32676	Microsoft Access was unable to add the requested resource to the resources collection. Ensure that the file exists and is in a valid format.	Access 2010+
32677	A resource with the specified name and type already exists in the resource collection. Only one resource can exist for each combination of name and type.	Access 2010+
32678	There was an error adding an image from the file '1'. Only graphic files supported by Microsoft Access may be added.	Access 2010+
32679	The file '1' could not be opened. Please verify that the file exists and try again.	Access 2010+
<b>Error Code</b>	<b>Error Description</b>	<b>Supported Versions</b>
32680	The resource name '1' is invalid. Resource names must be between 1 and 64 characters long, and may not contain most punctuation.	Access 2010+
32681	You cannot delete themes directly. Themes are automatically deleted when no objects are using them.	Access 2010+
32682	The current database does not support resource collections. Resource collections are not supported on Access projects (ADP) or Access databases in the MDB format.	Access 2010+